## BEST AVAILABLE COPY

## THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Examiner:

To Be Assigned

Danielle Renee Forget Shield

8888888

Serial No.:

10/799,826

Group Art Unit: To Be Assigned

Filed:

March 12, 2004

Title: Electronic waste management

system

Attorney Docket No. 020976-00100

## **PETITION UNDER 37 C.F.R. § 1.53(e)(2)** IN RESPONSE TO NOTICE OF INCOMPLETE NONPROVISIONAL APPLICATION

MAIL STOP PETITION Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Applicant hereby petitions for review of the Notice of Incomplete Provisional Application mailed July 21, 2004. Applicant's application was accompanied by a declaration and drawings (and other material) and was sent via Express Mail. As a result, Applicant believes the Notice of Incomplete Provisional Application was mailed in error. Applicant has enclosed a copy of its entire March 12, 2004 submission and makes the showing required under 37 C.F.R. § 1.10 below. Applicant requests that the Office confirm receipt of each and every element included in its original deposit.

Applicant placed the number of the Express Mail mailing label on each piece of correspondence prior to the original mailing on March 12, 2004, as shown by the attached true copies of the utility patent application transmittal form and the first page of the specification. Applicant also includes a copy of the postcard receipt indicating the Office's receipt of drawings, an Information Disclosure Statement, an Assignment and Recordation Cover Sheet, Declaration, Power of Attorney, and the application, fee, and transmittal sheet.

The undersigned states that all application materials mentioned herein were among the original deposit materials in Express Mail mailing label no. EL179781635US deposited March 12, 2004. The undersigned further states that all copies attached hereto, including copies of the original deposit materials and the copy of the returned postcard are true copies of the originally mailed correspondence and the returned postcard, respectively.

This paper is being filed promptly after the undersigned became aware that the Office may accord filing date other than the United States Postal Service deposit date. The Commissioner is hereby authorized to charge any requisite fee for consideration of this petition to Deposit Account No. 12-1322.

Date: 8/4/04

D. Brit Nelson Registration No. 40,370

Respectfully submitted,

LOCKE LIDDELL & SAPP LLP 600 Travis, Suite 3400 Houston, Texas 77002-3095

Telephone No.: (713) 226-1142 Facsimile No.: (713) 223-3717

## **CERTIFICATE UNDER 37 C.F.R. §1.8**

United State	es Postal Service with suff	rument and its attachments are being deposited with the icient postage as First Class Mail in an envelope addressed ssioner for Patents, P.O. Box 1450, Alexandria, VA 22313- , 2004.
Dated:	8/4/04	D. Prit M



## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO. Box 1459

P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NUMBER

FILING OR 371 (c) DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/799,826

826 03/12/2004

Danielle Renee Forget Shield

020976-00100

22904 LOCKE LIDDELL & SAPP LLF

600 TRAVIS 3400 CHASE TOWER HOUSTON, TX 77002-3095 CONFIRMATION NO. 8615 FORMALITIES LETTER

\*OC000000013287706\*

Date Mailed: 07/21/2004

## NOTICE OF INCOMPLETE NONPROVISIONAL APPLICATION

## FILED UNDER 37 CFR 1.53(b)

A filing date has NOT been accorded to the above-identified application papers for the reason(s) indicated below.

All of the items noted below and a newly executed oath or declaration covering the items must be submitted within **TWO MONTHS** of the date of this Notice, unless otherwise indicated, or proceedings on the application will be terminated (37 CFR 1.53(e)). Replies should be mailed to: Mail Stop Missing Parts, Commissioner for Patents, P.O. Box 1450, Alexandria VA 22313-1450.

The filing date will be the date of receipt of all items required below, unless otherwise indicated. Any assertions that the item(s) required below were submitted, or are not necessary for a filing date, must be by way of petition directed to the attention of the Office of Petitions accompanied by the \$130.00 petition fee (37 CFR 1.17(h)). If the petition states that the application is entitled to a filing date, a request for a refund of the petition fee may be included in the petition. Petitions should be mailed to: Mail Stop Petitions, Commissioner for Patents, P.O. Box 1450, Alexandria VA 22313-1450.

 The application was deposited without drawings. 35 U.S.C. 113 (first sentence) requires a drawing "where necessary for the understanding of the subject matter sought to be patented." Applicant should reconsider whether the drawings are necessary under 35 U.S.C. 113 (first sentence).

Replies should be mailed to:

Mail Stop Missing Parts

Commissioner for Patents

P.O. Box 1450

Alexandria VA 22313-1450

A copy of this notice MUST be returned with the reply.

Customer Service Center





The Stamp of the Patent and Trademark Office placed hereon, acknowledges receipt of:

Applicant: Shield Attorney: D. Brit Nelson

To Be Assigned 020976-00100

Attorney File No.

Appl. No.

Date: March 12, 2004

Utility Patent Application Transmittal; Fee Transmittal; Specification; Drawings; Information Disclosure Statement w/References; Assignment w/Recordation Form Cover; Power of Attorney; Declaration; post card

The Stamp of the Patent and Trademark Office placed hereon, acknowledges receipt of:

DAFFENBERRY, LLC.

Applicant:

Shield

Appl. No.

To Be Assigned

Attorney:

D. Brit Nelson

Attorney File No.

020976-00100

Date:

March 12, 2004

Utility Patent Application Transmittal; Fee Transmittal; Specification; Drawings; Information Disclosure Statement w/References; Assignment w/Recordation Form Cover; Power of Attorney, Declaration; post

card

LOCKE LIDDELL & SAPP

MAR 2 2 2004

DOCKETED

APPL. #

HOUSTON:020976/00100:903416v1

17497 U.S. PTO 10/799826




EL179781635US

## EDWARSIN SOUNDE

# TOR PICKUP OR TRACKING CALL 1-80-222-1811

BEST AVAILABLE COPY



MAIL STOP PARENT APPLICATION ALEXANDRIA VA 22313-COMM'R FOR PATENTS POBOX 1450 TO: (PLEASE PRINT) D, BRIT NELSON FROM: (PLEASE PRINT) deral Agency Acct. No. or stal Service Acct. No.

1934/

F02

PTC/SB/05 (08-03)

Approved for use through 07/31/2006. OMB 0651-0032

U.S. Patent and Trademark Office. U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

## UTILITY PATENT APPLICATION **TRANSMITTAL**

Attorney Docket No.	020976-00100
First Inventor	Danielle Renee Forget Shield
Title	Electronic Waste Management System
Express Mail Lahel No	EL 179781635US

	Express Man Laber No.					
APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents.	Mail Stop Patent Application Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450					
1. Fee Transmittal Form (e.g., PTO/SB/17) (Submit an original and a duplicate for fee processing)  2. Applicant claims small entity status. See 37 CFR 1.27.  3. Specification [Total Pages 35] (preferred arrangement set forth below)  - Descriptive title of the invention  - Cross Reference to Related Applications  - Statement Regarding Fed sponsored R & D  - Reference to sequence listing, a table, or a computer program listing appendix  - Background of the Invention  - Brief Summary of the Invention  - Brief Description of the Drawings (if filed)  - Detailed Description  - Claim(s)  - Abstract of the Disclosure	7. CD-ROM or CD-R in duplicate, large table or Computer Program (Appendix)  8. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)  a. Computer Readable Form (CRF)  b. Specification Sequence Listing on:  i. CD-ROM or CD-R (2 copies); or  ii. Paper  c. Statements verifying identity of above copies  ACCOMPANYING APPLICATION PARTS					
4.  Drawing(s) (35 U.S.C. 113) [Total Sheets]	9. Assignment Papers (cover sheet & document(s)) 10. 37 CFR 3.73(b) Statement Power of (when there is an assignee)  Attorney					
Oath or Declaration [Total Sheets]     a.    Newly executed (original or copy)	11. English Translation Document (if applicable) 12. Information Disclosure Copies of IDS					
b. Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional with Box 18 completed)	Statement (IDS)/PTO-1449 Citations  13. Preliminary Amendment  14. Return Receipt Postcard (MPEP 503)  (Should be specifically itemized)					
i. DELETION OF INVENTOR(S)  Signed statement attached deleting inventor(s) name in the prior application, see 37 CFR  1.63(d)(2) and 1.33(b).  15. Certified Copy of Priority Document(s) (if foreign priority is claimed) Nonpublication Request under 35 U.S.C. 122 (b)(2)(B)(i). Applicant must attach form PTO/SB/35						
6 Application Data Sheet. See 37 CFR 1.76	17. Cther: post card.					
18. If a CONTINUING APPLICATION, check appropriate box, and suppose specification following the title, or in an Application Data Sheet under 37						
<del></del>	tion-in-part (CIP) of prior application No.:					
5b, is considered a part of the disclosure of the accompanying continuation The incorporation <u>can only</u> be relied upon when a portion has been inadver	tently omitted from the submitted application parts.					
19. CORRESPONI	DENCE ADDRESS					
Customer Number: 22904	OR Correspondence address below					
Name						
Address						
	State Zip Code					
Country To	elephone Fax					
Name (Print/Type) D. Brit Neison	Registration No. (Attorney/Agent) 40,370  Date 3/12/04					

This collection of information is required by 37 CFR 1.53(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Patent Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Approved for use through 07/31/2006. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
o a collection of information unless it displays a valid OMB control number. Under the Paperwork Reduction Act of 1995, no persons are required to response

FEE	TR	AN	SMI	TT	AL
	for	FY	200	4	

Effective 10/01/2003. Patent fees are subject to annual revision.

Applicant claims small entity status. See 37 CFR 1.27

**TOTAL AMOUNT OF PAYMENT** 

(\$) 452.0	00
------------	----

Complete if Known				
Application Number	To Be Assigned			
Filing Date	Herewith			
First Named Inventor	Danielle Renee Forget Shield			
Examiner Name				
Art Unit				
Attorney Docket No.	020976-00100			

Deposit Account   12-1322/020976-00100   1052   50   2051   85   Surcharge - late filing fee or oath   1053   130   2051   85   Surcharge - late provisional filing fee or oath   1053   130   2051   85   Surcharge - late provisional filing fee or oath   1053   130   1053   1053   130   105	METHOD OF PAYMENT (check all that apply)	FEE CALCULATION (continued)					
Page						S	
Capacit   Account   Number   Deposit   Account   Deposit   Account   Deposit   Account   Deposit   Account   Deposit   Account   Deposit   De		<u>Large</u>					
1051   130   130   1052   2052   25   Surcharge - late privisional filing fee or cover shade   1052   130   1303   130   130   1303   1303	Denosit					Fee Description	Fee Paid
Cocourt   Name   The Director is authorized to: (check all that apply)   Charge fee(s) indicated below   Credit any overpayments   Credit any over					• • •	Surcharge - late filing fee or oath	
Name		1052	50	2052			
Charge fee(s) indicated below		1053	130	1053			
Charge any additional fee(s) or any underpayment of fee(s)   1804 920*   1804 920*   1804 920*   1804 920*   1804 920*   1804 920*   1805 1,840*   1805 1,	·	1812	2,520	1812	2,520	For filing a request for ex parte reexamination	
Charge fee(s) indicated below, except for the filing fee to the above-identified deposit account.   1805 1,840° Requesting publication of SIR after Examiner action   1251 110		1804	920*	1804	920*		
Examiner action   Examiner a		1805	1 840*	1805	1 840*.		
1. BASIC FILING FEE   Large Entity   Small Entity   Fee	to the above-identified deposit account.	1000	1,010		.,0 .0	Examiner action	<del></del>
1. BASIC FILING FEE   Large Entity   Small Entity   Fee	FEE CALCULATION						
Total Claims	1. BASIC FILING FEE	1252	420		210	Extension for reply within second month	
1001 770 2001 385	Large Entity Small Entity	ŀ			475	Extension for reply within third month	
1002 340   2002 170   Design filling fee   1401 330   2401 165   Notice of Appeal   1003 530   2003 265   Plant filling fee   1402 330   2402 165   Filling a brief in support of an appeal   1403 290 2403 145   Request for oral hearing   1405 150   140		1254	1,480	2254	740	Extension for reply within fourth month	
1002 340   2002 170   Design filing fee   1401 330   2401 165   Notice of Appeal   1003 530   2003 265   Plant filing fee   1402 330   2402 165   Filing a brief in support of an appeal   1403 320   2402 165   Filing a brief in support of an appeal   1403 320   2402 165   Filing a brief in support of an appeal   1403 320   2402 165   Filing a brief in support of an appeal   1403 320   2402 165   Filing a brief in support of an appeal   1403 320   2402 165   Filing a brief in support of an appeal   1403 320   2403 145   Request for oral hearing   1451 1,510   Petition to institute a public use proceeding   1451 1,510   1451 1,510   1451 1,510   Petition to revive - unintentional   1453 1,330   2453   665   Petition to revive - unintentional   1453 1,330   2453   665   Petition to revive - unintentional   1453 1,330   2453   665   Petition to revive - unintentional   1453 1,330   2453   665   Petition to revive - unintentional   1453 1,330   1450 1,330   1450   1450 1,330   1450   1300   Petition to revive - unintentional   1453 1,330   1450   1451 1,510   Petition to revive - unintentional   1453 1,330   1450   1451 1,510   Petition to revive - unintentional   1453 1,330   1450   1451 1,510   Petition to revive - unintentional   1453 1,330   1450   1451 1,510   Petition to revive - unintentional   1453 1,330   1450   1451 1,510   Petition to revive - unintentional   1453 1,330   1450   1451 1,510   1451 1,510   Petition to revive - unintentional   1451 1,510   1451 1,510   1451 1,510   Petition to revive - unintentional   1453 1,330   1450   1451 1,510   1451 1,510   1451 1,510   Petition to revive - unintentional   1453 1,330   1450   1451 1,510   1451	1001 770 2001 385 Utility filing fee 385	1255	2,010	2255	1,005	Extension for reply within fifth month	
1004 770   2004 385   Reissue filing fee   1403 290   2403 145   Request for oral hearing   1451 1,510   Retition to institute a public use proceeding   1451 1,510   Retition to revive - unavoidable   1453 1,330   2453   665   Petition to revive - unavoidable   1453 1,330   2453   665   Petition to revive - unavoidable   1453 1,330   2453   665   Petition to revive - unintentional   1451 1,510   Retition to revive - unavoidable   1453 1,330   2453   665   Petition to revive - unintentional   1451 1,510   Retition to revive - unintentional   1452 110   2452   Retition to revive - unintentional   1451 1,510   Retition to revive - unintentional   1451 1,510   Retition to revive - unintentional   1451 1,510   Retition to revive - unavoidable   1453 1,330   Retition to revive - unintentional   1451 1,510   Retition to revive - unavoidable   1453 1,330   Retition to revive - unintentional   1451 1,510   Retition to revive - unavoidable   1453 1,330   Retition to revive - unintentional   1451 1,510   Retition to revive - unavoidable   1453 1,330   Retition to revive - unintentional   1451 1,510   Retition to revive - unavoidable   1453 1,330   Retition to revive - unintentional   1451 1,510   Retition to revive - unintentional   1451 1,510   Retition to revive - unavoidable   1453 1,330   Retition to revive - unintentional   1452 110   2452   S5 Petition to revive - unintentional   1451 1,510   Retition to revive - unavoidable   1453 1,330   Retition to revive - unintentional   1453 1,330   Retition to revive - unintentional   1453 1,330   Refition to revive - unintentional   1453 1,330   Refition to revive - unintentional   1453 1,330   Refition to revive - unintention   1453 1,330   Refition to revive - unintention   1453 1,330   Refition to revive - unintention   1453		1401	330	2401	165	Notice of Appeal	
SUBTOTAL (1) (\$) 385  2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE Fee from below Fee Paid Total Claims Independent Claims Multiple Dependent  Large Entity Small Entity Fee Fee Code (\$) 1202 18 2202 9 Claims in excess of 20 1201 86 2201 43 Independent claims in excess of 3 1203 290 2203 145 Multiple dependent claims over original patent  1451 1,510 1451 1,510 Petition to institute a public use proceeding 1452 110 2452 55 Petition to revive - unavoidable 1453 1,330 2453 665 Petition to revive - unintentional 2452 110 2452 55 Petition to revive - unintentional 1501 1,330 2453 665 Petition to revive - unintentional 1501 1,330 2501 665 Utility issue fee (or reissue) 1502 480 2502 240 Design issue fee 1503 640 2503 320 Plant issue fee 1503 640 130 Petitions to the Commissioner 1807 50 Processing fee under 37 CFR 1.17(q) 1806 180 1806 180 Submission of Information Disclosure Stmt 8021 40 Recording each patent assignment per property (times number of properties) 1809 770 2809 385 Filing a submission after final rejection (37 CFR 1.129(a)) 1801 770 2801 385 Request for Continued Examination (RCE) 1802 900 Request for expedited examination of a design application 1802 900 Request for expedited examination of a design application 1802 900 Request for expedited examination of a design application 1802 900 Request for expedited examination 1802 900	1003 530 2003 265 Plant filing fee	1402	330	2402	165	Filing a brief in support of an appeal	
SUBTOTAL (1) (\$) 385   1452 110   2452 55 Petition to revive - unavoidable   1453 1,330   2453 665 Petition to revive - unintentional   1452 110   1453 1,330   2453 665 Petition to revive - unintentional   1453 1,330   2453 665 Petition to revive - unintentional   1501 1,330   2501 665 Utility issue fee (or reissue)   1502 480   2502 240 Design issue fee   1503 640   2503 320 Plant issue fee   1503 640   2503 320 Plant issue fee   1460 130   146	1004 770 2004 385 Reissue filing fee	1403	290	2403	145	Request for oral hearing	<b></b>
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE Fee from below Fee Paid Independent Claims Independent Claims Multiple Dependent Code (\$) Code	1005 160 2005 80 Provisional filing fee	1451	1,510	1451	1,510	Petition to institute a public use proceeding	<u></u>
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE Fee from Fee Paid below Fee Paid Belo	SUBTOTAL (1) (\$) 385	1452	110	2452	55	Petition to revive - unavoidable	
Total Claims 23 -20** = 3 X 9 = 27   1503 640 2502 240 Design issue fee   1503 640 2503 320 Plant issue fee   1503 640 130 Petitions to the Commissioner   1460 130 Petitions to the Commissioner   1807 50 Processing fee under 37 CFR 1.17(q)   1806 180 Submission of Information Disclosure Stmt   1809 1809	2 EYTDA CI AIM EEES EOD LITH ITY AND DEISSUE	1453	1,330	2453	665	Petition to revive - unintentional	
Total Claims	Fee from						
Independent Claims Multiple Dependent  Large Entity   Small Entity   Fee   Fee   Fee   Fee   Fee   Code (\$)    1202 18   2202 9   Claims in excess of 20    1201 86   2201 43   Independent claims in excess of 3    1203 290   2203 145   Multiple dependent claims over original patent    1205 18   2205 9 ** Reissue claims in excess of 20 and over original patent    1807 50   1807 50   Processing fee under 37 CFR 1.17(q)    1806 180   1806 180   Submission of Information Disclosure Stmt    8021 40   8021 40   Recording each patent assignment per property (times number of properties)    1809 770   2809 385   Filing a submission after final rejection (37 CFR 1.129(a))    1810 770   2810 385   For each additional invention to be examined (37 CFR 1.129(b))    1801 770   2801 385   Request for Continued Examination (RCE)    1802 900   Request for expedited examination of a design application						•	
Multiple Dependent  Large Entity   Small Entity   Fee   Fee   Fee   Fee   Fee   Fee   Code (\$)    1202	Independent 2 2** 0 V 43						<b></b>
Large Entity   Small Entity   Fee Fee Code (\$)   Fee Description   1806   180   1806   180   Submission of Information Disclosure Stmt   8021   40   Recording each patent assignment per property (times number of properties)   40   1202   18   2202   9   Claims in excess of 20   1809   770   2809   385   Filing a submission after final rejection (37 CFR 1.129(a))   1806   180   1806   180   1806   180   Submission of Information Disclosure Stmt   8021   40   Recording each patent assignment per property (times number of properties)   40   1806   1806   1806   1	Claims			,		,	<b></b>
Fee Code (\$)  1202 18  1202 9 Claims in excess of 20  1203 290  1204 86  1204 86  1205 9 Reissue independent claims over original patent  1205 18  1205 9 Reissue claims in excess of 20  1206 18  1207 18  1208 18  1209 1	Large Entity & Small Entity					•	$\vdash$
1202   18   2202   9   Claims in excess of 20   1809   770   2809   385   Filing a submission after final rejection (37 CFR 1.129(a))   1809   770   2810   385   For each additional invention to be examined (37 CFR 1.129(b))   1801   770   2801   385   Request for Continued Examination (RCE)   1802   900   1802   900   Request for expedited examination of a design application   1802   900   1802   900   Request for expedited examination of a design application   1801   1802   9002   1802   9002   1802   9002   1802	Fee Fee Fee Fee Description	1806	180	1806			
1201   86   2201   43   Independent claims in excess of 3   1203   290   2203   145   Multiple dependent claims, if not paid 1204   86   2204   43   ** Reissue independent claims over original patent   1801   770   2801   385   For each additional invention to be examined (37 CFR 1.129(b))   1801   770   2801   385   Request for Continued Examination (RCE)   1205   18   2205   9   ** Reissue claims in excess of 20 and over original patent   1802   900   1802   900   Request for expedited examination of a design application   1809   770   2809   385   Filing a submission after final rejection (37 CFR 1.129(a))   2810   385   For each additional invention to be examined (37 CFR 1.129(b))   1801   770   2801   385   Request for Continued Examination of a design application   1809   770   2809   385   Filing a submission after final rejection (37 CFR 1.129(a))   1801   770   2801   385   For each additional invention to be examined (37 CFR 1.129(b))   1801   770   2801   385   Request for Continued Examination (RCE)   1802   900		8021	40	8021	40	property (times number of properties)	40
1203 290		1809	770	2809	385		
1204 86 2204 43 ** Reissue independent claims over original patent 1205 18 2205 9 ** Reissue claims in excess of 20 and over original patent 1205 18 2205 9 ** Reissue claims in excess of 20 and over original patent 1205 1205 1205 1205 1205 1205 1205 1205		1810	770	2810	385	* * * * * * * * * * * * * * * * * * * *	
over original patent 1801 770 2801 385 Request for Continued Examination (RCE)  1205 18 2205 9 ** Reissue claims in excess of 20 and over original patent 1802 900 Request for expedited examination of a design application	1204 86 2204 43 ** Reissue independent claims	.,,,					$\vdash$
and over original patent of a design application	over original patent						
SUBTOTAL (2) (\$) 27 Other fee (specify)	1205 18 2205 9 ** Reissue claims in excess of 20 and over original patent	1802	900	1802	900		
	SUBTOTAL (2) (\$) <sup>27</sup>				··		
**or number previously paid, if greater; For Reissues, see above *Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$) 40		*Redu	ced by	Basic F	Filing F	ee Paid SUBTOTAL (3) (\$) 40	

SUBMITTED BY (Complete (if applicable))							
Name (Print/Type)	D. Brit Nelson	Registration No. (Attorney/Agent)	40,370	Telephone	713.226,1361,		
Signature	DAMAN			Date	3/12/04		

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

## APPLICATION FOR PATENT

INVENTOR: DANIELLE RENEE FORGET SHIELD

TITLE: ELECTRONIC WASTE MANAGEMENT SYSTEM

## **SPECIFICATION**

## FIELD OF THE INVENTION

5

10

15

20

25

The invention relates to collection and disposal of waste. More specifically, the invention relates to the management of a waste system that handles waste from producer to disposal.

## BACKGROUND OF THE INVENTION

Currently when a roll-off or tractor-trailer waste truck driver leaves a dispatch office to start a route, he is given a paper route sheet to direct his activities for the day. This is the first step in a very long paper trail that eventually leads to the driver getting paid and the customer receiving an invoice, and the waste company collecting on services rendered. The second step in the process begins when the truck driver executes the route assignment, collecting additional pieces of paper ("tickets") along the route. When the driver hauls a box for a customer, he either hand writes a paper ticket and leaves a copy with the customer to record the activity or has no record that the activity occurred. In some cases, the customer signs the ticket as a record of the haul. The driver must also note information such as the roll-off box number on his route sheet. Without an accurate record, the box can become lost. If the driver is transporting industrial waste, he must also have a manifest, which is a special document authorized and traceable by governmental agencies and created by the generator of the waste. This document must be signed by the generator of the waste and taken by the driver to the landfill. When the driver gets to the landfill, he receives a landfill ticket. By the end of the haul, the driver is responsible for several tickets or other pieces of paper, which must be returned to the dispatch office in good condition. The current system allows for information errors (forgotten information, bad handwriting, language barriers, falsified documents, and so forth) to accumulate through the creation and maintenance of data on these tickets. The tickets contain important information, which places the responsibility on the driver to clearly and legibly collect accurate and complete information.

Further, the waste collection industry often charges for demurrage time, that is, an excessive amount of time that the waste truck driver is at a customer's site to collect the waste. Most customers are allowed a maximum amount of time that the driver spends on their site. Any time logged after this maximum amount of time is billed as demurrage time. The drivers often record the entire time that they are on-site as demurrage time. Existing systems rely on drivers to note how long they spend at a customer site for activities that can be classified as demurrage or billable time. If the driver is paid by the hour or by demurrage time, there is an incentive to overestimate the amount of time at the customer's site.

At the end of the day, these tickets are returned to the central office and used for many purposes including driver payrolls, customer invoicing, and third party payments. Some persons have estimated that the enormous number of tickets generated by waste hauling companies in the United States total about 160,000 tickets per day. Upon arrival at the office, a driver is debriefed to ensure that all paperwork was collected and is in order. The tickets are then routed to the payroll, billing, and box tracking personnel. The various personnel input the data captured on the driver's tickets to a variety of software systems to pay the driver, track the location of equipment, and bill the customer. In a lot of cases the same information is hand keyed into three different systems by three different people. This results in a very labor intensive effort and accuracy can be poor. In some cases, the customer can refuse to sign or sign a false name on the record of receipt and then the customer disclaims the services and refuses to pay. In other cases, a driver can erroneously allege a haul, resulting in an invoice to a customer and an understandable negative reaction by the customer to an improper invoice.

Thus, there remains a need for a more efficient system that substantially reduces or eliminates lost driver tickets, illegible tickets, tickets without appropriate customer signatures and required information. There remains a need for a more efficient system that reduces the need for a billing department to collect, file and make customer copies of the driver tickets to accompany the invoice. There also remains a need to automate the

10

15

20

25

processing of the information to make a seamless and verifiable billing and payment system for the drivers and the customers serviced by the drivers.

## SUMMARY OF THE INVENTION

5

10

15

20

25

30

The present invention provides a system and method for electronically automating the solid waste hauling industry's existing paper system for tracking driver services. In at least one embodiment, the system directs the driver through his daily activities, allowing changes and corrections to customer service data along a route. This information is uploaded and converted to payroll data, customer service information, and invoicing for customers, among other aspects, periodically throughout the route or upon return to a home base after the route. The information that is collected on site and in real time into a unit available to the driver during the route can require specific and traceable entries that improve the accuracy and completeness of the data useful to the waste management system. The automation provides the information collected by a driver independently of additional clerks that heretofore have been used to input this information into a waste management system.

The invention provides a waste management system, comprising: a waste management electronic base system having a memory, processor, an input element, and an output element, the base system adapted to process waste management data for tracking a location of a waste storage unit, billing a customer associated with a waste removal, and paying personnel for services associated with the waste removal; and an electronic portable unit having a memory, processor, an input element, and an output element, the portable unit adapted to allow an operator during a waste removal to use the portable unit and to allow onsite input at a customer facility from preprogrammed queries regarding the waste removal and further being adapted to generate an output of the data to the base system for processing.

The invention also provides a method of managing waste removal, comprising: using a waste management electronic base system having a memory, processor, an input element, and an output element, to process waste management data, comprising tracking a location of a waste storage unit, billing a customer associated with a waste removal, and paying personnel for services associated with the waste removal; and using an electronic

portable unit having a memory, processor, an input element, and an output element, to gather onsite data for the base system, comprising allowing an operator to input onsite data at a customer facility into the portable unit from preprogrammed queries regarding the waste removal, and generating an output of the data to the base system for processing.

## 5 BRIEF DESCRIPTION OF THE DRAWINGS

10

15

20

A more particular description of the invention, briefly summarized above, can be realized by reference to the embodiments thereof that are illustrated in the appended drawings and described herein. However, it is to be noted that the appended drawings illustrate only some embodiments of the invention. Therefore, the drawings are not to be considered limiting of its scope, for the invention may admit to other equally effective embodiments.

Figure 1A is an overall schematic view of one embodiment of the present invention and serves as an index guide for the remaining figures.

Figure 1 is an overall schematic diagram of one embodiment of the present invention for the reporting, tracking, and output functions.

Figure 2 is an overall schematic diagram of an interrelationship between customers' sites, hauling company, drivers, and disposal locations.

(Figures 3, 6, 7, 20, and 25 are not present to allow the figure numbers to correspond to the numbering established in the index grid of Figure 1A.)

Figure 4 is an overall schematic diagram of one embodiment of the present invention regarding possible functions with a database at an office or other location.

Figure 5 is a schematic diagram of maintenance personnel functions.

Figure 8 is a schematic diagram of some exemplary features of the driver functions.

Figure 9 is a schematic diagram of the driver functions interface program and various aspects of adding a new customer site.

Figure 10 is a schematic diagram that generally relates to reporting functions that are uploaded to the database, shown in Figure 1.

Figure 11 is schematic diagram of a portion of the program relating to destinations and tracking of the waste storage unit.

Figure 12 is a schematic diagram of the portion of the program relating to the tracking of in-plant functions performed by the operator.

Figure 13 is a schematic diagram of additional features of the customer site functions portion of the program.

Figure 14 is a schematic diagram of a portion of the route sheet functions and help/forward utility functions.

Figure 15 is a schematic diagram of a portion of the program related to block functions in the box yard.

Figure 16 is a schematic diagram of a portion of the program relating to destination site functions for non-landfill destinations.

Figure 17 is a schematic diagram of a portion of the program relating to customer site functions being completed and going to destination site functions.

Figure 18 is a schematic diagram relating to customer site plant hauling functions.

Figure 19 is a schematic diagram of a portion of the program related to box hauls.

Figure 21 is a schematic diagram of a portion of the program relating to destination transfer station site functions.

Figure 22 is a schematic diagram of a portion of the program related to destination site functions and customer site functions.

Figure 23 is a schematic diagram relating to a portion of the program for 20 manifests.

Figure 24 is a schematic diagram of a portion of the program related to box damage assessments.

Figure 26 is schematic diagram of a portion of the program relating to delivery of the box, file destination, and a possible pick up of an empty box.

Figure 27 is a schematic diagram of a portion of the flow chart that relates to decisions after the daily routes are completed.

Figure 28 is a schematic diagram of a portion of the program relating to transaction receipts and customer payments.

5

10

15

## DETAILED DESCRIPTION OF THE INVENTION

5

10

15

20

25

30

The present invention provides a significant improvement over the prior system in general use by waste haulers. While some specific aspects may be known in other industries, the waste haul industry has not been able to benefit from these aspects for a number of reasons, including a unitized format as provided by the present invention. While the motivation in the waste hauling industry to become more efficient is clearly a goal and the need has been long felt, the tools to accomplish that goal have simply not been evident to this industry.

In general, the basic waste management system allows for the following processes in conjunction with a base unit, a portable unit and programming associated therewith. The system can be altered to accommodate specific needs of a particular hauling operation and the below process is only one exemplary embodiment of the invention.

Routing information is uploaded to the waste management system, through for example, a data port link to a terminal or server unit or, in a wireless setting, through a company's existing radio system or mobile phone system. Most if not all of the information that would be found on a driver's paper route sheet can be loaded into a waste management system unit. The information can be transmitted in a secure format to ensure accuracy and eliminate access by those not on the system.

The driver uses a personal identification number to initiate his tasks for the day. Each transaction made with the waste management system can record a date and time so that activities of the driver can be tracked.

The driver begins his day with a vehicle pre-trip inspection record. When the driver is ready to begin his pre-trip inspection, he initiates that menu item on the waste management system. The waste management system directs the driver through the pre-trip questionnaire and requires acknowledgement of service needs. If vehicle maintenance is required, the driver can obtain a mechanics authorization before leaving with the truck. If a second truck is obtained as a replacement for the initial truck, the waste management system can require the driver to perform a second pre-trip report. Once the driver has completed an approved pre-trip inspection, he can initiate his daily route tasks. The waste management system can maintain the current and previous day's pre and post trip inspections for easy reference. Additional company information and

safety paperwork can also be incorporated into the waste management system to fit a customer's specific needs. The company information can include for example, particular instructions from the customer such as a preferred waste site to dispose of the waste.

When the driver is ready to begin his route, the waste management system allows him to view the day's schedule and begin the route when he is ready. Tasks do not have to be performed in order, unless specified by the dispatcher. If allowed, drivers have the option of choosing which customer they will service first.

The driver proceeds to a predetermined stop. The waste management system can navigate the driver through a series of questions to ensure the proper customer specific information is collected. The waste management system generally does not allow a transaction to be completed until all information is collected. If necessary, the driver prints a receipt for the customer or captures a signature. The signature can include a handwritten name of a person or any other identifying mark or signal, whether handwritten or electronic, including scanned codes, magnetic transmitters/receivers, fingerprints, retina scans, and other identifiers, whether of a person or a business entity. The driver has the ability to add services at each stop to capture all information on services provided. The waste management system also has the ability to maintain electronic manifests if they are allowed by the corporate environmental department, a national agency such as the Environmental Protection Agency (EPA), or various states environmental agencies.

When the driver leaves a customer site, he can proceed to a variety of locations. If the driver is headed to a landfill, the waste management system allows for customer specific instructions at the landfill. If the customer specific task requires a trip to the landfill, the waste management system in one embodiment will not allow the transaction to be finalized until the landfill ticket information is entered into the unit.

Further, regardless of where the driver goes, if he is carrying a box, the location of that box will be tracked until he tells the waste management system where he dropped that specific box. The result is that the location of the box is automatically tracked by the waste management system to show a location and a driver who took the box to that location.

10

15

20

25

The waste management system can direct the driver throughout the route loop for assignments until all tasks are complete for the day. Additional information can be added manually or automatically to the unit if additional assignments are made throughout the day.

When the driver returns the waste management system to the dispatcher, information that has been collected all day is uploaded to a database system that interacts with the company's existing payroll and billing systems. In a wireless setting, the data could be uploaded throughout the day as the tasks are completed. Data requirements and uses for each of these systems is detailed in the following paragraphs:

Payroll – Drivers can be paid in a variety of ways: hourly, per haul plus demurrage time, per day, or by the cubic yard. The payroll database already includes the driver's names, their personal payroll rates, and on what basis their pay is calculated. Currently a clerk must enter the other information: number of hours, number of hauls, demurrage time, days worked, yards of waste collected, and so forth. The waste management system can collects this information that can be uploaded to automatically calculate the payroll without necessitating a data-entry clerk for at least the bulk of the information. The data format can be altered to meet the needs of the payroll system or outside company providing this service.

Productivity Reports - The information captured by the waste management system can be sorted and presented in a variety of ways. Since the waste management system records the time and date of transactions, this information can be withdrawn from database in a variety of formats to allow for more efficient management. The customer no longer has to rely on the driver to accurately record times for tracking purposes. The recorded information in the waste management system allows a company to efficiently track the number of final hauls, deliveries, and other performance data by each driver and the time it takes to perform these tasks. Statistical information such as hauls per hour, productivity, downtime hours for maintenance, rental boxes, damaged boxes, and so forth can be readily calculated and provided in a report. Revenue information can also be integrated into this system to track revenue per transaction type, per driver, and other measurements.

5

10

15

20

25

Invoicing – The information currently entered or verified in most systems includes the account number, dates, times, mileage, landfill used, material disposed of, disposal ticket number, disposal quantity, disposal billing quantity, type of container, final/swap/haul and return/delivery verification. The waste management system will have collected all of this information en route and it can be automatically transferred into the accounting system. Invoices can be generated faster, more accurately, and can be automated. Further, an invoice can be generated at the customer's site, if desired. The backup information for the invoices can also be readily available and can be printed on demand from the waste management system. This improvement contrasts to the current systems in that once a route sheet has been completed by the driver, the information is given to the accounting department to complete the transaction that was initiated by customer service. The accounting clerks must enter information from the drivers' route sheets and later produce an invoice, often inaccurate due to inadequate input.

Box Tracking - Most companies currently have a difficult time tracking the thousands of boxes they own. As described above, lost boxes are not uncommon. The waste management system allows the driver to input the identifier for the particular box that the driver is hauling. In some embodiments, the identifier can be scanned into the waste management system unit if an electronic tracking method is utilized. In other embodiments, the driver can input the box number and location manually. The driver can input this information when the box is picked up and when it is returned or otherwise relocated. This readily available information automatically updates the inventory management system at the end of the day or more periodically in a wireless setting. This enables a hauling company to know where its inventory is located. This information can be sorted by box number, box type, box size, location, customer name, driver last associated with moving the box, and other fields. The present invention contrasts with current inventory management practices through spreadsheets and data entry from route sheets. Further, the waste management system can eliminate the need for a clerk to track box locations and track rented boxes as a separate effort.

There are many expansion possibilities for a tool such as the waste management system. It is to be understood that the above aspects are only exemplary. Other embodiments are contemplated. For example, other embodiments can include multi-

10

15

20

25

lingual units, electronic manifests, container inventory management into and out of the storage yards, and immediate invoices that can be handed to a customer by a driver.

Having described the general system and method of the present invention, reference is now drawn to the flow charts for a more detailed explanation of the system and method.

Figure 1A is an overall schematic diagram of one embodiment of the present invention and serves as an index for the remaining figures. The index is useful in explaining the larger schematic and establishes each of the remaining figures in a grid pattern so that the relationship between the individual figures can be seen thereby. While the individual figures will be described in detail, it is to be understood that the individual figures relate to the overall schematic established in Figure 1A. Further, it is to be understood that the schematics described herein represent only one embodiment of the waste management system 2, shown in Figure 1A, as the invention may admit to other equally effective embodiments and are limited only by the claims herein.

Figures 1, 2, 4, 5, 8-19, 21-24, and 26-28 are exemplary schematic diagrams corresponding to the index grid pattern established on Figure 1A. The first row includes portions of the overall flow chart in spaces 1, 2, 4, 5 corresponding to Figures 1, 2, 4, 5. The second row includes flow chart portions in spaces 8-10 corresponding to Figures 8-10. Figures 3, 6, 7, 20, and 25 are not present to allow the figure numbers to correspond to the numbering established in the index grid of Figure 1A.

Figure 1 an overall schematic diagram of one embodiment of the waste management system illustrating the reporting, tracking, and output functions, database and base unit, and a portable unit with associated programs. One goal of the present invention is to include information obtained remotely by drivers into central database 100. For the present description, the terms "driver" and "operator" are used interchangeably. However, it is to be understood that the term "driver" is used broadly herein, and thus may include other functions besides simply driving a vehicle, as would be known to those with ordinary skill in the art. The database 100 generally receives input from the driver functions interface program 102. The database can be a centralized database or a plurality of databases that can communicate to one or more processors for integration therewith. The database 100 and driver functions interface program 102

5

10

15

20

25

communicate with each other and provide input and output between the program 102 and database 100, and related programs, to populate the database and provide information to the program 102. The term "program" is used broadly herein and includes, for example and without limitation, software, firmware and hardwired code, including routines, subroutines, steps, lines, and commands. In general, the program(s) of the present invention can reside in a base unit, a portable unit, modems, printers, websites, or other electronic devices to compute, relate, interact, received input, generate output, and perform the other functions described herein.

In at least one embodiment, the database and associated programs can be reside in a base unit 96 and the driver interface functions can be housed in a portable unit 98. The base unit can be any computational electronic processor suitable for performing all or part of the duties described herein, including without limitation computers including desktops, laptops, notebooks, minicomputers, mainframes, super computers, and other electronic units. The portable unit can also be any computational electronic processor suitable for performing all of part of the duties described herein with the additional feature that it is portable with the operator, or with the operator's vehicle, during the route and can include without limitation laptops, notebooks, personal assistance devices, and other portable electronic units.

Another source of input is a dispatch information interface 104 from an existing system. An existing system is typically present in a waste hauling company or sometimes even from the customer. Thus, some input may be advantageous to help populate or update the database. The present invention can advantageously use an existing system to supply data and otherwise interface with the waste management system herein. Another source of input not shown is the general input provided by programmers and other data entry personnel that could input generally more static information, such as information that could be entered at a base location.

Advantageously, the database can provide remote access 106 to the database 100. In general, the access availability is determined after verification to control the access, viewing and retrieval of any information. The database 100 can provide output in a variety of ways. For example, the database 100 can provide output to enhance sales functions 108. The sales functions generally can allow access to the information based

5

10

15

20

25

on accounts by sales persons, customers, size, quantity of waste holes, disposal sites, and any other sorting of data, as can be available from the database 100. Further, the database 100 can be used to assist maintenance personnel functions 110 through various portions of a program. The maintenance personnel functions 110 can be useful for tracking the maintenance on the vehicles, alerting to any anomalies or tendencies of premature failures, scheduling of routine maintenance, and other maintenance functions.

Further, the database can provide data for output to an accounting system 112, a payroll system 114, and box tracking functions and box location database 116. Each of the various systems and databases 112, 114, 116, and others can be directed to at least one type of output, such as the report printing functions 118, another portion of the waste management system 2, shown in Figure 1A. The report printing functions 118 can produce reports, customer receipts, maintenance reports, invoices, and other features normally associated with the waste management system, in hard copy or electronic formats and communications.

In general, the present invention bridges the gap that heretofore has been unanswered. The management system can be managed virtually seamlessly through the driver functions interface and an electronic portable unit that accompanies the operator during the waste removal. The data gained from the operator during the route while performing the waste removal activities can be uploaded into the database with other related programs. From the database 100, the various functions throughout the waste management system including the sales functions, maintenance functions, dispatch information, output to accounting and payroll, and even tracking of boxes or other waste storage units, can be performed. From the various outputs and information available, sales, personnel, managers, and even customers with authority to access specific portions of the waste management system 2, can receive information, such as invoices and other reports.

This integration contrasts starkly with waste management systems prior to the present invention that rely upon a significant amount of copies of receipts, misdirected signatures, lost documents, and input from a variety of sources that were manually entered into database 100. Thus, the present invention automates the data input and retrieval through the interface with the driver functions interface program 102, described

5

10

15

20

25

below. While there has been a long felt need for such interface and automation, the waste management industry simply has not had the capability for such interface prior to the present invention. The present invention solves the long felt need as described herein.

Figure 2 is an overall schematic diagram of an interrelationship between customers' facilities, a hauling company, operators, and disposal locations. To better understand the overall waste management system, it may be helpful to briefly describe the flow of wastes from the customer facility to the disposal site. In general, one or more customer facilities 202, 204, 206 generate wastes for disposal. The customer facilities can be small shopping center drive-ins to very large industrial complexes, and others.

Typically, industrial waste requires environmental manifests to accompany the waste from a generator to handling to ultimate disposal with signatures at various steps of the process. The manifest is then submitted to environmental agencies, such as the federal EPA or an associated state-level agency. Obtaining correct signatures is very important to fulfilling the obligations required by the manifest. Other types of documents, signatures, and other input can also be required along the path from the generator of the waste to the ultimate disposal site. Often documentation, whether electronic or paper, is necessary for proper invoicing and payroll. Thus, the hauling company, customers, drivers, and operators of disposal sites are all interested in obtaining various portions of the information.

To remove the waste, a hauling company 208 transports the waste from the generator to the disposal site using vehicles and drivers/operators. The operators 210 pick up the waste from the customer sites, attempt to obtain necessary documentation, and deliver the waste to a disposal site. In some cases, the disposal route is direct to the disposal site 212.

Depending on the particular waste, different disposal sites are needed. The disposal site in general is a landfill and can be a single or multi-function disposal site. For example, some disposal sites can accept construction and demolition waste, whereas other disposal sites can treat municipal waste. Still other disposal sites can treat industrial wastes that is nonhazardous, and there are sites for hazardous waste. In some cases, the same disposal sites can treat multiple types of waste.

5

10

15

20

25

Depending on the waste type and quantity, sometimes the operators 210 may deliver the waste to a transfer station 214. The transfer station 214 allows an accumulation 216 of the waste so that a larger and more economically efficient haul can be made to the disposal site 212.

Having described various generalities of the present invention shown in Figures 1-2, attention is now directed to details of the system and particularly the driver functions interface program 102 described in Figure 1.

Figure 4 is an overall schematic diagram of one embodiment of the present invention regarding possible functions with a database at an office or other location. For context, Figure 4 shows various aspects of the input to and output from the database 100 in Figure 1, but without either the maintenance personnel functions 110 or the driver functions interface program 102, where the maintenance personnel functions 110 and the interface program 102 is described in reference to the other figures. Similar elements are similarly numbered. Where logic flow lines exit or enter from the edges of the figures, the flow line can be seen on adjacent figures. The figure numbers are referenced to the index grid, shown on Figure 1A. For example, the database 100 interfaces with the maintenance personnel functions 110 through the flow line that extends to the right of the page into Figure 5, described below. Also, the database 100 interfaces with the driver functions interface program 102 through the flow line that exits the bottom of the page of Figure 4 and enters on Figure 9, as shown on the indexed layout in Figure 1A. Returning to Figure 4, the various inputs and outputs have been previously described in reference Figure 1. The database is populated and provides information for a variety of functions in the waste management system where the information primarily derives from the portable unit that is used by the operator while performing waste removals.

Figure 5 is a schematic diagram of maintenance personnel functions, described briefly in Figure 1. In general, the maintenance personnel functions 110 allow for input regarding vehicle examination, maintenance, repair, and associated functions such as timekeeping. For example, maintenance personnel can use the clock in functions 502 when beginning maintenance functions. The time for clock in (and later clock out) is inputted into the maintenance personnel functions 110.

5

10

15

20

25

An examination 504 occurs on the vehicle by either the operator of the vehicle of the waste removal or by another person, such as maintenance personnel. The examination can proceed at any level, including a light visual inspection, a complete bumper to bumper inspection, or intermediate level inspections. In general, it is envisioned that the examination will proceed with a pre-established checklist. The checklist can appear on the portable unit 98, shown in Figure 1, that accompanies either the operator or the maintenance personnel. Thus, the portable unit could include preprogrammed queries that require operator or maintenance personnel input as to the particular condition. This input can be uploaded at some point into the maintenance personnel functions 110 and thence to the database 100 described in Figure 1 for tracking on a per equipment basis or other indicia.

If the vehicle does not need maintenance, then it is placed in the vehicle pool for use for waste removal or approved for current use by the requesting operator in block 508. The operator should complete a vehicle inspection report. If the vehicle does require maintenance, then a further examination and determination 510 is made if the vehicle can be used with minimal repair or if it has to be replaced for the particular route for which it was intended.

Part of the decision process is a further determination 512 of whether the vehicle repairs are necessary at that time or can be delayed. If they can be delayed, then the vehicle is placed in the vehicle pool 508. If they are presently necessary, then the repairs 514 are done. In some embodiments, it is required that the repairs be signed off when completed. Again, this information can provide traceability for the personnel, the hauling company, and other record keeping. When used with the portable unit 98, the information can be easily input into the database 100 described in Figure 1 contemporaneously or at later uploads.

After the repairs, a further determination 516 is made as to whether the vehicle is ready for use. At that point, if it is ready for use, it is placed back in the vehicle pool 508. If it is not ready for use, then a further determination 518 is made as to whether or not it can be further repaired to correct the remaining problems. If it can be repaired, it is placed into the examination and maintenance loop described above. If it cannot be repaired, then a procedure 520 is followed for taking the vehicle out of use. The

5

10

15

20

25

information can be linked with the inventory management system for scheduling purposes.

Figure 8 is a schematic diagram of some exemplary features of the driver functions. (Figures 5-7 are not present or numbered since no portion of the system flowchart appears in the corresponding spaces of the index grid of Figure 1A.) The driver functions 802 is linked to the driver functions interface program 102 described in reference to Figure 1 and Figure 9. The driver functions interface program 102 is linked to the driver functions 802 through the flow line entering Figure 8 from the right. The driver functions can generally begin with an operator clocking in for beginning the route time in block 804. Similarly, the driver can also view the day's route in block 806.

The operator can also make a determination 808 as to whether a vehicle condition report has been completed. If the vehicle condition report has been completed, then the program is directed to the route sheet functions 1402, shown in Figure 14 and connected to Figure 8 through the flow line exiting the bottom right of Figure 8 and passing through Figure 13 to Figure 14. If the vehicle condition report has not been completed, then the vehicle report is completed in block 810. In at least one embodiment, a portable unit contains preprogrammed queries that the operator can answer. For example, a logic tree of "yes" and "no" questions can be asked. Once a pretrip report is completed, the report can be accessed for reference from a help menu, forwarded to populate the database 100 described in reference to Figure 1, or other functions for reporting requirements. Further, the pretrip inspection report can be used to capture comments and signatures for traceability. In at least one embodiment, the driver route functions cannot be accessed by the operator until the pretrip report is properly completed.

As part of the pretrip report, it may become apparent that the vehicle needs further assistance. Thus, a determination 812 is made as to whether any vehicle repairs are necessary. If no vehicle repairs are necessary, then the program can be directed to the route sheet functions 1402, shown in Figure 14. The link from Figure 8 to Figure 14 is shown by the flow line exiting the center bottom of Figure 8, passing through Figure 13, and entering from the right on Figure 14 into the side of block 1402.

If the determination 812 indicates that vehicle repairs are necessary, then the operator can contact maintenance personnel and have the necessary repairs completed in

5

10

15

20

25

block 814. Generally, the operator will obtain the signature on the portable unit of the mechanic performing the repairs. A further determination 816 may be necessary as to whether a new truck is required when the repairs are substantial or when the previously completed repairs did not fix the problem. If a new truck is not required, the program returns to the determination 808 as to whether the vehicle condition report is then completed and subsequent processes as described above after determination 808. If a new truck is required, then the operator checks out a new truck and re-starts the vehicle inspection report process in block 818.

Figure 9 is a schematic diagram of the driver functions interface program and various aspects of adding a new customer site. The driver functions interface program 102 has been described in reference to Figure 1. The driver functions interface program provides a link from the database 100, referenced in Figure 1, through the flow line entering the top of Figure 9. The driver functions interface program 102 also is linked to an upload data process 1002, referenced in Figure 10, through the flow line entering the right side of Figure 9. The driver functions interface program 102 further links to the start of the driver functions 802, referenced in Figure 8, through the flow line exiting the left side of Figure 9.

Further, Figure 9 illustrates a portion of a schematic when a new customer site is added, as a portion of the route sheet functions 1402, shown in Figure 14. In general, at various times through the process, the operator can be directed to retrieve or haul waste from a new customer site, while the operator is performing route duties. The portable unit can allow such information to be input by the operator or through an electronic transmission to or from the portable unit, so that associated data can be collected for a new customer route and then uploaded immediately or later to the database 100, shown in Figure 1. For example, the operator could be directed to add a new customer site route. To add such a route, the operator can access the customer site route functions 902 of the programming. The customer site route functions 902 in Figure 9 is linked to Figure 14 by the flow line from the route sheet functions 1402, referenced in Figure 14, entering the bottom of Figure 9.

A determination 904 is made as to whether a new customer route 904 is necessary. If one is not needed, then the program can link back to the route sheet

5

10

15

20

25

functions 1402, shown in Figure 14. If a new customer route is needed, then the operator can follow a preprogrammed form in block 906 to set up the new customer route, while the operator is in the field performing daily operations. After entering the new customer route, the program can return in block 908 to customer site functions 1302, referenced in Figure 13.

Figure 10 is a schematic diagram that generally relates to reporting functions that are uploaded to the database 100, shown in Figure 1. In general, the present invention provides for uploading data to the database at the end of the route when the operator returns to base, such as the hauling company, or periodically during the route, for example, through wireless transmissions. The following description generally uses the term "post trip," but it is to be understood that similar functions would be required for periodic reporting during the route, and thus the steps and functions described apply to such periodic reporting herein.

A portion in the program known as the post trip functions 1004 can be linked to the route sheet functions 1402, shown in Figure 14. The flow line from the route sheet functions 1402 passes through Figure 15 and into the post trip functions 1004 through the flow line entering the bottom left of Figure 10. The post trip functions 1004 in at least one embodiment inquires whether a post trip vehicle condition report has been completed in block 1006. If the post trip vehicle condition report is not completed, then the portable unit can provide a logic tree sequence of preprogrammed questions that the operator can answer and provide input in block 1008. Once the post trip vehicle condition report is completed, then a determination 1010 can be made as to whether a post trip report has been completed. Generally, the post trip report would include various aspects of the route, the operator, the waste removal, and other information of the waste management system. If the post trip report is not completed, then the portable unit can provide various preprogrammed queries for the operator to provide input in block 1002. Once the post trip report is completed, the operator can clock out of the program in step 1014.

Various event times and responses to any queries are saved at the different input points along the route. In at least one embodiment, the operator's compensation, customer invoice amounts, and other information can be calculated from the entries in the portable unit and any inconsistencies tracked. The data can be uploaded to the base unit

5

10

15

20

25

96, shown in Figure 1, either in a batch format or in periodic packets of data, as shown in block 1002. The upload in block 1002 can interface with the driver functions interface program 102, shown in Figure 9. The driver functions interface program 102 can further provide the information to the database 100, shown in Figures 1 and 4.

Figure 11 is schematic diagram of a portion of the flowchart relating to destinations and tracking of a waste storage unit. The flow line entering Figure 11 from the bottom center is connected in the flowchart to a destination site function for nonlandfill destinations 1602, referenced in Figure 16. A determination 1102 is made as to whether the destination is a box yard in block 1102. The box yard is typically where the waste storage unit, generally denoted as a "box" herein (without limitation to the size, shape, or characteristics of the box), is stored for later retrieval and use at various customer facilities. If the destination is the box yard, the program is directed to the destination site functions for the box yard 1104. A determination 1106 is made as to whether the destination in the box is the final destination for the day. If so, then the box can be delivered to the box yard, or left in the box yard if already present, and the program initiates a return in block 1114 to post trip functions 1004, shown in Figure 10. If the destination of the box in the box yard is not the final destination for the day, a determination 1108 can be made as to whether an operator should pick up a new empty box and deliver it to a customer facility. If the answer is yes, the portable unit can be used to capture, in block 1110, a box identifier, such as identification number, for accurate billing and box tracking. In some embodiments, a bar code can be used and scanned into the portable unit. In other instances, other identification notice can be manually or automatically input, including keyboarding the information, using a touch screen, a wireless interface, such as an infra-red or electromagnetic transducer, a voice recognition interpreter so the operator can dictate the box tracking number, preprogrammed cards that can be for example swiped through a card reader, combinations thereof, and other input formats as may be useful to the present invention. The block 1112 represents the input of such information as box identifiers, automatically or through operator input. The program can then initiate a return 1116 to the route sheet functions 1402, shown in Figure 14.

5

10

15

20

25

Figure 12 is a schematic diagram of the portion of the in-plant functions performed by the operator. The functions illustrated in Figure 12 relate to a portion of the program described as the "customer site functions" 1302, shown in Figure 13. Through the customer site functions 1302 in Figure 13, a determination 1202 in Figure 12 can be made as to whether in-plant functions are needed. The term "plant" is used broadly and includes a variety of facilities, whether an industrial facility, packing facility, shipping facility, or other generators of waste, and thus, the term "facility" is used in the claims. In Figure 12, if there are no in-plant functions to perform, the program can return to the customer site functions 1302, shown in Figure 13. If there are in-plant functions, the operator can stop and start the in-plant functions routines in block 1204 by various Generally, the functions and services will be selections on the portable unit. preprogrammed in the form of queries to which the operator can respond. In other instances, the operator may need to add comments or other information that may not necessarily be predetermined, depending on the circumstances. The portable unit can provide for both types of input.

Once the operator or other personnel respond to the various input requests of the portable unit, the program can make a determination 1206 as to whether there are any additional in-plant functions. If there are none, the program is returned to the customer site functions 1302, shown in Figure 13. If there are, the system returns to the block 1204 for additional input. It is to be noted that the portable unit can also be used to calculate start/stop times through a clock interface, a description of activities, and a requirement for a customer signature, which may alleviate future customer billing disputes.

Figure 13 is a schematic diagram of additional features of the customer site functions portion of the program. The customer site functions 1302, described above in reference to the determination 1202 shown in Figure 12, form a portion of the program that in general relates to the customer site operations, including for example, in-plant functions while the operator is present, calculation of demurrage time which may occur from delays, customer instructions, destination sites, plant hauling functions, and other aspects of the present invention. Further, the customer site functions 1302 can be linked to the route sheet functions 1402, referenced in Figure 14.

5

15

20

25

In Figure 13, a determination 1304 is made as to whether an empty box is to be delivered. If an empty box is not to be delivered, then the program returns to the customer site function 1302. If an empty box is to be delivered, the program returns in block 1306 to the site functions for non-landfill destinations 1602, referenced in Figure 16 for further action. Such action can include, for example, the box can be returned to a box yard, described in reference to Figure 11.

Further, the customer site functions 1302 can also be used to determine demurrage time 1308. If the demurrage time is applied, such as from a delay in being able to access or empty the box at the customer facility, then the demurrage time can be calculated using either operator input or an automatic clock function for the program. Further, the portable unit can require operator input as to the reason for the demurrage time to provide a contemporaneous recordation of input, in reference to block 1310. This input can advantageously allow for correct billing and can include a customer sign-off to be incorporated therein to avoid subsequent billing disputes.

Figure 14 is a schematic diagram of a portion of the route sheet functions and help/forward utility functions. In general, the route sheet functions 1402, referenced above, provide a link to the customer site functions 1302, referenced in Figure 13, to driver functions 802, referenced in Figure 8, and to post trip function 1004, referenced in Figure 10. Further, the route sheets function 1402 can provide help and utility functions 1404. For example and without limitation, the help and utility functions can include help for questions on manifest requirements and necessary documentation 1406. The help and utility functions 1404 can also include help in block 1408 for questions on the operation and use of the portable unit, including frequently asked questions, key commands, and so forth. Further, the help and utility functions 1404 can allow the operator to access the pretrip report for inspection and other reasons in block 1410. Other help utility functions can be appropriate for particular situations.

Figure 15 is a schematic diagram of a portion of the program related to block functions in the box yard. A route functions for box yard 1502 portion of the program is related to the route sheet functions 1402, referenced in Figure 14. In general, the route functions for box yard 1502 allows a determination 1504 of whether the pick up by the operator is an empty box. If the pick up is an empty box, the programming can direct the

5

10

15

20

25

program in block 1506 to proceed to the destination site functions for box yard 1104, shown in Figure 11. If the box yard as a destination is not for the pick up of an empty box, a determination 1508 is made as to whether the driver/operator is at the box yard for the final destination of the day. If not, program can proceed to the route sheet functions 1402 for further directions, shown in Figure 14, this can result from dropping off an empty box before proceeding to the next item on the route sheet. If the destination of the box in the box yard is the final destination for the day, the program can return in block 1510 to the post trip functions 1004, shown in Figure 10.

Figure 16 is a schematic diagram of a portion of the program relating to destination site functions for non-landfill destinations. The destination site functions for non-landfill destinations 1602 is linked to the program in at least one embodiment by determining if the destination is a box yard, as is described above in reference to Figure 11. The destination sites function can include a determination 1604 as to whether demurrage time is applicable at the destination site. If the demurrage time is inapplicable, the program returns to the destination site functions for non-landfill destinations 1602. If demurrage time is applicable, the operator can start and stop demurrage time, or the portable unit can be programmed to automatically start and stop demurrage time, as shown in block 1606. Further, the program can require input by the operator or other personnel as to the reason for the demurrage. In general, the demurrage time can be accurately calculated by using the start and stop time entered at the site. Further, a customer signature can be requested, which may alleviate future customer billing disputes.

The destination site functions for non-landfill destinations 1602 can also include a determination 1608 as to whether the destination is a new customer site. If the destination is not a new customer site, the program can return to the destination site functions for non-landfill destinations 1602. If it is, the program can return, in block 1610, to the route sheet functions 1402, shown in Figure 14.

Figure 17 is a schematic diagram of a portion of the program relating to destination site functions and some of the flow lines are linked to Figure 13. If the customer site functions are not complete, the program can return to the customer site functions 1302 in Figure 13 for completion. The completion can include, for example,

5

10

15

20

25

calculation of demurrage time which may occur from delays, customer instructions, destination sites, plant hauling functions, and other features. In general, if the customer site functions are incomplete, the program can be directed in block 1710 to the customer site functions 1302, referenced in Figure 13, for completion. If the customer site functions are complete, the program is directed to a portion of the program termed the "destination sites functions" 1704. Upon entering the destination site functions 1704 portion of the program, a determination 1706 is made as to whether the destination is a landfill. If the destination is a landfill, the program can proceed to a program portion of destination site functions landfill 2202, shown in Figure 22. If the destination is not a landfill, the program can be directed, in block 1708, to the destination site functions for non-landfill destinations 1602, referenced in Figure 16. Such considerations can include for example, proceeding to a box yard, a next customer site, or a transfer station, described herein.

Figure 18 is a schematic diagram relating to plant hauling functions. In general, the customer site functions 1302, shown in Figure 13, can include plant hauling functions, shown in Figure 18. In one embodiment, the program can provide for a determination 1802 as to whether there are specific plant hauling functions at a particular customer site. If there are no specific plant hauling functions, the program can proceed or otherwise be directed to the customer site functions 1302, shown in Figure 13. If there are plant hauling functions, in at least one embodiment, a determination 1804 can be made as whether the box is a lease box. If the box is a lease box, a determination 1806 can be made as to whether the particular customer or waste hauler has a policy to exchange lease boxes for one or more waste hauler's boxes. If such a policy exists, the operator can follow the protocol for the exchange and capture a box identification number. Further, the operator or program can flag the box in the system regarding the exchange. The program is then directed to the program portions, referenced in Figure 19.

Figure 19 is a schematic diagram of a portion of the program related to box hauls. Continuing from Figure 18, a further determination 1902 is made as to whether the box haul is a final box haul. If the box haul is final, the portable unit can capture a box identification number, and note that the haul is a final haul in block 1904. The information can be used to determine a box's beginning location and final location to

5

10

15

20

25

assist in the box inventory functions of the waste management system. Further, block 1906 can represent a push button or other activation by the operator or through automatic input to capture the box identification and verify the box size. The program continues to Figure 24, where a determination of manifesting is made.

Returning to Figure 19, if the box haul is not the final box haul, then a determination 1908 is made as to whether to exchange the hauled box. For example, the operator may haul an empty box, leave the box, and take a full box. If the box is not to be exchanged, the portable unit can capture the box identification number, if not already captured, for accurate billing and box tracking purposes, in block 1910. If the hauled box is to be exchanged, the portable unit can capture the box identification number, if not already obtained, and note that the hauled box is to be exchanged. In block 1912, the information can also capture the box identification number for the exchange box that is left on site, and there after capture of the beginning location of the removed box and its identification number, and subsequently capture the final box location for box inventory purposes.

Digressing from the order of figures, attention is now directed to Figure 24 to complete the portion of the box description of Figure 19.

Figure 24 is a schematic diagram of a portion of the program related to box damage assessments. Whether the exchange box is hauled or left, a determination 2402 can be made as to whether the box is damaged. If the box is damaged, the portable unit can capture the box identification, if not already captured, and note that the box is damaged. The operator can flag the information, based upon the severity of the box damaged, to exchange the box with a replacement box in block 2404 in a timely fashion. If the box is not damaged, the system captures the box identification in block 2406 and verifies the box size to aid in tracking. A further determination 2408 can be made as to whether manifesting is required. The sequences of "yes" and "no" will be described in more detail in reference to Figure 23.

Figure 21 is a schematic diagram of a portion of the program relating to destination transfer station site functions. In general, the functions shown in Figure 21 relate to the destination site functions for non-landfill destinations 1602, shown in Figure 16, in at least one embodiment. A determination 2102 is made as to whether the

5

10

15

20

25

destination is a transfer station. If the destination is not a transfer station, the program returns to the destination site functions for non-landfill destinations 1602, shown in Figure 16. If the destination is a transfer station, the program enters the destination transfer station site functions 2104. In at least one embodiment, the destination transfer station site functions 2104 can include a determination 2106 of whether the demurrage time is appropriate. If no demurrage time is appropriate, the destination returns to the destination transfer station site functions 2104. If there is demurrage time, the program in block 2108 can request input from the operator or automatically calculate demurrage time based on selection criteria in the portable unit. Further, the portable unit can include a preprogrammed query of the reason for demurrage. In general, the demurrage time can be accurately calculated by the start and stop time entered at the customer facility and the reason for the demurrage. This entry can facilitate correct billing, and a signature by the personnel at the transfer station, such as at a gatehouse, can be captured. The program can link back to the destination transfer station site functions 2104.

The destination transfer site functions 2104 can also include a determination 2110 of whether payment is required at the transfer station. If no payment is required, for example, when a credit account has been established or other arrangements made, then the operator can simply leave the waste at the transfer station, note in and out times, and make appropriate entries into the portable unit in block 2112, as may be requested or desirable. If payment is required, the payment can be made and recorded in the portable unit with in and out times and other information as may be appropriate in block 2116.

After leaving the waste, a determination 2114 can be made as to whether the daily routes are completed. If the daily routes are not completed, the system can link to a further determination 2200, shown in Figure 22, as to whether to return to the customer same site functions portions of the program in Figure 13. If daily routes are completed, the operator can deliver a box remaining on the vehicle, if any, to its final destination, capture the box identification number for box inventory management, and schedule any necessary box repairs in block 2602, referenced in Figure 26.

Figure 22 is a schematic diagram of a portion of the program related to destination site functions and customer site functions. As noted in Figure 21, if the daily routes are not completed in determination 2114, a determination 2200 can be made whether to

5

10

15

20

return to customer same site functions, referenced in Figure 13. If the answer is yes, the program returns in block 2204 to the customer same site functions 1302, shown in Figure 13. If the operator does not choose to return to the customer same site functions, a determination 2206 is made as to whether the daily routes are completed. If they are not completed, the program returns in block 2208 to the route sheet functions 1402, shown in Figure 14. If the daily routes are completed, the program is directed to a determination 2702 as to whether there is an empty box on the vehicle, referenced in Figure 27.

Referencing for the moment Figure 17, a determination 1706 is made as to whether the destination is a landfill. If the destination is a landfill, the flow line enters from the top on Figure 22 to the destination site functions landfill 2202. The destination site functions landfill 2202 includes a determination 2210 as to whether demurrage time is appropriate. If demurrage is inappropriate, the program returns to the destination site functions landfill 2202. If demurrage time is appropriate, the demurrage can be determined by operator selection on the portable unit in block 2212, or by automatic calculation through programming on the portable unit. Additionally, the portable unit can require input regarding the reason for the demurrage and a signature by an authorized person at the site. The destination site functions landfill 2202 can include features such as capturing the ticket number, manifest information, box identification, and other aspects in noted in block 2214 that can be uploaded to the database, referenced in Figure 1. The program can link to the determination 2200, described above, as to whether to return to the customer same site functions.

Figure 23 is a schematic diagram relating to a portion of the program for manifests. Referring briefly to Figure 24 described herein, one portion of the program requests a determination 2408 as to whether a manifest is required. Figure 23 further explains the logic flow path. If a manifest is not required, the flow line entering the top right of Figure 23 illustrates that any necessary billing or customer information can be input into the portable unit in block 2302. If a manifest is required, the flow line entering the right center portion of Figure 23 to block 2304 illustrates that the portable unit can be used to input any desired or necessary documentation as may be appropriate to complete a manifest. For example, a series of preprogrammed queries can be made to the operator or other personnel that step through a variety of "yes" and "no" questions, quantitative

5

10

15

20

25

and qualitative input, or other types of input. Further, the manifest can be provided from the customer via an electronic transfer, card swipe, IR input, scan, and other input methods. This feature may be especially advantageous when governmental agencies allow electronic manifests to be submitted. In such cases, the portable unit can upload the information to the database, described in Figure 1, and an electronic manifest is submitted to the governmental agency for compliance with environmental regulations.

In at least one embodiment, regardless of whether an electronic manifest is required, a determination 2306 is made as to whether a customer sign off is required. Generally, the portable unit may default to request a customer sign off. In other cases, the customer itself may dictate the procedure. Thus, the determination 2306 can be either customer-specific or defaulted to a particular requirement. If a customer sign off is required, as shown in block 2308, the portable unit can be used to capture the signature of an authorized person at the facility. If a customer sign off is not required, a further determination 2310 can be made as to whether there is a transaction receipt required. Further details of the transaction receipt are described in reference to Figure 28.

Figure 26 is schematic diagram of a portion of the program relating to delivery of the box, file destination, and a possible pick up of an empty box. Referring briefly to Figure 21, a determination 2114 is made as to whether the daily routes are completed. If the answer is yes, the flow lines enter the top of Figure 26 to a block 2602. Block 2602 represents a portion of the system and method that allows the operator to deliver the box remaining on a vehicle to its final destination, capture the box identification for box inventory management, and schedule any necessary box repairs. Block 2602 is linked to block 2604, that represents the input of the box identification and verification of the box size. Such input can be accomplished manually by the operator, or a by a variety of other input means, such as scanning, electronic transducers, and other methods described herein.

In at least one embodiment, after box identification, the program can proceed in block 2606 to the destination site functions for the box yard 1104, shown in Figure 11, where decisions such as the final destination for the day, pick up of new empty boxes, and other decisions are made.

5

10

15

20

25

Figure 27 is a schematic diagram of a portion of the flow chart that relates to decisions after the daily routes are completed. Referring briefly to Figure 22, a determination 2206 is made as to whether the daily routes are completed. If the answer is yes, a flow line enters the top of Figure 27. A determination 2702 is made as to whether there is an empty box on the truck or other vehicle that the operator is using. If the answer is no, the program proceeds in block 2704 to the post trip functions 1004, shown in Figure 10. If the answer is yes, the operator can deliver the box remaining on the vehicle to its final location, as shown in block 2706, capture the box identification for box inventory management, and schedule any necessary box repairs. Block 2706 is linked to block 2708. Block 2708 represents input of the box identification number and verification of size, if desired. The program can proceed in block 2710 to the destination site functions for box yard 1104, shown in Figure 11.

Figure 28 is a schematic diagram of a portion of the program relating to transaction receipts and customer payments. Referring briefly to Figure 23, a determination 2310 is made as to whether a transaction receipt is required. The results of the determination are represented by the flow lines entering the top of Figure 28. If a transaction receipt is required, a further determination 2802 is made as to whether an electronic transaction receipt, such as via email or other electronic communications, is required. If no electronic transaction receipt is required, the operator can provide the customer in block 2808 a hard copy of the transaction receipt as an output from the portable unit. If one is required, in at least one embodiment, the portable unit can be used to either send the receipt or to schedule sending the receipt at a subsequent time in block 2804. For example, the scheduled receipt can be sent after upload of the information to the base unit. Some customers may also request a hard copy of the transaction receipt. Therefore, a determination 2806 can also be made as to whether a hard copy receipt is required. If a hard copy is also needed, the operator and/or portable unit can provide a hard copy of the transaction receipt as an output from the portable unit. If the answer is no, the system can also made a determination 2810 as to whether a credit card payment is required, discussed below.

Returning to the determination 2310 in Figure 23, if no transaction receipt is required, or if a transaction receipt was provided by the determination 2806, a further

5

10

15

20

25

determination 2810 is made as to whether a credit card payment is required. If no credit card payment is required, the system can return through the flow line represented to the left of Figures 18, 23, 28 into Figure 13. If a credit card payment is required, the operator can complete the credit card transaction in block 2812 and provide the customer with the receipt. The program can return to the customer site functions 1302, referenced in Figure 13, for further instructions as needed or desired.

While the foregoing is directed to various embodiments of the present invention, other and further embodiments may be devised without departing from the basic scope thereof. Other embodiments within the scope of the claims herein will be apparent to one skilled in the art from consideration of the specification and practice of the invention as disclosed herein. For example, various other flow paths of various orders and options can be included to provide the functionality described herein and claimed in the claims. It is intended that the specification, together with the example, be considered exemplary only, with the scope and spirit of the invention being indicated by the claims which follow.

The various methods and embodiments of the invention can be included in combination with each other to produce variations of the disclosed methods and embodiments, as would be understood by those with ordinary skill in the art, given the understanding provided herein. Also, various aspects of the embodiments could be used in conjunction with each other to accomplish the understood goals of the invention. Also, the directions such as "top," "bottom," "left," "right," "upper," "lower," and other directions and orientations are described herein for clarity in reference to the Figures and are not to be limiting of the actual device or system or use of the device or system. Unless the context requires otherwise, the word "comprise" or variations such as "comprises" or "comprising", should be understood to imply the inclusion of at least the stated element or step or group of elements or steps or equivalents thereof, and not the exclusion of a greater numerical quantity or any other element or step or group of elements or steps or equivalents thereof. The device or system may be used in a number of directions and orientations. Further, the order of steps can occur in a variety of sequences unless otherwise specifically limited. The various steps described herein can be combined with other steps, interlineated with the stated steps, and/or split into multiple

5

10

15

20

25

steps. Additionally, the headings herein are for the convenience of the reader and are not intended to limit the scope of the invention.

Further, any references mentioned in the application for this patent as well as all references listed in the information disclosure originally filed with the application are hereby incorporated by reference in their entirety to the extent such may be deemed essential to support the enabling of the invention. However, to the extent statements might be considered inconsistent with the patenting of the invention, such statements are expressly not meant to be considered as made by the Applicant.

# CLAIMS

- 1. A waste management system, comprising:
- a. a waste management electronic base system having a memory, processor, an input element, and an output element, the base system adapted to process waste management data for tracking a location of a waste storage unit, billing a customer associated with a waste removal, and paying personnel for services associated with the waste removal; and
- b. an electronic portable unit having a memory, processor, an input element, and an output element, the portable unit adapted to allow an operator during a waste removal to use the portable unit and to allow onsite input at a customer facility from preprogrammed queries regarding the waste removal and further being adapted to generate an output of the data to the base system for processing.
- 15 2. The system of claim 1, further comprising a waste removal vehicle and a waste storage unit selectively coupled with the waste removal vehicle.
  - 3. The system of claim 1, wherein the waste comprises industrial waste and the system is adapted to comply with a manifest associated with the industrial waste.
  - 4. The system of claim 1, wherein the base system generates a manifest based on information from a generator of waste obtained from the portable unit.
- 5. The system of claim 1, wherein the onsite input allows operator input, automatic input, or a combination thereof.
  - 6. The system of claim 1, wherein the onsite input comprises a scanner, keyboard, touch screen, wireless interface, voice recognition interpreter, preprogrammed cards, or a combination thereof.

30

20

	•		

- 7. The system of claim 1, wherein the portable unit output comprises a wireless interface with the base system.
- 8. The system of claim 1, wherein the system further comprises multiple portable units for multiple operators during their respective routes for multiple waste removals.
  - 9. The system of claim 1, wherein the base system is adapted to provide download information to the portable unit, the information containing instructions to the operator for a route of the operator.

10

- 10. The system of claim 1, wherein the portable unit is adapted to require predetermined operator input for a first operation to release the operator to perform a next operation.
- 15 11. The system of claim 1, wherein the portable unit is adapted to output an invoice for a customer at the customer site relative to the waste removal.
  - 12. A method of managing waste removal, comprising:
- a. using a waste management electronic base system having a memory,
   processor, an input element, and an output element, to process waste management data,
   comprising:
  - i. tracking a location of a waste storage unit;
  - ii. billing a customer associated with a waste removal; and
  - iii. paying personnel for services associated with the waste removal;

25 and

- b. using an electronic portable unit having a memory, processor, an input element, and an output element, to gather onsite data for the base system, comprising:
  - i. allowing an operator to input onsite data at a customer facility into the portable unit from preprogrammed queries regarding the waste removal; and
- 30 ii. generating an output of the data to the base system for processing.

- 13. The method of claim 12, further comprising downloading information from the base system to the portable unit, the information containing instructions to the operator for a route of the operator.
- 5 14. The method of claim 12, further comprising requiring predetermined operator input for a first operation to release the operator to perform a next operation.
  - 15. The method of claim 12, further comprising scanning input information into the portable unit regarding a waste storage unit.

10

- 16. The method of claim 12, further comprising selectively coupling a waste storage unit with the waste removal vehicle.
- 17. The method of claim 12, wherein the waste comprises an industrial waste and further comprising generating a manifest associated with the industrial waste.
  - 18. The method of claim 12, further comprising accepting an electronic manifest into the portable unit.
- 20 19. The method of claim 12, further comprising generating an invoice from the portable unit for a customer at the customer site relative to the waste removal.
  - 20. The method of claim 12, further comprising providing the onsite input with operator input, automatic input, or a combination thereof.

25

- 21. The method of claim 12, further comprising providing the onsite input by a scanner, keyboard, touch screen, wireless interface, voice recognition interpreter, preprogrammed cards, or a combination thereof.
- 30 22. The method of claim 12, further comprising sharing information between the portable unit and the base system through a wireless interface.


23. The method of claim 12, further comprising requiring a predetermined operator input for a first operation before releasing the operator to perform a next operation.


# ABSTRACT OF THE DISCLOSURE


The present invention provides a system and method for electronically automating the solid waste hauling industry's existing paper system for tracking driver services. In at least one embodiment, the system directs the driver through his daily activities, allowing changes and corrections to customer service data along a route. This information is uploaded and converted to payroll data, customer service information, and invoicing for customers, among other aspects, periodically throughout the route or upon return to a home base after the route. The information that is collected on site and in real time into a unit available to the driver during the route can require specific and traceable entries that improve the accuracy and completeness of the data useful to the waste management system. The automation provides the information collected by a driver independently of additional clerks that heretofore have been used to input this information into a waste management system.


5


10





























































Fig. 26





Attorney Docket No. 020976-00100

# **DECLARATION**

SOLE/JOINT INVENTOR ORIGINAL/SUBSTITUTE/CIP

As a below named inventor, I hereby declare that: my residence, post office address, and citizenship are as stated below next to my name. I believe I am the original, first, and sole inventor (if only one name is listed below) or a joint inventor (if plural inventors are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

# **ELECTRONIC WASTE MANAGEMENT SYSTEM**


as described in the specification [ $\sqrt{\ }$ ] attached of	r [ ] of patent Application Serial No.	, filed				
and amended on						
I hereby state that I have reviewed and und amendment referred to above; that I do not know invention thereof, or patented or describe prior to this application; that the invention I application in any country foreign to the Unit welve months prior to this application; and examination of this application in accordanc cumulative to information already of record or	now and do not believe the same was even in any printed publication in any count as not been patented or made the subset of States of America on an application that I acknowledge the duty to disclose with Title 37, Code of Federal Regu	ver known or used in the Unite untry before my or our inventi- bject of an inventor's certifica- on filed by me or my legal re- pose information of which I ar- ulations § 1.56(a). Such infor-	of States of America before my or ion thereof or more than one year ate issued before the date of this presentative or assigns more than in aware which is material to the			
(1) it establishes, by itself or in com	bination with other information, a prima	a facie case of unpatentability	of a claim; or			
(2) it refutes, or is inconsistent with,	a position the applicant has taken or ma	ay take in:				
(i) opposing an argument	of unpatentability relied on by the Office	ce, or				
(ii) asserting an argument of patentability.						
I hereby claim foreign priority benefits unde listed below and have also identified below claimed:	r Title 35, United States Code § 119 o any foreign application(s) having a fil	f any foreign application(s) for the date before that of the a	or patent or inventor's certificates pplication(s) on which priority is			
COUNTRY	APPLICATION NUMBER	DATE OF FILING	PRIORITY CLAIMED UNDER 35 USC 119			
			□ YES □ NO			
			□ YES □ NO			
I hereby claim the benefit under Title 35 Unit of any claim of this application is not disclosdefined in Title 37, Code of Federal Regulat international filing date of this application:	sed in the prior United States Applicati	ion. I acknowledge the duty to	o disclose material information as			
I hereby declare that all statements made here be true; and further that these statements were imprisonment, or both, under Section 1001 of the application or any patent issued thereon.	e made with the knowledge that willful	false statements and the like	so made are punishable by fine or			
Please direct all written communications to th	e address listed below: All telephone c	alls should be directed to D. B	rit Nelson at (713) 226-1361.			
D. Brit Nelson	•					


HOUSTON:020976/00100:902302v1


Attn: IP Docketing Clerk Locke, Liddell & Sapp LLP 600 Travis, Suite 3400 Houston, Texas 77002 (713) 226-1361


# FORM 100 VERSION 1.0 (October 27, 1990)


DANIELLE RENEE FORGET SHIELD INVENTOR'S SIGNATURE	3-12-04
RESIDENCE	CITIZENSHIP
1810 Southmore Blvd., Houston, Texas 77004	USA
POST OFFICE ADDRESS	
same as above	·





























































Fig. 26





Attorney Docket No. 020976-00100

## **DECLARATION**

SOLE/JOINT INVENTOR ORIGINAL/SUBSTITUTE/CIP

□ YES □ NO

As a below named inventor, I hereby declare that: my residence, post office address, and citizenship are as stated below next to my name. I believe I am the original, first, and sole inventor (if only one name is listed below) or a joint inventor (if plural inventors are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

## **ELECTRONIC WASTE MANAGEMENT SYSTEM**

as described in the specification $[\sqrt{\ }]$ attached	or [ ] of patent Application Serial No	, filed	
and amended on			
I hereby state that I have reviewed and un amendment referred to above; that I do not k our invention thereof, or patented or describ prior to this application; that the invention application in any country foreign to the Untwelve months prior to this application; and examination of this application in accordan cumulative to information already of record of	now and do not believe the same was ed in any printed publication in any chas not been patented or made the suited States of America on an applicated that I acknowledge the duty to discover with Title 37, Code of Federal Regional Regions of the same was a suite of the s	ever known or used in the Unit ountry before my or our inven- ubject of an inventor's certific- tion filed by me or my legal re- lose information of which I a gulations § 1.56(a). Such info	ted States of America before my or tion thereof or more than one year cate issued before the date of this epresentative or assigns more than m aware which is material to the
(1) it establishes, by itself or in con	nbination with other information, a prin	na facie case of unpatentability	of a claim; or
(2) it refutes, or is inconsistent with	, a position the applicant has taken or i	nay take in:	
(i) opposing an argumen	t of unpatentability relied on by the Of	fice, or	•
(ii) asserting an argumen	t of patentability.		
I hereby claim foreign priority benefits und listed below and have also identified below claimed:	er Title 35, United States Code § 119 any foreign application(s) having a	of any foreign application(s) filing date before that of the	for patent or inventor's certificates application(s) on which priority is
COUNTRY	APPLICATION NUMBER	DATE OF FILING	PRIORITY CLAIMED UNDER 35 USC 119
			□ YES □ NO

I hereby claim the benefit under Title 35 United States Code § 120 of any United States application(s) listed below and, insofar as any subject matter of any claim of this application is not disclosed in the prior United States Application, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations § 1.56(a) which occurred between the filing date of the prior application and the national PCT international filing date of this application:

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Please direct all written communications to the address listed below: All telephone calls should be directed to D. Brit Nelson at (713) 226-1361.

D. Brit Nelson Attn: IP Docketing Clerk Locke, Liddell & Sapp LLP 600 Travis, Suite 3400 Houston, Texas 77002 (713) 226-1361

## FORM 100 VERSION 1.0 (October 27, 1990)

DANIELLE RENEE FORGET SHIELD	3-12-04
RESIDENCE	CITIZENSHIP
1810 Southmore Blvd., Houston, Texas 77004	USA
POST OFFICE ADDRESS	
same as above	

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	§ Examiner: To Be Assigned
Shield	% &
Serial No.: To Be Assigned	<ul><li>§</li><li>§ Group Art Unit: To Be Assigned</li></ul>
Filed: Concurrently Herewith	Solution
For: Electronic Waste Management System	§ Attorney Docket No. 020976-00100

## POWER OF ATTORNEY BY ASSIGNEE

Under the provisions of 37 C.F.R. §3.71 and §3.73, the undersigned Assignee of record of the entire right, title and interest in the above-identified patent/patent application by virtue of an assignment recorded (check as applicable):

$\boxtimes$	Concurrently Herewith
	Date Recorded
	Reel Frame

elects to conduct the prosecution of the application/maintenance of the patent to the exclusion of the named inventor(s). The Assignee hereby revokes any previous powers of attorney and appoints the following to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

D. Brit Nelson, Reg. No. 40,370 John Wilson Jones, Reg. No. 31,380 Steven S. Boyd, Reg. No. 42,353

## Please direct all written communications to:

Attn: IP Docketing Clerk Locke, Liddell & Sapp LLP 600 Travis, Suite 3400 Houston, Texas 77002

Please direct all telephone calls to:

D. Brit Nelson (713) 226-1361 (713) 229-2638 (Facsimile)

**ASSIGNEE** 

DAFFENBERRY, LLC

Date: 3-12-04

BY: NAME:

DANIELLE RENEE FORGET SHIELD

TITLE:

langing Membe

Form PTO-1595 (Rev. 10/02)	RECORDATION FOR		U.S. DEPARTMENT U.S. Patent and	OF COMMERCE Trademark Office
OMB No. 0651-0027 (exp. 6/30/2005)	PATENT	SONLY		
Tab settings ⇔ ⇔ ♥		<u> </u>	7 ▼	▼
To the Honorable Commissioner	of Patents and Trademarks:	Please record the attached	original documents or cop	y thereof.
Name of conveying party(ies):		1	s of receiving party(ie	es)
Danielle Renee Forget Shield		Name:DAF	ENBERRY, LLC	
		Internal Address:		
Additional name(s) of conveying party(ies)	attached? 📮 Yes 📮 No			
3. Nature of conveyance:				
Assignment	☐ Merger	ŀ	1810 Southmore Blvd	
Security Agreement	Change of Name	Street Address:		
Other				
		City:	State: TX	Zip: 77004
Execution Date: March 12 2004		Additional name(s) & a	address(es) attached?	Yes 🛂 No
4. Application number(s) or patent	t number(s):			
If this document is being filed to	gether with a new appli	cation, the execution d	ate of the application	is:
A. Patent Application No.(s)	•	B. Patent No.(s)		
	Additional numbers att	ached? 📮 Yes 🛂 No	·	
<ol><li>Name and address of party to w concerning document should be</li></ol>	whom correspondence mailed:	6. Total number of ap	plications and patents	s involved: 1
Name: D. Brit Nelson		7. Total fee (37 CFR	3.41)\$ <u>4</u>	0
Internal Address: Attn: IP Do	ocketing Clerk	Enclosed		•
		Authorized to	be charged to deposi	t account
		8. Deposit account n	umber:	:
Street Address:	hase lower	40/4000/00	20076 00400	
600 Travis, Suite 3400		12/13/2/02	20976-00100	
City: Houston State: TX	Zip: 77002	(Attach duplicate copy	of this page if paying by de	eposit account)
	DO NOT USE	THIS SPACE		
9. Statement and signature.  To the best of my knowledge and is a true copy of the original document.  D. Brit Nelson  Name of Person Signing	cument.	nformation is true and Signature	correct and any attac	hed copy 64 ate

## **ASSIGNMENT**

WHEREAS, I, DANIELLE RENEE FORGET SHIELD, have invented certain new and useful methods, devices, and/or systems for which a United States Patent application entitled "Electronic Waste Management System" is filed herewith; and

WHEREAS, **DAFFENBERRY**, **LLC**, a Texas limited liability company, is desirous of acquiring the entire right, title and interest in and to the aforesaid invention throughout the world, and all right, title and interest in, to and under any and all patents of the United States and all other countries throughout the world;

NOW, THEREFORE, for and in consideration of the sum of One Dollar (\$1.00) and for other good and valuable consideration, the receipt of which is hereby acknowledged, I hereby sell, assign, transfer and set over to **DAFFENBERRY**, **LLC**, all right, title and interest in and to the said invention throughout the world, and said application for U.S. Patent, and any and all divisions, continuations, continuations-in-part and reissues thereof, and any and all patents of the United States and foreign countries which may be granted therefor, the same to be held and enjoyed by **DAFFENBERRY**, **LLC** for its own use and benefit, and for the use and benefit of its successors, assigns, or other legal representatives, to the end of the term or terms for which said patents of the United States or foreign countries are or may be granted or reissued, as fully and entirely as the same would have been held and enjoyed by me if this assignment and sale had not been made.

And I hereby authorize and request the Commissioner of Patents and Trademarks and other authorities in foreign countries to issue any and all patents on said invention or resulting from said application and from any and all divisions, continuations, continuations-in-part, and reissues thereof, to **DAFFENBERRY**, **LLC**, as assignee of my entire interest, and hereby covenant that I have the full right to convey the entire interest herein assigned, and that I have not executed and will not execute any agreement in conflict herewith.

And I further hereby covenant and agree that I will, at any time, upon request, execute and deliver any and all papers that may be necessary or desirable to perfect the title of said invention and to such patents as may be granted therefor, to DAFFENBERRY, LLC, its successors, assigns, or other legal representatives and that if DAFFENBERRY, LLC, its successors, assigns or other legal representatives shall desire to file any divisional, continuation, or continuation-in-part applications or to secure a reissue of such patents, or to file a disclaimer relating thereto, will upon request, sign all papers, make all rightful oaths and do all lawful acts requisite for the filing of such divisional or continuation applications, or such application for reissue and the procuring thereof, and for the filing of such disclaimer, without further compensation but at the expense of said assignee, its successors, or other legal representatives.

And I do further covenant and agree that I will, at any time upon request, communicate to **DAFFENBERRY**, LLC, its successors, assigns or other legal representatives, such facts

relating to said invention and patents or the file history thereof as may be known to me, and testify as to the same in any interference or other litigation when requested so to do, without further compensation but at the expense of said assignee, its successors, or other legal representatives.

EXECUTED THIS 12 day of March, 2004.

DANIELLE RENEE FORGET SHIELD

STATE OF TEXAS

§

**COUNTY OF HARRIS** 

8

BEFORE ME, the undersigned authority, on this day personally appeared **DANIELLE RENEE FORGET SHIELD**, known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that she executed the same for the purposes and consideration therein expressed.

GIVEN UNDER MY HAND and seal of office this day of March, 2004.

PATRICIA C SMITH
NOTARY PUBLIC
State of Texas
Comm. Exp. 03-02-2005

NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449/PTO Application Number To Be Assigned Filing Date Herewith INFORMATION DISCLOSURE First Named Inventor Danielle Renee Forget Shield STATEMENT BY APPLICANT Art Unit (Use as many sheets as necessary) Examiner Name Sheet 1 Attorney Docket Number 020976-00100

			U. S. PATENT	DOCUMENTS	
Examiner Initials*	Cite No.1	Document Number  Number-Kind Code <sup>2 (# known)</sup>	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		US-			
	ļ <b>-</b>	US-			
		US-			
	-	US-			
		US-			

		FORE	IGN PATENT DOCU	MENTS		
Examiner Initials*	Cite No.1	Foreign Patent Document	Publication Date	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages	
		Country Code <sup>3</sup> Number <sup>4</sup> Kind Code <sup>5</sup> (if known)	MM-DD-YYYY		Or Relevant Figures Appear	1
				`		
						L
						L
·		•			·	L
						Γ

Examiner	Date		 
Signature	Considered		
		i	

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at <a href="www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁵ Applicant is to place a check mark here if English language

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.

PTO/SB/08B (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	te for form 1449/PTO			·	Complete if Known
				Application Number	To Be Assigned
INF	DRMATION	DIS	CLOSURE	Filing Date	Herewith
STATEMENT BY APPLICANT		First Named Inventor	Danielle Renee Forget Shield		
	##ss ss ss ss ss st			Art Unit	
	(Use as many she	ets as n	ecessary)	Examiner Name	
Sheet	2	of	2	Attorney Docket Number	020976-00100

Examiner	Cite	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of	
Initials*	No.1	the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
		HAYHURST, "Onyx 'Laptops' Workers to Automate Pickups," Waste News, Feb. 2, 2004, Crain Communications, Inc., U.S.A.	
		TRANSCOMP SYSTEMS, "Software Solutions for the Waste Industry, Products and Services," 2003, Transcomp Systems, Inc., U.S.A.	
		ENVIRONMENTAL INDUSTRY ASSOCIATIONS, "Garbage By The Numbers, An Update on EPA Data," Executive BRIEF, Washington, D.C.	
		JOHNSON, "The Road to Profitability: Trash firms key on routes," Waste News, July 21, 2003, Crain Communications, Inc., U.S.A.	
		FICKES, "8th Annual Software & Scales Supplement: The Waste Industry Bytes Back," Waste Age, Mar. 1, 1999, WasteAge.com, U.S.A.	
		FICKES, "Nothing But 'Net," Waste Age, Mar. 1, 2001, WasteAge.com, U.S.A.	
		ROTH, "Onboard Data Systems: Start your cost-containment efforts with the efficiency of your collection and transfer operations," MSW Management, 2004, U.S.A.	
		BADER, "Data Onboard," MSW Management, 2003, U.S.A.	

Examiner	Date	
Signature	Considered	

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

# Onyx 'laptops' workers to automate pickup!



# By Tracy Hayhurst

LOMBARD, ILL. — In this age of fast-moving technological innovations, five years may seem like an eternity to develop and implement a field computer system to handle hazardous waste shipments.

But representatives from Onyx Environmental Services, based in the Chicago suburb of Lombard, Ill., say the time was

The firm, a division of Parisbased Veolia Environnement, now sends its laptop-equipped sales force to pick up and transport a wide range of hazardous waste, whether 30 grams of a toxic chemical or 50 barrels of sandblast grit, said Jim Dykhuis, director of marketing for

Onyx North America.

Workers in the field carried computers prior to the software's debut, but the laptops functioned more as portable typerem allows Onyx employees to view a client's entire history and profile of waste shipments and to update an account immediate. Iy, said Kyle Raabe, Onyx's project manager for the new field

"All the background information for a customer is put into the computer by the account reps and sales reps, so you have profiling and inventories of the

it and determine how to ship it.
"The goal is for every one of our teams, by the end of the day or project, to have the waste packaged, labeled and put on a

truck," Raabe said.
Clients run the gamut, from
Clients run the gamut, from
Fortune 500 companies that
treat tons of waste annually to
individual grade schools that
need to dispose of small amounts
of science project materials.

"We have one division that picks up from auto body centers—— 15,000 auto body shops," Dykhuis said. "Another group does lighting waste. Our core business is true hazardous waste generators, and we have about 5,000 of those."

Each of those customers then has secure access, via phone or Internet, to information about its accounts and shipments, making it easy to generate the paperwork needed to comply with local, state and federal regulations or enforcement actions, Raabe said.

"The data we generate won't actually do the report for you, but it lays it out so that you can easily fill out a report on paper or electronically," Raabe said.

The price of the field tracking system is difficult to pinpoint because it is wrapped into existing services and is a standard operating procedure now for Onyx with each client, Dykhuis said.

"It was no small cost [to devel-

prises for the customers."

Raabe said some of the company's competitors are still writing things out by hand. "Our system is automated and ties into the shipping of every container, whether it's tiny or the size of a tanker," he said.

The method is similar to the model used by shipping and delivery giant UPS. Every package gets a bar code, and customers can track its progress in real time, Raabe said.

"You can track the waste to its facility," he said. "One of the things we pride ourselves on is that you can track your shipments with a phone call or computer. You have the security of being able to say it left our facility on this day and arrived at its disposal site however many hours or days later."

If an Onyx employee encounters unanticipated waste, he or she can handle the situation on the scene by accessing the computer system's chemical library of almost 50,000 chemicals and compounds to determine what is needed for shipping and disposal, then packaging the material and removing it that same day.

Onyx staff members toured

Unyx stair members toured the country for about three months to introduce the field tracking system and train employees. Onyx has a U.S. network of more than 40 service

bor is billed on-site by the hour, so that means smaller invoices for our customers. This was a quantum leap in functionality."

quantum leap in functionality.

For more information, contact
Onyx Environmental Services at
(630) 218-1763 or visit www.
onyxes.com.

\*\*\*


VERMEER MANUFACTURING CO. has introduced the HG6000, a horizontal grinder for recycling organic waste. The grinder is available with either a 525- or a 630-horsepower engine. Key features include a top-loading millbox, removable anvil design, six super single tires with aluminum wheels and fifth wheel towing package. Other standard features include an HPTO clutch, the patent-pending SmartGrind system and the patented Duplex Drum system.

For more information, call (641) 621-3141 or visit www.ve rmeer.com.

Metals Remediation Compound, an injectable product designed to treat a wide range of dissolved metals and chlorinated solvents in situ. The compound removes metals and solvents from groundwater safely, quickly, effectively, and at a low cost, according to the company. The product is designed to render

(949) 366-8000 or visit www genesis.com.

NEW PIG CORP. has introducthe Pig Battery Acid Spill Ps for response to spills of batte acid. Compact, portable and esto hang, the 16-by-20-inch sy pack contains enough absorbe mats and socks to absorb up to gallons of battery acid and c be stored almost anywhere, t company said. The package cludes nitrile gloves, goggles, apron and a large disposal used absorbents.



BATTERY ACID SLURPER-UPPER: N Pig. Corp.: 8 Pig Battery Acid Si Pack contains enough absorb mats and socks to absorb up to 4 g lons of battery acid, according to manufacturer.

For more information, c

o updage an account immediate-77, said Kyle Raabe, Onyx's proset manager for the new field ystem.

"All the background information for a customer is put into he computer by the account eps and sales reps, so you have rofiling and inventories of the 'aste," Raabe said. "The overall teme is that if you're looking to iscard something, we'll find a ome for it."

For example, if pharmaceutial giant Pfizer Inc. e-mails its iventory to Onyx, one of the rm's specialists goes to the site package the waste or identify

easily fill out a report on paper or electronically," Raabe said.

The price of the field tracking system is difficult to pinpoint because it is wrapped into existing services and is a standard operating procedure now for Onyx with each client, Dykhuis said.

"It was no small cost [to develop], but the hazardous waste business is kind of like a bar fight—competition is tough," he said. "We had the money to invest in this, and we think it will pay off. We're looking to meet customer expectations and exceed them. This makes sure the pieces of peper match up. There are no sur-

paper al, then packaging the material id. and removing it that same day.

Onyx staff members toured the country for about three months to introduce the field tracking system and train employees. Onyx has a U.S. network of more than 40 service centers, treatment facilities, recovery and disposal sites and transportation centers.

"When we first rolled it out in March, there were some adjustments, but now a regular user wouldn't want to go back to the old way," Raabe said. "Our reps are doing their jobs in less time; they get home quicker. And la-

an injectable product designed to treat a wide range of dissolved metals and chlorinated solvents in situ. The compound removes cording to the company. The product is designed to render cipitation, dissolution, oxidagroundwater safely, quickly, efmetals harmless through the manipulation of geochemical processes such as pretion-reduction, and complexion, which control the state and mobility of metals in an aquifer, the fectively, and at a low cost, metals and solvents company said. dissolved

For more information, call

BATTERY ACID SLURPER-UPPER: New Pig Corp.'s Pig Battery Acid Spill Pack contains enough absorbent mats and socks to absorb up to 4 gallons of battery acid, according to the manufacturer.

For more information, call (800) 468-4647 or visit www.newpig.com.

ster III, the largest version of a **WORLD'S BEST WEAR PARTS** universally used grinder tip sures over 4 inches by 51% inches and includes patented Snug Fit anti-shear rails. The tip is em-NC., a division of Steel Unlimited Inc., has introduced the Monavailable on the market, according to the company. The tip meabedded with crushed tungsten carbide on the wear surfaces and the carbide application can be customized to fit a customer's comes in a variety of patterns, or specific wear needs.

For more information, call (800) 544-6453 or visit www.

HAMMEL NORTH AMERICA INC. has introduced the Red Giant, a shredder capable of dealing quickly with large volumes of waste. The shredder is powered by a 640-horsepower CAT C16 engine and can process 200 tons per hour of municipal solid waste or 150 tons per hour of construction and demolition debris. The shredder has a 15-cubic-yard tilting hopper through which material enters; the waste then goes into a shredding chamber and is

discharged onto a conveyor belt. For more information, call (260) 441-7900 or visit www. hammelna.com. Send product information to Charlotte McCraney at Waste News, 1725 Merriman Rd., Akron, Ohio 44313; by fax to (330) 836-1692; or by e-mail to emccraney@crain.com.




Marathon's BlokPak® Transfer System is the Ultimate High Volume Transfer Compactor for MSW

Yeah, we make Transfer Systems tool Marathon's **BlokPak** offers maximum payloads for high volume transfer of MSW. The system compacts refuse against a vertical steel gate forming 8-10 ft. logs of waste in the large compaction chamber. The logs are then ejected into a transfer trailer.

The **BlokPak** can also be equipped with a weighing system to ensure that you get your maximum payload.


RATHON WWW.MarathonEquipmen

Service of the servic



The News Source for Businesses that Generate and Manage Waste

# Utility industry feels regulatory pinch WATER HAZARDOUS SOLID



Bush administration suit may go to tria

## By Bruce Gelselman

of violating the Clean Air Act's New Source Review provisions by mod Washington — Federal environmental officials and the U.S. Justic Department filed a lawsuit Jan. 28 accusing a Kentucky electric utili

Fing coal-fired power plants without obtaining the proper permits. This is the first New Source Review case filed by the Bush admini ration that appears headed to trial. In four other cases, the feder government filed complaints, but at the same time filed negotiate

"No, certainly East Kentucky was aware of our actions before yea erday - now it will come before the court," department spokesma A settlement appears unlikely in this case, Justice officials said.

SOFTWARE SOLUTIONS
FOR THE WASTE INDUSTRY

Products and Services

WWW.TRANSCOMP.COM 877.546.7550

			Cüstomor		~	Service	Order-	$\mathcal{X}$	Şile Notes	
	(0)) (33 (0)						Site			
	(RW.C32.00)			Old Acct			Ské IĎ	001 (Multiple)	Status Active Pickup	<u> </u>
	ANCO00002 Robert's Eng		·	<b>S</b>			Address Line 1	2230 W Colchester Dr		
B10 .	001 Robbig Eng	ineairg	i	ED COM	Status Active	· •	Address Line 2			
<b>2</b> w	47 🔯 👼	2002	Materials T - Transh				City, State, Zip		CA   92804	
Siin Ma	n Tue Wed Thu	Fii Sal	le estable	90 se 90	Days Over 90	Total Due	Phone	[714] 738-3766	Mobie ( )	
<b>72</b> 1	-12	T3	Y - Yard Waste	0.00	.0.00   0,00	1279.58				.
5	7 8 T	10 11	S - Service O - Other	atomer		li	. Edit Sites		<i>2</i>	
12-13-	11 R II	17	113 625.000 18	Rate	Mon Tue We	d Thu Fo	Sat- Sun	8C Week	Sharing	
19	T R T	T 24 25	- Status	22.00	Living Land	-1	1-4.1-4.1		<del>-</del>	
	T A T	[" ["	Scheduled					B.		1
26	28 - 29 - 30 - T	La	Picked Up Stocked/Skipped	<b>a</b>						
			One Time/Extra	<b>34</b>			Scale 1:	1,969		
to Svc Cod	de Description	Status	Rection -							
	Anaheim Commercial Trash 1		Red Toyota			<b>GROADWAY</b>	- Graph (RW.	520.04)	,	
ī				RRIRR	RRIEST SET E	91 RR1 RR1	- H 2	P - W - W - W - W - W - W - W - W - W -	A+3 234 7	
_ 					DOD TOD	TOP TR	-	Visign) (Tree) per Reals		_
to the same and	FG-ARM SK Grand State Gold State (		YSADMIN 5/12/2002		RRI: RRI RTIRTI	KLI WINKI	22.00	្ន វា	<b>£i</b> l	CONTON
	ATTENDED TO			min.	88Ö	RIN RRI	10.00			1
1	Collectors		1		. A. RRI nes	REPORT REL	14.00		<b>1</b>	MESSEC 1
	Alloy or Unpayed		:	RT1 RT	1 RT1 RT1RT1	BRIETI RTIRY	1 6 5 18.00 6 405			
	Stervice Streets / No Oate		•	RRI			5			RESYARD
	Major Steens	Ⅱ .	RRI RRI RRI RRI	. REL REL	RB1 BR1 FR1 F		87. 3 48. 81. 18			1
	Seed trained Access		KLIKLÍŠKI KAI	RILL REI	RRI FORT KIN	Ret.	(71 mm	11/28	11.09	SE CON COUNT
	Arterials			RT1	RR1 RR1 RR1 RR1	IRRANIEL		Onto		
	Loosi Streets Albey or Unpaved	li i		KT L	RII G RE	rı RR1	L		OK.	
ne to the e toe.	er temba Tronsculty System	an olah merekana					CON CO			356
12.00	A let are a comment		1000	A COMPANY						la la
A http://etower.i						£ 1988				
David Navarr		e esti per emilione este a	and the second s			ÄTX	ANS COMP	GE ST	-	
28,2003	<b>₹</b> 👨 👼	2	₹ °€.	CT .	Car F	3	ه الد جوره 7 دين الد	PSION ) TENLOSIX		
	Welcome My Profile	View Service Histor	ry View Invokes Feedback (	eder Gorvicos Cir	der Seevk -	- Man		112	2	12
					7		1	8 poced / School 1 1 1924 Oty Bin 1 Code		
ńóconi.		e fors			6.1		nort 1663 W One		Picked up	
ńóconi.	Currently Viewing Active Service		ISSS E Ball Rd Sigery		3	Soleris	937 N Lemo	n St. 1 SYFL FLST	Picked up	
woCosp unling	Correctly Tiesting Active Service	IDL - Image Menufacturing -					Jig .931 N Zeyn 1601 E Orac		Picked up	2 3
ńóconi.		III) - (mage Henulacturing -				Tandem			C Picked up	
ńóconi.		IDI - Image Manufacturing -	lay Tuesday Wednesday	Thursday &	riting F	Great Pac	ITIC TOOL N BOCK			
ńóconi.	000744 - Image Menufacturing "I" Quantity Service (Star 001	Proquency Rate Hond	lay Yuesday Wadhesday e Route Route	Thursday / Route I	toute 8	7	NE 1001 N BOS	A. C		"∛
ńóconi.	Quantity Service  Sea of 1	Prequency Rate Mond	lay Tuesday Wednesday Route Route	Thursday Route		7			1 /	. ∛
ńóconi.	Cooperate Service  Sear COI  From Land 2 Yard Recycle  Loo  Early Table Land 2 Yard Recycle	Proquency Rate Roads		Thursday Route	G (61)	7		A. C		. V
ńóconi.	Quantity Service  Sea of 1	Proquency Rate Monda  (4500) \$2500 \$25.00		Thursday Route	toute 8	7		A. C		. V

## Products and Services





## **Our Mission**

To be the leading software, hardware and consulting services provider to the waste industry.

To develop software using leading technology that offers all the system features needed to support the diverse needs of the waste industry.

To develop hardware solutions using leading technology. These solutions will be reliable, cost effective and able to withstand the needs of the waste industry.

To provide consulting services that are insightful, cost effective and achieve our clients' desired results.

Our clients will consider us an integral contributor to their success.

Our clients' continued success is our ultimate goal.

# To Schedule a demo call 877-546-7550 Software Solutions for the Waste Industing

# **About TransComp Systems**

From our inception, TransComp Systems has concentrated on providing Waste and Recycling companies with integrated, end-to-end, Microsoft based business solutions. Our goal is to help companies increase their profitability by providing streamlined operational business processes, more efficient billing and customer service, flexible reporting capabilities and route profit analysis. TransComp Systems' services encompass software installation and integration, customization, consulting, customer support and education.

Our flagship software application, **Tower 5.0**, is the only product of it's kind that offers haulers a Microsoft Windows based billing and routing system that is integrated to Microsoft Great Plains accounting software. Our Microsoft-driven technology is aimed at increasing your bottom line through seamless integration to "best of breed" applications that we offer, including GPS (Global Satellite Positioning), GIS (Digital Mapping), Print and Mail services, automatic check deposit and much more.

Best of all, TransComp Systems offers Internet hosting services to companies who wish to utilize the power of the Tower software, but do not want to install the software on their local network. For smaller operations, our hosted services will allow you to operate the Tower software for a nominal monthly fee. This means that whether you are big or small, we have the solution that will fit your budget.

The staff at TransComp Systems has several years experience working in the waste management industry. We understand that in order for technology to be effective, it must be simple, stable and user friendly. Above all, technology must improve the quality of the lives of those who are affected by it. At TransComp Systems, we make it our business to understand your business. Whether you are an industry "Big Six", a regional leader or a small start-up, TransComp Systems has the solutions that will help you meet your business goals.

### Experience

1

Our personnel has implemented or supervised the implementation of hundreds of software systems since 1980. We enjoy an excellent relationship with Microsoft Great Plains Software on several levels. We have been directly involved in over 50 successful installations of the Microsoft Great Plains Solomon IV for Windows accounting software product.

TransComp's programmers have written Microsoft Windows-based business software applications since 1987, and client-server accounting solutions since 1989. Specific software development and product development expertise includes:

Microsoft Windows Client-Server Software Internet Information Server Windows NT 3.51 - 4.0, 9x, Me, 2000, XP Arcview/Avenue Java/J++, ASP XML, HTML, DHTML and .NET FRx Financial Reports Microsoft SQL Server Solomon IV Accounting Software Pervasive Scalable SQL Sybase SQL Server MFC, ANSI C, C++ Visual Basic Seagate Crystal Reports



# Products

TransComp Systems' products suite is designed to provide you with the leading software and hardware solutions needed to compete in today's business environment.

# Tower 5.0


Refer to pages 9-26 for more details

**Tower 5.0** software is specifically designed for the solid waste and recycling industry. Tower software provides these industries with an integrated, customizable operations management software system designed to enhance productivity and increase profitability through integration and efficient use of today's technology.

Tower's seamless integration of the three main operational components of a hauling company - Billing, Accounting and Routing - provides Tower's customers with reporting capabilities that are unmatched in the industry.

Tower's underlying Microsoft technology provides core stability in today's Windows-based office.

**Tower 5.0** software integrates all of the waste management business functions while providing security, audit trails and data integrity. **Tower 5.0** is also fully integrated to the Solomon IV for Windows Accounting Information System and offers all of the benefits of SQL and client/server computing.




# eTower

Refer to pages 27-28 for more details

Once again Transcomp will be the first company to offer a web site linked to its software.

The perfect companion to **Tower 5.0**. *eTower* works 24/7, allowing your customers to conveniently access their accounts online, place orders, view and pay their invoices, view their scheduled services, send messages and much more. *eTower* lets your clients help themselves. This reduces the number of customer service calls while improving service; both of which, will reduce your operating expenses.





# Software Solutions Jor the Waste Industry

# **Tower Track**

Finally! Introducing a GPS vehicle tracking and location system that is tailored to the needs of solid waste management. TransComp Systems has been keeping a close eye on GPS functionality for the solid waste industry for several years. In the past, there have been no "cost-effective" GPS products available that address the specific needs of the waste and recycling industry, and adhere to TransComp Systems' high level of quality, flexibility and functionality.

Managers of solid waste and recycling companies need a product that is easy to use, easy to maintain and delivers information that is important to their operations management.

We are now offering a highly dependable and cost-effective GPS solution that is tailored to the solid waste and recycling industry.

Here are just a few ways our GPS services will improve your bottom line:

- Instantly view the location of your vehicles in REAL-TIME
- Eliminate overtime padding
- · Eliminate side jobs
- · Eliminate unauthorized stops/breaks and vehicle usage
- Improve route productivity
- Increase productivity

# **Mobile Tower**

Refer to pages 29-30 for more details

Another perfect companion to **Tower 5.0**. Perfect for users who wish to take the power of **Tower 5.0** on the road.


**Sales** Provide your sales personnel with access to customer and prospect information while out of the office. Increase sales performance by reducing their time at the office and increase face to face with prospects and customers.

**Vehicles** Eliminate route books and workorders. Provide your drivers with electronic routebooks, real time updates, service location map, and capture service times and incidences.



Sales

Vehicles





# SOUTHER

TransComp Systems' services compliment our products and are designed to guarantee successful implementation.

# **Implementation**

The primary role of TransComp Systems' Implementation Services is to support the installation and use of TransComp Systems' Tower software. We offer expertise based on our in-depth waste industry knowledge, our customer's key business processes and the Tower software client/server-computing environment.

Implementation Services are offered by TransComp Systems to help ensure that a quality software solution is implemented and that our customers obtain a good working knowledge of the Tower software system. In addition, these services help clients avoid pitfalls, delays and overhead expenses associated with data conversion and data validation. Software installation, training, and integrating Tower to other third party software systems are all part of our Implementation Services.

Our dedicated staff is experienced in requirements analysis, project management, system customization and implementation. Each of the following methodologies are geared toward achieving a successful project implementation and ensuring a long-term customer relationship.

- Understanding the client's business environment
- Understanding the client's analysis objectives
- Educating the client on Tower 5.0 operations management technology
- Defining and documenting project objectives
- Documenting customization requirements
- Creating an efficient solution model
- Building the right team of TransComp and client personnel
- Assisting the client in implementation preparations
- Training client personnel with self sufficiency as a goal
- Jointly evaluating project success

# **Data Conversion**

TransComp Systems' experienced professionals will provide you with all the necessary tools and assistance needed to convert your existing data into **Tower 5.0** software. Tower professionals have the knowledge to convert data from virtually any other software package including: Soft-Pak, Desert Micro, WAM, Trashflow, Delta, Pros, RICS, RDS and RAMsPRO.

# **Network Infrastructure** >

Our experienced installation specialists work with you to build a solid network infrastructure that will support your new **Tower 5.0** system. Prior to the software installation, our network specialists will review your operating environment to ensure that it is set up for optimum performance of your Tower software.

### Customization

TransComp Systems' **Tower 5.0** is entirely user configurable through the use of the Customization Manager Module and setup files which allow the user to define most aspects of the program's behavior, as well as its "look and feel". For certain customers who require additional program functionality to meet the needs of special business requirements or a business niche, TransComp Systems can provide custom programming and consulting, creating the most efficient solution to any requirement.

In today's competitive business environment, it is vital that your software systems not just work, but that they work together to provide your business with the maximum efficiency possible. At TransComp Systems we have gone to great lengths to make the **Tower 5.0** System as integrated as possible with other waste industry "best of breed" software solutions.

As with any system, there will always be new software products and hardware devices that have yet to be integrated with or connected to the Tower System. As part of the service that we offer to our customers, we use our expertise to continuously integrate the **Tower 5.0** System with whatever software and hardware systems that are, or might become, essential to your business.

# Application Hosting

If desired, TransComp Systems can host your Tower software for you. Join the growing list of haulers who are utilizing our "Hosted Services" and take advantage of the power of Tower's software for your company's billing, accounting and operational requirements. All you need is Internet connectivity. Here are just a few of the benefits:

- Eliminate the need to purchase a server
- Eliminate network administrative expenses
- Eliminate the need to purchase a backup system
- Eliminate on-site implementation fees
- Eliminate the need to purchase the Tower software applications
- Eliminate the need for expensive computer consultants
- Connect to your data anywhere, anytime
- Train over the Internet
- Eliminate "computer headaches"

TransComp Systems' Hosted Service is especially cost effective for smaller companies. After all, small companies have the same operational requirements as larger companies, just fewer customers to service. Whether your plans are to remain on a smaller scale or you have aspirations to be a regional industry leader, Tower software can help you increase your competitive advantage. Our Hosted Services will keep you out of the computer business and help keep your staff focused on servicing your customers.



# Technology Advantage



# **Leading Technology**

TransComp Systems set the bar with our introduction of the Tower 2001 software to the hauling market in 1997. Tower 2001 was the first software system to be offered to haulers that was built using Microsoft Windows Technology. Today, **Tower 5.0** continues to set the bar with its features, functionality and stability.

**Tower 5.0** remains the only fully-integrated software designed for the hauling industry that utilizes Microsoft technology "from the ground up". Don't be fooled by companies that claim to have "total Windows functionality". These are typically DOS or AS-400 based products with a "Windows" front end.

Most of these other products do not even run on Microsoft's database engine. If it is not built with Microsoft tools and running on Microsoft's database engine, it is not a *true* Microsoft Windows product! If you are like most businesses in the U.S., you have already standardized on Microsoft technology. Your workstations are running in a Microsoft operating environment (NT or Windows 2000) and you have standardized your office software to Microsoft Office.

For total stability, flexibility, and integration throughout your entire enterprise, **Tower 5.0** should be your product of choice for your operations, billing, and accounting software.

### **Effortless Customization**

Yet another feature that separates **Tower 5.0** from competitive products is our powerful Customization Manager module. The Customization Manager module allows end users to implement their own customizations.

Add new fields (every screen in **Tower 5.0** and Solomon ships with 8 undefined user fields), change field label names, change tab orders, change field attributes (i.e. invisible, read-only, required, etc.) and much more. Customization Manager allows for customizations to be defined per user, per group or system-wide. No other software product on the market offers you the flexibility and customization capabilities found within **Tower 5.0**.

# Software Solutions for the Weste Industry

### **Seamless Integration**

**Tower 5.0** is the only software system for the hauling industry that seamlessly integrates the three main functions of a hauling business: Billing, Routing, and Accounting.

**Tower 5.0** remains the only software available to haulers that is integrated to a financial accounting package – Microsoft Great Plain's Solomon for Windows. No other software offers true, seamless integration to a top-notch financial software package at the General Ledger level.

The best "integration" any of our competitors offer is a data export/import process that creates a summary AR entry. At TransComp Systems, we do not consider a data export/import process to be integrated technology. Tower is the only system that provides routing, billing and accounting functionality on the same integrated database. When a customer record is updated in Tower, it is updated in the accounting as well.

Set up your routes to be tracked in the General Ledger for true route revenue and profitability. Integrate your service codes to General Ledger Revenue Sub-accounts for detailed General Ledger revenue reports with drill-down capabilities. The seamless integration of **Tower 5.0** to Solomon Accounting provides financial, billing and productivity reporting capabilities that are unmatched in the hauling industry.

# **Waste Industry Experience**

The knowledge of our staff has been developed through extensive, hands-on experience in the waste industry. This industry familiarity has been, and will continue to be what distinguishes us from the competition. We understand how your business works and strive to be a important element in your continued success.

### **Excellent Service**

TransComp Systems' dedication to uncompromised customer service began at it's inception. Today, our friendly, knowledgeable staff continues this dedication with the assurance of a quick response and more importantly, a solution to all your technology needs.

### Passion for Perfection


4

TransComp Systems is committed to providing you with a full featured software solution. Through consistant project monitoring and customer feedback, we continuously update our systems' features to meet the ever-changing needs of technology.



# Customer Service


Tower's Customer Service screen is easy to learn and is meant to provide CSR's with a "snap-shot" of information about the customer. CSRs can view current services, service history, billing history, routing, container, "next invoice", and AR information. In addition, they can edit customer and/or site information, add notes, and add, update or cancel services.



0000 SYSADMIN 5/12/200


# To Schedule a demo call 877-546-7550

# Software Solutions for the Waste Industry



### **Contact History**

Easily access your client contact history. Create your own note types. **Tower 5.0** automatically captures the user and time.



View, Reprint, Fax or E-mail

### A/R History

Easily view invoices, payments, credit memos, debit memos and running balance.

# **Paperless Credit Request**


Request and process credits in seconds. No paper with formal approval process.

			Criston ARCOCC for old Strict Strict 00500	002 044 002		
[	Battore Forward S 1,17258	Faywest \$ 000	Kee Charges \$ 19460	For Inlace I LIACI		
	Nine Bourt	Employed by	·			Asom
D29	99	Property	Derutyska			A. 8 VOIM

· · · · · · ·					
Customer AR Ref Nbr	ANC000002 006579	Robert's Engineering			
Tran Date	Amount	Description	Credit Reason	Credit Amount	
/1/2002	35.67 Anahei	in Commercial Tresh 1 Cub	VACANCY	35.67	
/1 <b>/200</b> 2	35.67 Anehei	im Commercial Trash 1 Cub	VACANCY	35.67	
1/2002	35.66 Anahei	in Commercial Tresh 1 Cub		0.00	
/1/2002	15.00 Anahei	im Commercial Recycle 2 C		0.00	
/1/2002	32.00 Anahei	im Commercial Recycle 1 C	•	0.00	
			<b>\$</b>	•	
Ĩ'					ک
Credit	Description				
Prope	erty was vacant on Ma	y 2002		Subn	ni Request

# Customer Service


The Tower 5.0 Customer Service module is feature-rich and easy to learn. Use the Tower 5.0 Customer Service module to manage customer accounts more effectively and productively.



### **Contract Management**

Create service contracts, assign contract expiration, contract roll over capability and rack the status of the contract.

Easily monitor contracts that will expire in the future.



WARE THE STATE OF THE STATE OF THE STATE OF

Add , Change, and End Services Quickly

**Tower 5.0** automatically suggests the schedule for a given service.

**Tower 5.0** allows the user to easily override the standard rate.

Service Order		Service Code	
0000000301		ART90G	
Recurring Time Window	Promote Section 1	7:26:00124124V	A 2000
Start Time 1	10:00	End Time 1	12:00
Start Time 2	<u> </u>	End Time 2	:
Container Delivery Time	Windows	es man in the subscience	in the state of th
Start Time 1	09:00	End Time 1	12:00
Start Time 2		Endy?ime 2	:
-Container Removal Time	Windows -		
Start Time 1	:	End Time 1	<u> </u>
Start Time 2	:	End Time 2	:
200	OK		
	0000	SYSADMIN	5/12/200

Software Solutions for the Waste lindustries

### **Customer Service Module - Selected Feature List**

# Supports unlimited service locations for a single customer

Offers flexible pricing - Tower 5.0 supports standard; override, variable unit, monthly minimums, container rentals and charges over a specified townsige or days allowed:

Offers automated routing - **Tower 5.0** automatically suggests the appropriate route to new customers

Offers automatik work orders - As your chent services are updated, Trowar 15.0 will automatikely generate the appropriate work orders to deliver, perform reculifring service, exchange or remove containers

Offers completion notification - Customer service is automatically notified when operations completes a work order

Calculates and displays the "Wext invoice" with a click of the mouse

Displays invoice and payment history

Creates paperless credit memos - Replace time consuming and endless paper trails with Tower 5.0 online credit memo processing

Re-applys or reverses payments with an automatic NSF fees option

Displays a service history calendar with recorded blocked or skipped stops

Displays contact history - Easily view customer contact history

Allows you to create and manage service contracts with expiration dates and special terms

Allows you to assign credit limits - Tower will block the release of new orders for customers that have exceeded their credit limit

Supports Customer Statuses - Active, inactive, credit hold and vacation

Displays customers' sales history - Easily view up to 12 month sales history activity

Supports any service frequency - On call, from once weekly to once every 52, weeks


Display service time windows - Easily communicate to operations service time windows for delivery, service and removal of containers

Easily view dients on site container inventory

Accurate prorations - Replace time consuming. error-prone manual approaches to prorations with far more efficient, accurate, automated capabilities of Tower 5.0.

# Dispatch

Tower 5.0 handles operations tasks through its unique "paperless workflow" system. This eliminates the need for customer service representatives to write internal work orders. When customer service enters a service order for a customer, all internal work to be completed for customers is pre-defined in workflow setup and sent electronically to the proper department's electronic dispatch board.




Take advantage of Tower's unique automated routing feature. **Tower 5.0** will build a "knowledge database" from your existing routes. This "knowledge database" will recommend which route a new customer should be assigned based on where the new customer is located and which existing route is servicing that area.


Zip Code	Street Name		Route	Day	of Week	Mal	terial		Sort Orde				e e	ing page	
25847	ADRIA			(ALL)		- (ALL)	<u> </u>	Street Na	me/Prefix/	Type/#Lo	<b>W</b>				100
€. T.S.			Load Records	1			Build From R	oute	2.1					112	
Street Prefix	Street Name	Street Type	Zip	# Low	# High	Street Side	Material	Mon Rite	Tue Rte	Wed Rite	Thu.	Fri Rite	Sat Rte	Sun Rte	On Call
ADF	RIA	ST	92802	100	- 1	Even	Recycle Recycle	•	•	,	RR1	RR2			
ADF		ST	92802 92802	100 100	1200		Trash			•	RŤ1				
ADI	RIA	·ST	92802	100	1200	:Both	Yard Waste				RY1				
	•									,,					•
e.															

# Software Solutions for the Weste Industry

Use the dispatch boards (commercial bins, residential carts, roll-off or extras) to track the assignment of work orders to routes or drivers.




Use electronic maps as a tool for dispatching roll-off work orders, container deliveries, and removals. **Tower 5.0** will also allow you to print service location maps on each work order.






# ROUTING

Tower 5.0 ArcView re-sequencing tool allows you to easily re-sequence a route.




# Re-sequence a route in less than 60 seconds. Now that's POWER!






# Software Solutions for the Waste Industry

Tower 5.0 ArcView rerouting tool is simply the easiest rerouting tool on the market.




# Reroute 500 stops in less than 60 seconds. Now that's POWER!



# Inventory Management

The Tower 5.0 Inventory module is tightly integrated with customer service and operations. As containers are delivered, removed or serviced, Tower 5.0 keeps track of all transactions; thereby maintaining accurate inventory. The Tower 5.0 Inventory module can track any type of inventory including serialized containers.



Process Adjustments

# Software Solutions for the Waste lindustry


# **Container Activity**

Easily view container inventory transactions for any given period.

Date 5/1	4/2002 05:14km		Rep								
					- FROM -		*******	— то ——		· · ·	
Date	Container ID	Serial#	Ğ4	Yard	Customer	Site	Yard	Customer	Site	Tran Type	Description
5/5/7002	1Y		1	AYARD .				ANC 000016	001	Yard to Custom or	Acadeim Conmercial Recycle 1 (
5/7/2002	IY		103	AYARD						Reduce at Yard	
5/7/2002	1Y		104		ANC000360	901		ANC000360	001	Cristom er to Yard	Processed with RW.303.02
5/7/2002	ir		10	PLYARD						Scap at Yard	Old contain gra
5/7/2002	40YRO		100				AYARD			Purchase for Yard	po 34s422
5/10/2002	5Y		1	AYARD				ANC000023	001	Yard to Custon er	Analum Commencial Recycle & C
5/12/2002	mı		1	AYARD				ANC000002	001	Yard to Custom et	Anaheim Commental Recycle 2 C
\$/7/2002	17		3	AYARD				ANC 000002	001	Yard to Custom er	Ambain Conmercial Recycle 1 C
5/12/2002	IVR		10	_			AYARD			Purchase for Yard	
(12/2002	mr		20		۱,	<i>}</i>	AYARD			Purchase for Yard	
/12/2002	iyr		. 1	AYARD			AYARD			Yard to Custom er	Processed with RW 303.02
112/2003	2YR		1	AYARD			AYARD			Yard to Custom er	Processed with RW.303.02

# **Container Inactivity Reports**

Find containers that have not incurred any charges, so that additional rental fees and/or minimum monthly charges may be issued.



Date 5/14/2002 05:16am

Rept RWR89

### Unused Container List


# Containers Not Serviced in Last 30 Days

Bin ID	Description	Serial No.	Customer	Site	Last Transaction
20YRO	20 Yard Roll-Off	AN\$20002	ANC000004	002	0401.02 Dump & Return
20YRO	20 Yard Roll-Off	AN\$20013	ANC000016	002	0401.02 Dump & Return
20YRO	20 Yard Roll-Off	ANS20025	ANC000021	002	04/07/02 Yard to Customer
20YRO	20 Yard Roll-Off	AN\$20008	ANC000024	002	04/09/02 Dump & Return
20YRO	20 Yard Rott-Off	AN\$20015	ANC000032	002	0409.02 Dump & Raturn
20YRO	20 Yard Rott-Off	AN\$20010	ANC000035	002	04/10/02 Dump & Return
20YRO	20 Yard Roft-Off	AN\$20016	ANC000042	002	04/10/02 Dump & Return
20YRO	20 Yard Roll-Off	ANS20024	ANC000046	002	04/10/02 Yard to Customer.
20YRO	20 Yard Roll-Off	AN\$20005	@ANC000053	002	04/10/02 Dump & Ratura
20YRO	20 Yard Rott-Off	AN820023	ANC000055	002	04/14/07 Yard to Customer.
40RO	40 Yard Roll-Off	ANS20014	ANC000030	602	04/14/02 Domp & Return
40RO	40 Cubic Yard Roll-Off	ÀNS40007	ANC000183	<b>Ó</b> 01	04/15/02 Dump & Return
45COM	45 CY Detachable Compactor	3356399	ANC000001	001	04/15/02 Dump & Return

# Biling and Collections

The Tower 5.0 Billing and Collections module is flexible and powerful. It supports any billing frequency from daily to annual billing. Billing analysis reports provide you with the ability to review the accuracy of your billing before it's mailed allowing you to avoid unnecessary customer callbacks.

Billing with Tower 5.0 is fast and reliable. It produces up to 8,000 invoices an hour and does not interfere with your daily activities. There is no need for your users to log out or wait until the end of the day or weekend to run billing.



The **Tower 5.0** Billing module is easy to use. Scheduled billings automatically display on the screen and the screen alerts you as of the status of your billing run.

# Tower 5.0 Billing Analysis Reports

The **Tower 5.0** Billing module includes several analysis reports that will allows you to easily view your billing results and revenue trends.

							a min q P er be	9; 73-2947
			Chenn	Crades Age speak	Payments	Adde E28-6 Charges	fæ	tetal
Ant	MS:#1	Salte on Prof.		9.00	9.00	154.00	60.3	1,326.58
VNC000005	Pensengas en seas	1,172,58	0.00	142.00	530.00	1,849,84	0.00	6,125.33
VNC609093	P Dan et inc	STIEM.	0.00	0.00	0.00	\$11,20	0.00	10,506.59
	Appen a gaseu	9,997.29	0.00	0.00	0.00	246.00	60.28	940-01
VMC000004	On at Paces Commant Ca	633.73	00.9 00.6	4.00	225283	123.33	0.00	189.33
ANC000005	Yerlen managaen we me	27278		0.00	0.00	0.00	0.00	6,005.47
ANC000007	H M Chimies Endisand Co	4,025.47	0.00	9,00	0.00	911.84	2.00	911.64
	uagea Reprograpant the	6-00	8.05	0.00	0.60	205,33	0.00	\$,587.01
AHC000003	SCHOOL WITH	1,331.6 <b>6</b>	4,00	9.00	900	491.59	0.00	12,820.73
ANCOCCOTT	Saaser Sigs Ce	12,329.14	2.00	900	9.00	236.69	0:30	10,900.17
ANC000011	Progresses Die & Stemping Co	10,503.43	6.00	4.00	9.00	201.79	0.00	3,312,15
	Dunbat-Munn Corporation	2,110.36	600	6.00	0.00	189.33	200	5,345.21
ANC000013	Ma the Mil came & to en ett	5,253.63	0.00	0.00	840	440	0.00	2,548,93
AHC000014	Anne me Paudery Comaan;	2,546.93	6,00	0.00	999	319.76	5.00	5,673.64
ANC000011	F Mon Kestet gomet	\$252.28	0.00	0.00	0.00	392.33	600	8,372,60
VHC000018	The a flushes as Form a inc	4,435.2)	9.00		9,00	un n	900	5,844,09
ANC000017		5,634.76	6.00	0.00	000	120,33	0.00	5,548.21
ANC000018	Sentaut naturat	5,152.63	6.00	606	920	129.33	00.0	5,623.21
ANC660018	The Neon South	£433.82	0.00		9,00	149,13	44.39	4,363.45
ANC000020	THE WARD SOUTH	4,129.73	0.00	6.00	600	161.26	0.00	1,723.54
VHC040051		1,561.32	9.00	6.00	0.00	176.26	43.19	8,378.40
ANC000022		5,156.52	0.00	0.00	900	161,26	000	4,834,60
VHC000053		4,722.76	9.00	0.00	900	189.33	0.00	1,543.21
VMC09003 #		£3.£2£,£	0.00	0.00	and the second	27437-322-722-722-722-722-722-722-722-722-7	-	CAPPANE VAN

BILLING REPORT





# Software Solutions for the Waste Indiustry

Select Customer ID  Name Address City State Billing Cycle Bill Cycle Bill Cycle Bill Cycle Amr.  Total Current New Status	Current Status Update (RW.A04.00)    Show Customers with	
	Name	Due Status Status Date  5029.13 Active Pickup Active Pickup 9997.39 Active Pickup Credit Hold 6006.47 Active Pickup Credit Hold 12121.21 Active Pickup Credit Hold 13121.21 Active Pickup Credit Hold 1329.14 Active Pickup Active Pickup 5358.88 Active Pickup Credit Hold 2549.93 Active Pickup Credit Hold 5359.88 Active Pickup Credit Hold 5359.88 Active Pickup Credit Hold 8490.27 Active Pickup Credit Hold

# Interface with Microsoft Word and Outlook

Mail merge past due or collection notices to your customers and create your own letters and e-mails.

Collection let	doc-Microsoft-Word
•	
≟- <u>24</u> Normal	Times New Roman ・ 12 ・ B / U 唇唇眉圓に・ 注に信仰 田・ タ・ Δ・・
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Lindsay Lathan 434 S Loara St Anaheim, CA 92802

Dear: Customer

Your name was brought to our attention to collect from you the entire balance of a debt you owed Waste Hauling Services. As of today, the amount of the debt is \$332.84.

If you want to resolve this matty without a lawsuit, you must, within 30 days of the date of this letter, either pay \$782.84 against the balance that you owe (unless you have paid since your last statement) or call Waste Hauling Services at 714-283-5440 and work out arrangements for payment with it. If you do neither of these things, we will refer this matter to an attorney to file a lawsuit against you for the collection of this debt.


Federal law gives you thirty days after you receive this letter to dispute the validity of the debt or any part of it. If you do not dispute it within that period, we will assume that it is valid. If you do dispute it—by notifying us in writing to that effect—we will, as required by the law, obtain and mail to you proof of the debt. And if, within the same period, you request in writing the name and address of your original creditor, if the original creditor is different from the current creditor Waste Hauling Services, we will furnish you that information also. The law does not require us to wait until the end of the thirty-day period before suing you to collect this debt. If, however, you request proof of the debt or the name and address of the original creditor within the thirty-day period that begins with your receipt of this letter, the law requires us to suspend our efforts.

Sincerely, [Signature of collection agency representative]



# Vehicle Maintenance

Tower 5.0 offers two versions of the Vehicle Maintenance module. For companies that prefer a simple approach to vehicle maintenance tracking, Tower 5.0 includes a limited feature set. For customers that require more advanced features with in-depth tracking, Tower 5.0 integrates with a full featured vehicle maintenance package from our partners, TMT Software.







# Software Solutions for the Waste line w

# **Vehicle Repairs**

Create detailed work order records.

Tran ID Description	000000001		<del></del>				
Vehicle ID	VEHI100	- IEIIII			<b>.</b>	<u> </u>	
Begin Date	4/21/2002	Front Loader End Date	4/21/2002		Status Handling	Release No Actio	
Part Number Part Cost	2510	Description 75 Part Company	Oil Filter Valvoline				
Tran Date	Begin Time	End Time	Hours		Completed		
4/12/2002 Work Area	10:00	11:00		1.00	Yes	<u> </u>	
Location	Left		Area	Engine	<del> </del>		
Work Type	Replace		Fluids	Engine 0	il		
Mechanic Inform	ation						
Mechanic ID	111	First Name	Peter	·			
Employee Type	Internal	→ Last Name	Milliki	in			
				0000	SYSAI	DMIN	5/15/20

**Vehicle Repairs Report**Monitor and track of vehicle repair expenses.

		·V-	ehiele RepairTra	nsaction List	ing			-
ran 14	Tran Doze	Vehich Li	Begin D ne	Red Da				
Locaria	P ner #	Face Description Work Type	Ама	Farr Cate	Семрану	7 Swide	Tron Dais	Hours sakanis ID
0900-0001		V 251 100	04/21/2002	047110	102	•		
	2510	02 Film	•	6.75	Valvolina		84.11.2603	1.00
Left		Replace	Engine			Ecris Oil		itt
00000002	First Regain Teammaine	001 IES7	05/09/2002	65 OR 20	102			
	100	Office		14.50	Facd		93.99/2002	1.23
Frent		(Seept	Eagins			Net Appliesble		167

Tower 5.0 sales management offers easy to use and powerful tools that you need to manage service contracts, pricing updates, and sales forecasts.

**Customer pricing management** 

Tower 5.0 provides tools to effectively manage your pricing update efforts. Update thousands of customer records in minutes.

	S Custome	r Pri	ing Update (RW.204.0	00)	The State S	jisari sa	y Prije og ster	Signes Sec	5		4/4-3	
	Customer ID					illing Cycle [ ervice Area [	×	Calme	t Test			
Update pricing by a % or a flat	Service Coo	to le			C	harge Type	All Customer II	D/Site ID/Sv		tude One-T	ime Prices Load Reco	rds I
amount	* S		·									
	Update Opt Increase/O	,	reicent	ncrease Reaso Jecrease Reas	1		Revenue Ei	rrect	49.06	-	<u>U</u> pdate	<u></u>
	Customer	Site	Name	Service Code	Charge Type	Material	Qty	Freq	Current Rate	Last Change	New Rate	Update?
	ANC000005	001	Great Pacific Equipment Co	ACR1CY	Recurring	Recycle	2.00	2x/Week	214.00		220.42	r'es
	ANC000005	001	Great Pacific Equipment Co	ACR1CY	Recurring	Recycle	1.00	Weekly	32.00		32.96 `	r'es
•	ANC000005	001	Great Pacific Equipment Co	ARY10G	Recurring	Yard Waste	1.00	26 Weeks	15.00		15.45 `	Yes .
	ANC000021	001	Jacloy Manufacturing	ACT3CY	Recurring	Trash	1.00	Weekly	189.33	7/1/2000	195.01 \	Yes
	ANC000022	001	Bureau of Engraving	ACT2CY	Recurring	Trash	1.00	Weekly		7/1/2000	166.10	1
·	ANC000023	001	Kinbursky Bros	ACR6CY	Recurring	Recycle		Weekly	50.00		51.50	
	ANC000023	001	Kinbursky Bros	ACT2CY	Recurring	Trash	1.00	Weekly		7/1/2000	166.10	
	ANC000024	001	R & D Electronic Supply	ACT2CY	Recurring	Trash	1.00	Weekly ·		7/1/2000	166.10	
	ANC000039	001.	Villa Hallmart	ACRECY	Recurring	Recycle		Weekly	0.00		0.00	
·	ANC000039	001	Villa Hallmart	ACT4CY	Recuiring	Trash		2x/Week	400.62		412.64	
	ANC000040	001	Quantum Chemical	ACT3CY	Recurring	Trash		Weekly		7/1/2000	195.01	
	ANR000351	001	Test Customer	ACR3CY	Recurring	Recycle		Weekly	39.00		40.1	
	ANR000351	001	Test Customer	ARR14G	Recurring	Recycle		Weekly	4.68	1/1/2002	4,68	
	ANR000353	001	Dennise Gooden	ARR14G	Recurring	Recycle		Weekly	4,68			Yes _1
	ANR000353	001	Dennise Gooden	ART60G	Recurring	Trash		Weekly	12.79		3.17	Yes
:			-	Print <u>R</u> ep	ort			Process		1	¥.	
								200	0000		SYSADMIN	8/7/2002

Easily view the last pricing update by customer

Easily exclude customers from pricing update



# Software Solutions for the Weste Industry

### **Service Contracts**

Create detailed service contracts

Contract ID 0000000017	Customer ANC000	014 Martin Mar	chine Products		
Contract	Que	otes	Recurring		One Time
Site Svc Code   001 ACT3CY Ana	Description Trash 3 (		Qty Bin Size 1.00 03Y	Svc Freq Rate 3x/Week 511.	
escription					·
ontract Start Date Ter	rms Status	Sales Rep	acant stinua	_	Roll Over
/7/2002	36 Signed	▼ FRANK	COCI NOTIFE	(5	tandard Contract
ontract Notes to price increase until Sep				<u>,</u>	Print Contract

Keep accurate records of contract terms: start date, length, sales rep, status and contract commitments.

# **Contract Management**

Protect your revenue base. Tower 5.0 provides you the ability to easily evaluate the status of your current contracts.

3) Contract	Managemen	t (RW.	C15.00)			•		:	**	.; v. ~)			X
Select Cont	racts Expiring Fr	om	8/7/2002	To	8/7/2009			Co	ntract St	atus [A	LL)	J	7
Select Cont	racts with Value	From	0.00	To	0.00			So	rt Order	Ε	xpiration Date	•	
Customer C	urrent Billing Tot	al From	0.00	To	0.00			*	Signed C	ontracts		25.00	
Customer			Clas	s ID	<u></u>								
Sales Rep		_	Zip 0	ode	•						Load Recor	ds	
Contract ID	Cust ID		Name		Contract Value	Current Billing	Expiration Date	Term	Sales Rep		Status		4
80000000002	ANC000005	Great P	acific Equipment	Со	211.00	261.00	10/29/2002	24	MIKE	Signed		•	
0000000003	ANC000005	Great P	acific Equipment	Co	211.00	261.00	1/1/2003	24	HOUSE	Roll Ove	ſ		
0000000004	ANC000010-	Brasco	Machine		189.33	189.33	10/29/2003	12	HOUSE	Signed			
0000000000	ANC000001	Arco Pr	ecision Industries	Inc	1162.99	739.99	11/6/2004	36	DAVE	Mailed			
0000000014	ANC000001	Arco Pr	ecision Industries	inc	252.33	739.99	12/15/2004	36	DAVE	Roll Over	•		
0000000010	ANC000011	Banner	Sign Co		475.59	507.59	2/13/2005	36	HOUSE	Expired			
0000000012	ANC000002	Robert's	s Engineering		139.00	534.00	5/1/2005	36	LUIŚA	Mailed			
0000000013	ANC000365	David N	lavano		4.68	4.68	5/15/2005	36	HOUSE	New			
0000000016	ANC000364	Paul Go	onzalez		32.00	32.00	6/4/2005	36	DAVE	Mailed			
	KINDOON!	Marlin k	d schine Producti	•	F11 20	F11 20	917 <i>1</i> 7005	35	EBANK	Cinned		<u>.</u>	لخر
	⊻iew Contract	St	andard Contract	•	Print Cont	ract	Sort by Expir	ation Da	te 🔻	Contra	ct Expiration R	eport	
									0000		SYSADMIN	8/7/2	2002

# Reports

**Tower 5.0** includes over 120 reports out of the box. Create your own reports using the most widely used report writer, Crystal Reports 8.0.

### Tower 5.0

Billed, Not Routed Exception **Billing Comparison** Billing Report **Billing Summary** Bin Yard Listing Blocks and Skips Commercial Bins Queue Listing Commercial Sales Journal Container Class Listing Container Inventory Report Container Listing **Container Move Report** Contract Expiration Report **Customer Aging Customer Class Listing Customer Information** Customer Revenue by Service Area Customer Revenue By Route Customer Revenue by Billing Cycle **Customer Service Orders Customer Service Queue Listing** Daily Route Book Extras **Dispatch Queue Listing** Dispatch Sales Journal Franchise Fee Audit Trail Landfill Listing Mailing Labels **New Customers** New Customer - Welcome letter Note Type Listing Payment List for Credit Hold **Preview Aging** Price Override by Customer Class Listing Price Override by Customer Listing Print Report **Recurring Manifest** Recurring Work Order Residential Carts Queue Listing Residential Sales Journal Roll Off Sales Journal Route Listing Routed, Not Billed Exception Scale Ticket Listing Service Area Listing Service Area Message Listing Service Code Listing Service Code Revenue Shared Billing Report Site Notes Report Standard Price Listing Statements Temporary Bins Queue Listing **Unused Containers Report** Vehicle Downtime Report Vehicle Listing Vehicle Maintenance Work order

Vehicle Repairs Listing

Vehicle Service Report

Worker Listing Workflow Code Listing

### General Ledger

Trial Balance
Detail General Ledger
Chart of Accounts
Sub accounts
Account Classes
GL Transactions
Allocation Groups
Ledgers
Budget Distribution
Budget Segment Detail
Budget Version Detail
Out of Balance Exception
GL Batch Register
GL Edit

### **Accounts Payable**

1099 Forms

1099 Preview Account Distribution Aged AP AP Batch Register **AP Transactions** Cash Requirements Check Preview Check Reconciliation Check Register Checks Detailed Remittance Advice **Document History** Document Register Period Sensitive Aged AP PO Addresses Recurring Vouchers Unreleased AP Batches Unreleased PO Vouchers Vendor Classes Vendor History Vendor Period Trial Balance Vendor Trial Balance Vendors

### Cash Manager

Bank Reconciliation
Cash Accounts List
Cash Flow Items List
Cash Flow Projection
Cash Manager Batch Register
Cash Transactions History
Check Register
Check/Deposit Reconciliation
Daily Cash Balance
Entry Type List
Float Analysis
PTD Distribution List
PTD Transaction List
Recurring Item List
Unmatched Item List

### **Accounts Receivable**

Account Distribution Aged AR AR Batch Register AR Edit AR Transactions **Customer Classes** Customer History Customer Period Trial Balance **Customer Trial Balance** Customers **Document History Document Register** Invoice/Memo Forms **Payment Applications** Period Sensitive Aged AR Recurring Invoices Sales Analysis by Class Sales Analysis by Customer Sales Analysis by Salesperson Sales by Commission Sales by Customer Statement Cycles Statements

### **Financial Statements**

**Balance Sheet** Tabular Balance Sheet Balance Sheet Side by Side **Balance Sheet with Rations** Cash Flow Statement **Balance Sheet-Consolidated** Balance Sheet and income Stmnt Consolidated Balance Sheet-Consolidated Side by Side Income Statement-Consolidated Consolidated Side by Side Income Statement Full Year Act-Forecast-Budget in the GL Full Year Actual-Forecast-Ext WKS Effective Dating in the Tree Income Statement as % of Net Sales Income Statement Rolling Quarter Income Statement Side by Side Income Statement Transaction Detail-Departmental Variance Analysis to Budget and Last Year Unit Restriction Row Linking BS and IS Variance Analysis to Budget Trial Balance



# Software Solutions for the Wester Industry


**Performance Analysis Tower 5.0** is the only software on the market that offers integrated graphical analysis tools.


Create your own graphs and export the graph to Excel, Word or Outlook.


### **Performance Analysis Graphs**

Actual Stops per Route Actual Yards per Hour Average Revenue / Container Average Revenue Per Working Hour Containers by Material/Class Containers by Type/Class Containers by Type/Svc Area **Driver Productivity** Weight (Lbs) / Yardage Dump Expense per Landfill Landfill Loads by Date Landfill Weight (Tons) by Date Lifts per Hour Productive Hours per Route Revenue per Route Miles Driven per Route Route Productivity Dump Expense per Route Number of Containers per Route Loads per Route Weight (Tons) per Route Scheduled Containers / Route Scheduled Stops per Route Scheduled Yardage per Route Stops per Hour

Our development staff can also create customized graphs and reports to meet your specific needs.









# eTower


eTower is the perfect companion to Tower 5.0. Empower your clients to access their account 24 hours a day 7 days a week while reducing your operating expenses.



# To Schedule a demo call 877-546-7550

Software Solutions for the Weste livelustry








# mobileTower

**Vehicles** Eliminate route books and workorders. Provide your drivers with electronic routebooks, real time updates, service location map, and capture service times and incidences.



Anaheim

# To Schedule a demo call 877-546-7550

# Software Solutions for the Wester lindustry

**Sales** Provide your sales personnel with access to customer and prospect information while out of the office. Increase sales performance by reducing their time at the office and increase face to face with prospects and customers.



For more information about our products and services please go to:

www.transcomp.com

or call us at 877-546-7550



EIA/NSWMA/WASTEC

# xecutiveBrie

# Garbage By The Numbers, An Update on EPA Data

Each year, the U.S. Environmental Protection Agency publishes updated data on municipal solid waste composition, generation, and recycling. This Executive Brief provides a quick profile of the most recent data.

e're not making as much garbage as we used to - or so the U.S. Environmental Protection Agency (EPA) claims. The steady increase in waste generation over the last four decades has come to an end if recently-released EPA trash numbers are accurate.

According to data from EPA's annual survey of garbage generation, recycling and disposal, Americans generated less trash in 2001 than in 2000. Total tonnage was down by 2.8 million tons and individual waste generation was down by 0.11 pounds a day. See the adjoining chart, "Amount of Waste Generated," for more details.

The size of the waste stream is a function of the population and the strength of the economy. A growing population and a growing economy will cause increased garbage production. An economic recession will lead to less garbage as people buy and consume fewer things. Although the population grew in 2001, EPA blames the decline in the waste stream on a weak economy. In particular, EPA references the paper industry in the agency's report, noting a decline in paper production of 5.7 percent in 2001.


Recycling rates continue to increase, with a 2001 recycling rate of 29.7 percent. The 0.4 percent increase from 2000, however, is the smallest in several years. In addition, EPA revised downward the 30 percent recycling rate for the year 2000 that it had announced in its previous report.

The result is that a 30 percent recycling

# **Amount of Waste Generated**

2001; Data	2000 bata
229.2 million tons total volume	232.0 million tons total volume
1,610 lbs/person/year	1,650 lbs/person/year
4.41 lbs/person/day	4.52 Ibs/person/day

By weight corrugated boxes, yard trimmings, food waste, newspapers, glass bottles, and wood crates and pallets are the largest items in MSW before recycling. 55 to 65 percent of MSW is generated at home. The remainder at businesses.



rate appears to be a reasonable target nationally and progress towards a higher rate, such as EPA's 35 percent goal for the year 2010, will be increasingly difficult.

Fewer landfills and fewer waste-to-energy facilities operated in the United States in 2001 than in the previous year. The decline in the number of landfills is a continuation of the trend towards fewer, but larger regional facilities.

Packaging materials and containers continue to be the largest type of waste produced, with paper products by far the

largest material in the waste stream. Lead-acid batteries have the highest recycling rate at 93.5 percent. However, with 20 million tons recycled, corrugated boxes are the most recycled product by weight. Food waste is the biggest item in the disposal stream with more than 25 million tons thrown away in 2001.

The EPA measures municipal solid waste (MSW), also known as garbage, trash, refuse, and rubbish, as simply what is left of the products that we have used and no longer need. Whether it is yesterday's newspaper, a banana peel, an empty beer bottle or an old computer, our trash is just the effluence of our affluence.

The EPA regulates MSW disposal through the Resource Conservation and Recovery Act's (RCRA) Subtitle D requirements. Each year, EPA publishes the agency's most recent data on the amounts of waste generated, the composition of the waste, amounts incinerated and landfilled, and amounts and composition of materials recycled and composted.

MSW within the Subtitle D definitions does not include construction and demolition debris; hazardous, medical, and radioactive wastes; or other non-household and non-business refuse. Therefore, this Executive Brief does not include those items.

The EPA's data, which is used in this brief, is just one estimate of the size of the waste stream. Other methods usually find considerably more garbage being generated and recycled. The difference is based in the methodologies being used. EPA uses the "materials flow" approach, which it first used more than three decades ago.

Materials flow uses production data by weight for materials and products in the waste stream along with estimates of imports and exports and the lifetimes of products. Newspapers, for instance, have a much shorter lifecycle than refrigerators. Food and yard waste generation is estimated based on waste sampling studies.

In addition, EPA only estimates the amount of traditional, garden-variety municipal solid waste in its data.

In actuality, waste stream estimates based on actual tonnage data from land-fills and incinerators along with recycling and composting facililties are much higher. Every other year, Biocycle magazine estimates the size of the waste stream by compiling state disposal and recycling data. Their data showed 409 million tons of solid waste generated in 2000 with 131 million tons or 32 percent recycled or composted. However, many of the states include non-hazardous solid waste in their data including construction and demolition debris and industrial waste in addition to traditional MSW.


Finally, the Environmental Research and Education Foundation (EREF) surveyed all disposal facilities in the United States and estimated that approximately 545 million tons of waste was managed, of which

### Amount of MSW Incinerated or Landfilled in 2001

- ▶ 161.1 million tons or 60.3 percent of MSW by weight.
- ▶ 3.1 lbs/person/day.
- ▶ 1,131.5 lbs/person/year.
- ▶ 1,858 landfills operated in the U.S. in 2001, 1,967 operated in 2000, and 5,726 operated 1991 prior to Subtitle D regulations -- 18 years of landfill capacity exists in the U.S.
- ▶ 97 waste-to-energy facilities operated in 2001, 102 in 2000, and 110 in 1990 -- 95,077 thousand tons per day of waste-to-energy capacity exists in the U.S.

# 2001 Management Chart By Process

Process	Million Tons	Percentage
Recycling	51.4	22.4
Composting	16.6	7.2
Combustion	33.7	14.7
Landfill	127.6	55.7



146 million tons or 26.7 percent was recycled or composted in 2000. The EREF data covers all non-hazardous Subtitle D solid waste that is managed outside of the generators facility. This is the broadest universe of solid waste.

The result is that the state data gives a better picture of the amount of waste managed at the state level. The EREF

data gives the best picture of the total amount of non-hazardous waste managed in the United States. The EPA data gives a consitent view of trends for individual elements of the waste stream since 1960.

### For More Information . . .

"Municipal Solid Waste in the United States: 2001 Facts and Figures is available on the web at:

www.epa.gov/epaoswer/nonhw/muncpl/pubs/msw2001.pdf

"Garbage by the Numbers," a four-page collection of charts and data about American trash and how we manage it, will be available at www.nswma.org in the near future.

To discuss the data, contact Chaz Miller at 800-424-2869 or cmiller@nswma.org.

Copyright November 2003 by EIA. All rights reserved. Nothing in this Executive Brief should be construed as legal advice or a legal opinion.



Environmental Industry

4301 Connecticut Avenue, N.W., Suite 300 Washington, D.C. 20008

# The News Source for Businesses that Generate and Manage Waste

# SOLID B HAZARDOUS B WATER B AIR

# m EPA head draws diverse react

elman

it Bush's naming orinko as acting 3. Environmental rawn mixed reacaders and politi-

in working for the nistrator for solid isponse, began her new job July 10 and will serve until the president names a permanent replacement. A permanent administrator also needs Senate confirmation.

Horinko takes over the position held for two years by Christine Whitman. Whitman resigned effective June 27. Linda Fisher, the deputy administrator who immediately succeeded Whitman on a temporary basis, left the agency July 11.

Bruce Parker, executive director of the

Environmental Industry Associations, which includes several waste-related trade associations, said Horinko has been responsive to the waste management industry's concerns.

"I've had some personal experiences with her with [electronics] waste, and I've found her to be very responsive and easy to deal with," he said. "I've heard nothing



Morinbo

negative about her. she'll probably be dec you'll have to give he

The Solid Waste A North America state for Horinko.

"Our members, th field, and individual the United States ha ed greatly from her c

] DVD:

ile will be Walt Dis-

eptember,

ue to the

advice of

ta Home

i plans to

-time-use

er Labor

ets, elimi-

tomers to

ne rental

imilar to

they self-

r the con-

w York-

hnologies

chnology.

arbonate

l reaction

the DVDs

48 hours,

dable by

mers will

Z-D with-

of making

10vies and

said Bob

General

ţе.

ics.

Imskinas

key on routes

By Jim Lohnson

Trash companies spent years making acquisitions to build their top line sales.


Now it's time to ring out any inefficiencies created through the mergers as a way to boost bottom-line profits.

Wall Street was once in love with the roll-up — companies in a variety of industries, garbage included, out to build bulk through acquisitions.

But the emphasis these days is not so much on how much money a particular company can take in, but how much cash an operation can throw off at the end of the day.

Enter an intense look at how garbage collection trucks — the backbone of the industry snake their way from door to door, street to street, trash can to landfill and back again.

Casella Waste Systems Inc. of Rutland, Vt., sees so-called route optimization as a natur-See Routes, Page 19



PORTABLE POWER: Routing software from companies like Descrimiero has become increasingly in demand from waste management companies.



- Executives agree that communication leads to success. Page 13
- Q & A with IESI Corp. President and CEO Mickey Flood. Page 13
- An analysis of the Waste News Top 100. Page 13
- The Top 100 waste management firms in North America. Pages 14-18

greatly from her c

# Dell drops enhances (

By Joe T

ROUND ROCK, TEXAS puter Corp. has e cling for its cor while dropping it labor to recycle old

Dell launched it July 9 to make it expensive for its public customers end-of-life electron

Dell's new prog an evaluation of a ment and a re about whether 1 electronic equipm the value. Recycli each system, whi monitor, comput keyboard. Asset: at \$59 per systen will save Dell's c 50 percent from t ciated with equi tion, said Ken l president of deple for Dell.

"Thousands of

VD, Page 31

SUNNY SIDE DOWN: Repeated environmental violations prompt Ohio to order the closure of one of the country's largest egg farms. Page 3 ATEDIEADILINE

Fuel cell researchers receive \$75 million


WASHINGTON — The U.S. Department of Energy has grant-

<u>Idrani</u>

OCC teeter-

Per-ton prices for cardboard, whare expected to rise in the





# ued from Page 1

p after the industry's contion phase of recent years. Think it's always been out, but I think it's become of importance," said Casella President Joseph Fusco.



nued from Page 13
nformation about their comes, stay consistent with their sage and expect emotional onses, Flower said.

icep in mind what our objecis here," he said. "Our oblive when we communicate et's be real clear about this a to impact, to influence and suade the decision-making sess. The reality is, what we the reason the companies us is to go in and influence

them the information so they can make informed isions about what we're do","
"dy Archibald has been on though they of communication in her job as director of

ple and to inform people. Al-

ו. Sennsylvania has been a אהא הא אראיזיייה אירי איריי

nmunity relations for Waste

nagement Inc. in Pennsylva-

"Certainly as the industry and the companies in it mature, this is what mature companies do. You are relentless in the pursuit of every possible efficiency and route optimization and the trucks on it is the very basic building blocks of what

we do," Fusco said.
"So it's quite natural to focus on routes and route

"It's a natural phase in the life of a company, particularly a garbage company," Fusco said. "We went through a period of intense acquisi-

od of intense acquisi- perions. Now we're going through a period of intense efficiency."

A0000

Waste Management Inc.—the nation's largest player — has identified working on its routes the best way to save money this year and next.

The eventual goal — CEO A. Maurice Myers has said — is to eliminate 10 percent of the company's nearly 20,000 routes.

Cutting this area can have a huge impact on the company's expenses as each route costs an average of \$120,000 per year in worker and truck costs.

"We believe this is the most

"We believe this is the most important cost savings opportunity for 2003 and 2004," Myers

has said.
So Waste Management is in the midst of a two-year effort to examine each and every one the company's residential, commercial and roll-off routes.

The company wants to improve efficiency, save money and improve customer service through a program the company dubbed Waster oute, said Alex Popov, director of fleet services and locations.

Waste Management,
through an aggressive
acquisition strategy in
previous years, had a

previous years, had a network of field operations relying on different routing approaches that didn't mesh.
WasteRoute, which includes a proprietary software program, aims to standardize the compa-

ny's approach.


Lowering costs and improving productivity is important for Waste Management and the industry as a whole, Popov said.

"It is a big push. We need to be lean.... As everybody knows, the economy is soft, and in a soft economy you have to be efficient at what you do to stay competitive. I think everybody is strugging with that," Popov said.

"We knew that there was some See Key, Page 20













Continued from Page 19

fat in the organization that we had to clean up, that we just didn't have the tool sets ready," he said.

with some pilot programs as the etary software system to tackle formed new positions for people The process started last year own software, the company also who work in the field to improve the issue. Along with creating its company worked on its propriperformance.

driver turnover should take care ing routes by 10 percent, normal of any job losses without the With a company goal of reducneed for layoffs, Popov said.


"With that attrition rate, we're training a lot of drivers on a regular basis. The attrition rate is

Printer A Special Control MagVishVLLO Control handl Charter Comment of And the theory is that on a whole, attrition should take care actually higher than the 10 perthe first two quarters of this cent that we're talking about. tal of 950 routes this year and year, was able to eliminate 243 routes, slightly ahead of the company's goal. Plans are to cut a to-Waste Management, through of that," Popov said.

age their productivity. When you're able to metric activity and Part of Waste Management's ows the company to plot the each and every customer on a another 950 next year as the prony called At Road Inc. of Freocation and collection details of approach uses a software compamont, Calif. At Road's system alroute through wireless technologram gains speed, Popov said.

the first time ever to know all the "That allows companies ... for ittle elements of the workday or an onboard units.

gy using handheld mobile phones



costs, increased prof-

its and improved

customer service.

decreased

enne,

said: additional rev-

tradition of relying sentially assigning a driver to the on grid routing — es-MAP QUEST: Software from At Road shows fleet managers the location and speed of trash trucks. out in the field. That results in a bunch of business metrics that these companies create to man-

That approach - with the means a driver might need 10 same geographic area every day regardless of how much trash is befluctuating amount of waste being put out for collection ing generated

> people, then you can help them drive up their productivity," said J.D. Fay, vice president of corpo-

Modern day routing tool ously down time in a drive companies to fill what wa by expanding his work are **Tuesday for a day of trash** trash but only six hour

> result is usually one of four things," Fay

And then what's the

result of an increase in productivity? The

to do with the same drive versus doing the most e. routing. There's a lot of ha Grid routing, Popov sai in the same place every sin have to break in the indu this grid routing process."

software is a break

route management

from one solid waste

Using tools such as

maximizing the total driv or total paid hours of a driv given day. What I'm gettin in this optimization what w "[Grid routing] says not a lot of load leveling in reg. hours per day," Popov said a driver's paid day or a

routes later this year, Popo WMI initially is focusing company's commercial an dential routes and will add routes in total, including The company has about

> hours to complete a route on a Monday for a weekend's worth of

> > "So productivity then goes up.

rate affairs for At Road.

grow greatly in the past few sertMicro has seen inter President Barry Grahek route and driver produ commercial and residential

His Jacksonville, Fla.

company makes software u on routing issues have inc three years ago to 50 or so What's really forcing the the trash hauling business Requests for help from h productivity is price compe from two or three per month these

in the industry," Grahek sa going after same municipal or commerc counts are looking for a cor sive advantage and can use Companies

# Vuican on-Eoard Scales, weighing systems


on-board scales worldwide including systems for: Find out why Vulcan has installed more than 25,000 front loaders, rear loaders, side loaders, roll-offs, container carriers, transfer trailers, and dump trucks.






Find out why Vulcan has installed more than 25,000 on-board scales worldwide including systems for: front loaders, rear loaders, side loaders, roll-offs, container carriers, transfer trailers, and dump trucks.







month these days, he said. "What's really forcing the route

three years ago to 50 or so each

productivity is price competition

in the industry," Grahek said.

Requests for help from haulers on routing issues have increased Companies going after the

same municipal or commercial accounts are looking for a competi-

tive advantage and can use route productivity tools as a way to cut costs. Return on investment for route improvement equipment and software also has improved



from about 12 to 18 months to 6 to

8 months in just the past three

rears, Grahek said.

But companies simply cannot

force a new routing system on their drivers that essentially the day without providing any

monitors their every move during

Advantages to using a new routing system include saving drivers

penefit to them, Grahek said.

time by automating paperwork

spically reviewed or completed

before and after their shifts.

# ashing ster by any other And what is a TRASHMASTER? Only the most efficient landfill compactor on S.

the market for the past 35 years. The paction for every pass. Now stronger only landfill compactor offering full width, no indexing required, comand more durable than ever. Now

"I think, in general, routing is

pickups, Grahek said.

into this sort of rubric of productivity enhancements that compa-

one of many initiatives that fall

backed and supported by CMI TEREX Corporation.

most affordable, for both Purchase and Support. Get the details and BEST. And the Best, now with our new LOWER PRICES, is also the Yes, the REX - CMI - TEREX TRASHMASTER is the compare. Contact the TRASHIMASTER Sales Team today

# Civi Terex Corporation

RQ BOX 1985 OKLAHOMA CITY, OK 73101-1985

sh. 405-787-6020 fax 405-491-2417 ·

website: www.cmicorp.com



ments also can cut down on the

possibility of drivers being pulled

Automating routing assign-

in different directions at the last minute to handle emergency



cusing on to keep that bottom line "It's a classic business cycle

going up," At Road's Fay said.

nies in the waste industry are fo-


we're in where now you can't But, of course, Wall Street wants to see that bottom line continue to improve. So then you figure

grow the top line quite as fast,



out how can I manage my costs to keep improving the bottom

Contact Waste News senior reporter Jim Johnson at (330) 865-6171 or jpjohn-



The News Source for Businesses that Generate and Manage Waste

# H ZARDOUS 耳 E I

OLID

ග

new job July 10 and will serve until the president names a permanent replacement. A permanent administrator also needs Senate confirmation.

> WASHINGTON — President Bush's naming of Marianne Lamont Horinko as acting

By Bruce Geiselman

man resigned effective June 27. Linda Horinko takes over the position held for wo years by Christine Whitman. Whit-Fisher, the deputy administrator who immediately succeeded Whitman on a temcorary basis, left the agency July 11. Protection Agency has drawn mixed reac-

Horinko, who had been working for the EPA as assistant administrator for solid

waste and emergency response, began her

tions from business leaders and politi-


clans.

administrator of the U.S. Environmental

Bruce Parker, executive director of the

said Horinko has been responsive waste-related trade associations, to the waste management indus-"I've had some personal experi-Environmental Industry Associa tions, which includes several try's concerns.

very responsive and easy to deal with," he said. "I've heard nothing waste, and I've found her to be ences with her with [electronics]



Norinko

North America stated its supp she'll probably be decent — I th you'll have to give her a chance. The Solid Waste Association the United States have all bene "Our members, the solid wa field, and individuals through ed greatly from her commitment See EPA, Page or Horinko.



MINVES

Trank Gram

Self-destructing DVDs may stir waste issues

# Waste Age com

Satrind S.r.l.

Industrial Shredders for the solid waste treatment and recycling

**Waste Management** 

Hazardous and Radioactive Waste From analysis to transportation.

Ads by Google

**Buyers' Guide** 

Research & Tools

Subscribe to Magazine

Search in V

Waste Age

go

Tips

### Be the First to Know.

**Table of Contents** 

# <u> Waste Age com</u>

Magazine Home Page

**March 1999** 

### General

8TH ANNUAL Software & SCALES
SUPPLEMENT: The waste Industry
Bytes Back
Michael Fickes

Article

# 8TH ANNUAL Software & SCALES SUPPLEMENT: The waste Industry Bytes Back

Michael Fickes

Waste Age, Mar 1, 1999

Brought to you by:



Print-friendly format

E-mail this information

In the beginning, some solid waste operations poured thousand dollars into software and scale systems only to find that neither nor the products they bought were ready for each other.

Today, however, waste management buyers and vendors have changed. Suppliers now produce user friendly systems, made pin part by the graphical user interface of the Windows 95 operal system and its recent upgrades. And, waste managers, driven the complex management requirements of growing businesses, have developed profit strategies that incorporate the new technologic

In short, the waste management industry finally has begun to t computers, software and scale systems to its advantage.

Zero To 9,000 in Two Years Take the case of Southern Disposal Walls, Miss., a family business that grew out of president Charle Carr's living room when it was founded in March 1997. The com currently services and manages 9,000 residential accounts and commercial accounts in the northwestern corner of Mississippi a Memphis, Tenn., with nine trucks, including seven rear-loaders; roll-off trucks; and 120 roll-off containers.

In the company's infancy, Carr hung flyers on doors and earned residential customers in the first few weeks of operation. Jumpi zero to hundreds of accounts in a month created management problems that required help.

Carr says he decided on an accounting management software s by WAM Software Inc., Reno, Nev. Carr's lack of experience wit computers required a system backed by strong customer suppo

"That was important because we all were computer illiterate wh bought the system," Carr says. "If you don't know anything abc computers, you need a company that provides support and a pr that you can grow into. My wife and I had never used a comput before. Telephone support taught us to enter accounts, do the I handle batch payments, post the accounts and keep everything straight."

Southern uses the system to store customer information, route manage roll-off container rentals, handle billing and track account ages. Southern also uses the program to track fuel and landfill the system generates reports that correlate all the information Southern an accurate cost summary.

"I can hit a button and find out what driver is handling what rou what truck on any given day," Carr says. "If I want to know how we spent last March on landfill disposal on route three, I key in and the system tells me.

However, Carr says he probably only uses about 60 percent of t program's capabilities. Instead, the company gradually learns s features as business increases. For example, the program can f Southern's management staff when oil changes and other main is required, but the company does not use this feature because small fleet of trucks are maintained weekly.

"As we grow, we may find a need for this feature," Carr says, at the case when Southern decided to automate the company's ac collection letters to slow paying customers. "We can flag accour don't pay, generate collection letters on a regular basis and sus service on accounts not brought up to date," he explains. Since automation, delinquent account collections have increased 15 p

Consequently, Carr believes that the management features eve will pay back the company's \$22,000 initial investment in hardv and software.

The company also saves in payroll costs. For example, Carr has needed to hire extra clerical help because office operations have minimized. "Without a system like this, we would need 10 more people," Carr says. "Even then, I'm not sure we could have mar our growth. We went from one rear-loader to seven in 14 montl Routing those trucks manually would have been a nightmare."

Southern now can create routes and alter them with route block moves. Fifty stops on one route can be selected and moved to  $\epsilon$  route in a single operation. "The system will keep the stops in the order as you build new routes," Carr says.

Furthermore, Carr sees on-board scale and computer systems in Southern's future because of the software. "The program will in with on-board scales, and as the business gets more competitiv as we get bigger, we may eventually go in that direction."

Tracking the Trash If managing 9,000 customers seems tough, imagine the headaches connected to managing service for 720, households with 2.7 million 60- and 90-gallon trash, recycling a green waste containers. That's the challenge faced by the Sanit Department in the city of Los Angeles.

Two years ago, Los Angeles began a pilot program installing on computers in four of its trucks. In 1998, the pilot expanded to 7

trucks. Now the city is negotiating a contract to install on-board computers and software in its entire 800-truck fleet.

The Auto Coach on-board system, from Stone Bennett Corp., Carrollton, Texas, tracks information about all operational and r truck parts. It also records revolutions per minute, speed, dista traveled, cycle time on the packer, the number of times the aut arm is engaged, rapid accelerations and decelerations, etc. The then is sent automatically over a radio system to the base static computer.

At the landfill or transfer station, a driver enters the type of ma and its weight with a keypad into the system.

From there, the information can be programmed to report a cladata called exceptions. For example, a truck may stop and idle few minutes at a red light. Even though the system records this information is not important. On the other hand, suppose a truc and idles for five minutes or for 15 minutes four or five times duroute. The system can be set to report such "exceptional" stops supervisors, who then can determine the reasons for the unschastops to correct problems.

"Summarizing this kind of data into reports for supervisors, management and executives has tremendous potential," says P Abbassi, who set up the pilot while working on special projects I sanitation department. Abbassi has since left the department ar become a senior system analyst for the city administration. How he remains familiar with the pilot.

Los Angeles sanitation department's supervisors manage the daday work of 20 to 30 drivers or operators, Abbassi says. When I system is installed, each supervisor will be able to look over a s daily reports that show the average number of containers collect hour and the total number for the day. It also will show which t failed to meet the standard number of pick-ups per hour and will trucks required overtime.

"All of this information is used by supervisors to manage operat Abbassi explains. Another set of reports will go to district manawho oversee several supervisors and their crews. The district m will review the commodities collected: how many containers of waste, recycling materials and regular refuse. He also will look to unusual amounts of overtime and evaluate whether or not it was justified based on container weights or the numbers of containe collected.

The system can generate reports that summarize data by mont quarter and year, as well as by district. Executive management use these reports to evaluate the divisional work, review conter collection rates, total tonnage collected and the time required to to and from the landfill, as well as help executives allocate reso more rational ways, Abbassi says.

The sanitation department's safety and training groups also will the reports to monitor truck speed throughout the day and, per question a sudden deceleration or stop. Training managers will changes in work flow that may indicate a need for driver or roul management training. The system also will connect to on-board scales, which the Los sanitation department wants to install. "We're interested in weig motion, National Type Evaluation Program (NTEP) scales," Abba says. However, even if they install NTEP scales, Los Angeles stil not switch to a charge-by-weight collection system.

"Charge-by-weight is a political decision way out in the future," says. We're interested in scales that will automatically record w With a collection operation the size of Los Angeles', there are lo opportunities for errors. An automatic system can eliminate error from the system and enable us to monitor landfill charges more accurately and make sure that our trucks aren't overweight."

Managing Commercial Collections On-board computers that assiresidential collection management may drive a move to on-boar systems, but commercial collectors have taken the opposite app. They began using scales to audit customer weights and landfill charges, and to prevent overloading. And now, as business increcommercial collectors are moving toward connecting on-board seto waste management software applications.

Family owned Solag Disposal Inc., San Juan Capistrano, Calif., i exception. Solag owns a transfer station and provides commerc residential collection services for five communities in Southern California between Los Angeles and San Diego with its fleet of approximately 70 trucks. Recyclables go to a privately owned m recovery facility (MRF), and refuse goes to an Orange County, ( owned landfill.

While Solag's owner, Jim Koutroulis, has equipped his roll-off fle scales, he has avoided adding on-board computers to manage t company's business.

Instead, Koutroulis has focused on finding scales that do not recontinual recalibration.

Then, seven months ago, Koutroulis discovered scales from Wei Right Inc., South Hutchinson, Kan., which use position transduc Koutroulis initially installed 12 scales on key commercial roll-off to manage productivity, and this year, he plans to install five m "These scales are not technically complicated, and they are not expensive," Koutroulis says. "The installed cost is about \$3,600 truck."

There are two benefits to on-board scale systems. First, the sca prevent overweight tickets. Secondly, the scales help the compa justify extra charges to customers.

"When we pick up an overweight roll-off trailer, we can show th customer the readout and explain that this will cause a higher c at the landfill," Koutroulis says. "We've never had a customer cabout extra charges when we've handled the problem this way. extra weight would overload the truck, we won't carry it. Instea bring another container and have the customer unload the heav container."

Koutroulis sees little value in connecting his scales to a compute waste management software application. However, he is consid system that will enable office personnel to scan drivers' hand-w

tickets into his office waste management system to reduce the potential for errors during information transfer.

On the other hand, Smithrite Disposal Ltd., Vancouver, British Columbia, Canada, uses an integrated on-board scale and comp system to manage commercial collections, as well as to track damanage operations.

"Landfill fees in Vancouver have gone from insignificant to huge eight years - from \$6 per metric ton to \$65 per metric ton," say Gordon Smith, Smithrite's president.

Consequently, Vancouver haulers decided to bill restaurants, he apartments, heavy industrial facilities, etc., in different rate cate "We still use categories to estimate fees when first talking to a customer," Smith says, "but on-board scales make it possible to formulate pricing schedules based on average weights within categories."

To this end, three front loaders have been equipped with integron-board weigh-in-motion scale and computer systems supplied Mobile Computing Corporation (MCC), Toronto. The system inclustrain gauge cells welded to the sides of the front loader arms, computer, a two-way radio for voice and data transmission, and keypad and display for the driver.

Every day, the Smithrite dispatcher transmits routes to the truc computer via the radio. Drivers also receive hard copies of the croute, which they use to note exceptions. At a pick-up, the driven punches the "arrive" button on the keypad. The display then tell driver to "begin lift." As the driver tips the container, the scale the full weight of the container as it goes up and records the en weight of the container as it is lowered. The system then record difference, the driver punches the keypad's "leave" button and the next account on the route is displayed.

Every five minutes throughout the day, the system automaticall transmits pick-up data from each front loader to the company's office. This ensures that reliable data gets into the office system enables the dispatcher to track each front-loader's location.

Furthermore, the system is flexible so that if a driver does the r out of sequence, he can scroll through the system to bring up tl customer.

"To take account of changes the driver encountered during the have an end-of-day procedure that we go through with every dimatch the hard copy of the route sheet with the information end into the system," Smith says. This allows drivers to explain extror "phantom" pick-ups, which will show up on the report when the driver forgets to push the "arrive" button signifying that the acc has been picked up.

The data is not used for billing purposes because Smithrite bills monthly fees, "so there is no need to transfer data from the sys our accounting system," Smith says. Instead, data is used to he manage Smithrite's commercial collection operations. The comp also does not bill by weight because the scales have not been approved for that use.

The most useful report, Smith says, is the customer profitability profile, which will list every lift done for a customer between an dates. The key figure on the report is the average weight over t "We [can] go back as far as 15 years, if we want," he says.

"Another report associates revenue with customer activity to tel I'm winning or losing on the account."

Keeping and Building Accounts The Public Works Department of College, Pa., uses on-board scales and a computer system to ke accounts. Because State College is one of the few municipal ope that collects commercial accounts and requires both residents a businesses to pay for their trash collection, it justifies its monor the local waste market by setting prices that are competitive wi private sector.

In pursuit of that goal, five years ago, the department installed board scale and computer system in two of its four front loader: which will handle the lion's share of commercial pick-ups. The tl truck services apartment complexes in outlying areas where we remain predictable, and the fourth truck is used as a backup.

Before installing the scales, the borough had a billing system ur which everyone paid approximately the same amount. "A lot of customers complained that the system was unfair," says Mark Whitfield, public works director.

State College decided to install strain gauge scales welded to th of the front loaders. "The scales enabled us to set up seven billi categories and to estimate which category customers should be under," Whitfield says. However, "they were accurate one day a the next by as much as 25 percent. If a customer contested our we couldn't show them data that we believed to be accurate."

Consequently, State College recently replaced its strain gauge s and on-board computer system with Strategy, San Diego-basec Instrument's load cell weigh-in-motion scale and computer pack The system is NTEP certified and accurate, says Whitfield, who attributes this to load cell technology.

Whitfield also uses the vendor's radio frequency identification (f system, which consists of three components: a reader and ante mounted on the truck, and a transponder, or tag, mounted onto container.

With RFID, the antenna emits a constant radio frequency. As the nears a container's tag, the frequency activates the tag, sending signal to the reader to identify the container.

"With our old system, drivers had to stay on a predetermined roand remember to scroll down to the right customer," Whitfield s With RFID, the driver can run whatever route he wants because system identifies the container and records the pick up.

The system also simplifies other operations. For example, "if a container is blocked, the driver can mark the account as blocked we'll follow up with a notice" to explain the situation to the cust Whitfield says. "If a can is rusted out, the driver can note that v on-board system and the information goes into our system telling."

to replace the container."

In addition to justifying costs to customers, private haulers have this type of scale system useful in establishing charge-by-weigh systems.

About 18 months ago, Ted Carson Disposal, Lancaster, Pa., inst Strategy and set up a marketing program called Cybertrash to I commercial collection business.

"When people call in shopping for a new hauler, I can quote a raincludes a monthly service fee and an estimated fee for a certai weight," says Bernie Carson, office manager. "Many of those ca seem astounded by how much lower our quotes are compared they've been paying.

"Yesterday, a potential new customer called asking for a quote. me that he was paying \$100 a month more than what we would charge, so he's recommending us to his board of directors."

This pattern has characterized Carson's Cybertrash system for t 18 months, as the company has brought in 60 new commercial accounts, bringing its total commercial roster to 100.

Under the Cybertrash program, customers sign a six month tria contract, instead of the typical multi-year agreement. After six months, if a company is not satisfied, it can go elsewhere. So facustomers have left after the trial period ended, as their bills ro unacceptable levels under the charge-by-weight system.

"We didn't want to lose them, but we can't pay to hauf their trae either," Carson says.

Some of Lancaster's competitors hope that the Cybertrash prog will fall through, but "if it doesn't, a lot of people will find out th are paying to haul other companies' trash," says Ted Carson, or think this is the way for a small company to build its business."

New Levels Of Automation Other waste businesses agree that  $t\epsilon$  on-board scales and computer technology are leading waste management companies to attempt levels of automation rarely contemplated even two or three years ago.

Miller Waste Systems, Markham, Ontario, Canada, recently instacomprehensive on-board scale, computer and wireless commun system on five front-end loaders following a year-long pilot of the system, which was supplied by MASS Corp., Markham.

Simultaneously, Miller is implementing a productivity managem system from MASS along with an accounting system by Transcc Systems Inc., Irvine, Calif., to service its 200,000 residential households and approximately 3,500 to 4,000 commercial accounted Toronto region. The company also owns two transfer station MRFs and a composting facility in Halifax, Nova Scotia.

"The pilot was impressive," says Ron MacKinnon, operations ma for Miller. "We've had on-board scale systems in the past, and t are very accurate. You can put a one-pound bolt on the forks anywhere and the scale will register one pound."

MacKinnon also likes the weigh-in-motion capability. "You don't to stop to get the weight; it's all done in one fluid motion," he s

"This system answers a lot of our concerns surrounding scale sy MacKinnon continues. "When we analyze our maintenance recoi cost of scale maintenance always has been high. If we can redu expense and also have consistent and accurate information, we ahead of our competitors."

Miller also is installing a base station, an Integrated Technology Windows-based management software module that transmits customer and routing information to and from vehicles. The soft will allow the dispatch office to alert drivers of last minute route changes via e-mail, as well as to send messages in real time. Bi information also can be sent to the base station in real time or to the customer confirming pick up times. A reporting feature the evaluates and answers productivity questions also is included.

Additionally, Miller is installing a Transcomp Tower 2001 waster recycling management system that includes Solomon IV account customer service, billing, electronic mapping, routing, performa graphing, vehicle and container management, and other waster management functions.

"Doing all of this at once is difficult, though," MacKinnon notes. advice is to get one system up and running before adding the n Nevertheless, we can see the light at the end of the tunnel now we have great expectations for systems providing this level of a mation."

Transforming the Scalehouse For many years, landfill, MRF and composting facilities resisted the move toward advanced techno systems. Integrating scales and computer systems seemed like unnecessary costs. But with the arrival of complex new facilities handle a range of material processing tasks, this notion is change

For example, in Edmonton, Alberta, Canada, the Edmonton Pub Works department is developing a multi-use facility on 500 acrecity-owned land adjacent to the city's 200-acre landfill.

This includes the construction of a new MRF owned by Browning Industries (BFI), Houston, that will process 30,000 metric tons material per year; a city-operated aggregate crushing operation will recycle rubble from municipal construction projects; and a r composting facility constructed by Bedminster Technology, Mari Ga., that will serve as an operator upon its completion in June 2

A high-tech scalehouse, which is scheduled to open by April 1 a with the MRF, also will manage material flow in and out of the s recording and tracking what goes to the landfill, to the compost facility, to the aggregate operation and to the MRF. It also will t materials that leave the facility for sale.

Once fully operational, Edmonton Waste Management Center is expected to provide one of the highest waste diversion rates in America, with composting and recycling expected to divert as m 70 percent of the city of Edmon-ton's municipal waste stream.

With the exception of certain commercial loads and homeowner offs, most of the non-recyclables arriving at the facility will go to composting plant first. Residual composting material then will go the landfill, as will residuals from the MRF.

This, along with the aggregate processing operation, should enallandfill's remaining capacity of 1.1 million metric tons to serve Edmonton's needs for another 10 years.

The scalehouse will manage material moving in and out of the f with two in-bound and two out-bound lanes. Mettler-Toledo Inc Worthington, Ohio, will provide four 90-foot long, 100-metric to profile, pitless scales, while PC Automation Inc., Waterloo, Onta Canada's Geoware system will assist with management functior

"We will use the scale facility as the main control point for the s says Hugh Latta, senior project engineer for Edmonton's public waste management branch.

One in-bound and one out-bound lane will operate automatically the help of a vehicle identification system. As a vehicle approact scalehouse, a transponder will send the vehicle's identification of to the system, which will verify against the company's database authorized number will be connected to an account, vehicle type material category, so the system will admit the vehicle to the solution of the weight and pass the vehicle through to the site.

The out-bound automated lane then will identify the vehicle aga record its empty weight and correlate a delivery with the mater category associated with the vehicle in the database. Automatic also will track out-bound vehicles and materials headed for cust purchasing recycled compost, aggregate or some other materia

The second set of in-bound and out-bound scales will be for ver not in the database. In this case, a staff member will handle the transaction and the driver will be required to pay with cash or c card. Overall, the system will log payments and generate billing documents, and provide reports to help manage the facility's operations.

"There are several reports that we need to review," Latta says. "Because we have wide seasonal fluctuations, we will need to ke with volumes or weights over time. This information will help us predict waste volumes, staffing and refuse collection equipment

"We also will look for trends in the material categories moving i out of the facility," he continues. "Are recyclables going up or do How about MSW and commercial wastes? We need this informational resources."

Latta says, depending on the level of recyclables, one or two sh the MRF may be required. Edmonton can use the reports to det this and to project revenues.

Indeed, scalehouse technologies are more sophisticated and the will continue, predicts Mark Wills, president of PC Automation.

"Technology for these kinds of installations has taken off in the

two years," he says. "Today, as operations become more compl different kinds of materials, more sophisticated technology is not be keep track of operations."

This is true for facilities as well as haulers. As collection operations of more types of more sophisticated technology is necessary to ensure efficient a productive operations. Despite the original setbacks, in today's world, trash has become technical.

Updating your operation with a software program can transform paper-congested office to one that works with "click and print" efficiency. A software supplier can sell you a whiz-bang progran loaded with features. However, if the program doesn't meet you needs, it's worthless. Before deciding on the right software for yoperation, consider these simple steps.

- 1. Know your expectations. To successfully upgrade your operal you must fully understand your needs. Ask yourself why you ne system and determine your expectations for labor efficiency, organization, cost reduction, transaction speed and simplicity. C wish list of desired features. For example:
- \* Ease of use;
- \* Time savings;
- \* Customer account information simplification;
- \* Real-time reporting;
- \* Multiple scales;
- \* Backup utilities;
- \* Networking capabilities;
- \* Attended/unattended capabilities;
- \* Flexible material charge tables;
- \* Special rate (contract price) management; and
- \*Accounting/billing.

Most software manufacturers will offer free demonstration copic their software so you can explore a program's features before y purchase it.

- 2. Know your equipment. Understand the hardware and softwar programs you currently use. For example, landfill software can simple program with ticket and report printing, or a complex sy that includes interfacing to your LAN or company's network.
- 3. Think about the future before you buy. Ask your software pro about its upgrade capabilities. Don't get locked into a mediocre

program that does not allow for expansion or upgrades. Invest programs that provide ongoing enhancements.

- 4. Determine the true value for your dollar. Consider market pri functionality and performance vs. consumer effect. Value is not measured in size or appearance, but rather in performance. Ger a higher cost will give you more functionality, but make sure the potential software package is consistent with the market.
- 5. Evaluate your support. A software manufacturer's support pc as critical as the program itself. When you run into problems, yo don't want to find yourself alone, and even software resellers m have the answers or may not be available in your time of need. sure to investigate:
- \* The support policy of the vendor and/or manufacturer;
- \* Available support contracts;
- \* Phone support charges; and
- \* Support staff accessibility.

Purchasing major equipment - including software - takes time a effort, but by following these basic steps, you can eliminate mathe hassles and stresses.

Many waste processors and landfill operators find used truck scibargain prices - either from a company going out of business, someone who no longer needs a truck scale or at a heavy equipauction. But if the scale does not meet regulatory requirements could result in thousands of dollars wasted in purchasing and in the device, site preparation and lost production time.

How can a waste processor or landfill operator know if the scale meet the requirements and ultimately be approved for use by tl Weights and Measures jurisdiction? By following a few simple ruguidelines, purchasers can avoid potential pitfalls when shoppin scale.

1. Look for the NTEP label. Scale specifications and accuracy requirements are established by the National Institute of Standa and Technology (NIST), Washington, D.C., and published in NIS Handbook 44, "Specifications, Tolerances and Other Technical Requirements for Weighing and Measuring Devices."

Most states and related Weights and Measures regulatory agent have adopted these requirements and use them to approve or r scales intended for use in commercial service.

This approval procedure is handled through the National Type Evaluation Program (NTEP), a process established by NIST and National Conference on Weights and Measures to help regulator officials and private industry determine whether a weighing dev Handbook 44 compliant. Most states required NTEP compliance mid-1980s.

Scale manufacturers, installers, and service/repair companies a

required to be licensed and meet certain knowledge and testing equipment requirements. Scale operators should contact their large regulatory officials for the requirements in their area.

2. Make sure you receive the NTEP Certificate of Conformance. thorough testing in an NTEP laboratory, all newly manufactured weighing, measuring and metering devices are issued an NTEP Certificate of Conformance number.

Other types of associated devices that solid waste processors at landfill operators use that may require NTEP certification include weight indicators and replacement loadcells.

When purchasing a new or used scale, make sure the seller pro you with the NTEP Certificate of Conformance information. Gene the conformance information will be required when the scale is into service with the local Weights and Measures jurisdiction.

3. Seek assistance when necessary. Older scales often are miss identification serial numbers, model numbers or the manufactur name. It takes an experienced eye to identify the device and determine if it is compliant or can be made to meet requiremen Consequently, if the scale you're interested in purchasing is mis information, be sure to seek advice before committing to buying scale.

Also note that some jurisdictions will allow operators to use "pre or "grandfathered" scales, but the potential purchaser should of approval from Weights and Measures officials before purchasing

For more information about Weights and Measures regulations, your local Weights and Measures agency or call the National Ins of Standards and Technology at (301) 975-4005.

With consolidation and change in today's marketplace, waste he and municipalities are faced with increased competition. One we grow revenues and maintain acceptable profit margins, howeve use the information provided by on-board computers and truck

For example, a computerized collection system can include an c board scale, an on-board computer with driver display, automat container identification, wireless data communications and management software.

Working together, this system can help you determine an accouprofitability by recording the weight at each stop, collection timestop and the time of day a customer was serviced. Specifically, computerized systems can provide detailed data on day-to-day operations such as:

- \* Accurate container weights;
- \* Pickup sequence, time and date;
- \* Exceptional route events;
- \* Pickup time-to-collect;

- \* Off-route time;
- \* Total route time; and
- \* Container location, condition and maintenance activity.

This information can eliminate the guesswork from developing procession is especially helpful in setting prices for new acces For instance, a waste hauler can assign each current customer. Standard Industrial Classification (SIC) or North American Induc Classification System (NAICS) code to track the average weight time to service that type of customer.

Using that information, the hauler can compile pricing schedule: sales force that groups potential customers into pricing categori based on historical averages.

Additionally, computerized collection systems can help waste hat Improve route efficiency;

- \* Identify heavy and light accounts to adjust billing;
- \* Improve customer service through the availability of up-to-da pickup data;
- \* Manage inventory assets such as identifying lost or damaged containers; and
- \* Analyze overall profitability of each account.

For example, if a hauler currently operates in a franchised area will be put up for competitive bid, the computerized system will historical record of all of the franchise's accounts. Armed with tl data, the hauler can evaluate how to improve collection method increase route productivity and profitability while providing valu added service to the municipality.

Municipalities also are facing a stronger competitive environmer managed competition. One way municipalities can become more competitive is by implementing a bill-by-weight system using or board, legal-for-trade scales as a competitive marketing tool.

The key to succeeding in today's collection environment is to pr excellent service at a competitive price. An on-board computeris collection system can provide the additional data required to he make important business decisions to take your operation to the level.

As the waste industry has transformed from a predominantly fa business into a competitive market, keeping revenues up, expe down and remaining productive has become increasingly import

Productivity can be measured in expenses per day, per route, p of truck, per commodity carried, per employee, etc. On-board s are one tool to help maintain productivity, as they allow you to evaluate and optimize revenues per load, to maximize loads per and to reduce expenses.

Optimizing revenues per load. Scales immediately determine he accurately you've quoted a job and evaluate your pricing. A 10 drop in revenues can result in a 100 percent drop in job profits. However, using a scale to load trucks to capacity with each run help you use your fleet to its fullest potential.

Scales also will help you determine how many trucks you need. Remember, a competitor that can do a job with fewer trucks wi rewarded the contract.

Maximizing loads per day. There are several landfills available to offs. On-board truck scales can be a vital component in determithe profitability of each load, taking into consideration the lower cost per load, trash weight, trash type, distance between landfil the distance to the next container.

Reducing expenses. Maintenance costs rise as a truck gets hear because tires, brakes and other suspension and body parts suffithe abuse. An on-board scale helps control these costs by preve overloads. It also helps you distribute weight properly to reduce and tear.

Overall, on-board scales can help you position your business to advantage of the niches that develop within your market and by helping you maintain competitiveness.

Fragmented business systems are all too common - and too cos the refuse and recycling service industries, as waste manageme personnel in organizations of all types and sizes struggle throug operations with incompatible accounting and billing systems, mapping and routing procedures and sporadic asset tracking. The result? Wasted time and money, overworked staffs and very oft unsatisfied customers.

An integrated automated system, however, can improve custon service while streamlining all areas of a waste operation from the office to the curb, including:

- \* accounting and billing;
- \* customer service and routing;
- vehicle maintenance;
- \* asset tracking;
- \* truck computers and scales;
- \* radio frequency identification (RFID);
- \* weigh station management;
- \* bar coding; and
- \* sales automation.

Waste operations need to be able to bill on time, provide service

efficiently, address customer inquiries quickly and have easy ac management reporting functions.

For example, if a customer calls to ask why his last bill was high than usual, the customer service representative receiving the cutypically must request the pertinent historical billing data from the accounting department then call the customer back - hopefully same day.

The better scenario would be to have instant access to that cust billing and accounts receivable records, allowing the caller's que to be answered during the initial call. An integrated automated could provide that instant access, thus enhancing customer sen and saving a significant amount of time.

No system solution incorporates every automated task, but care planning can ensure that new systems are not islands of autom One option for an integrated system is the traditional Enterprise Resource Planning (ERP) approach. ERP is an enterprise-wide management system that integrates all of a business' processes keeps customer satisfaction in mind. However, while ERP strives the 4Ms - man, money, materials and machines - to their best a process is expensive and time-consuming to develop and imples

Another approach to system integration is the use of core busin applications that take advantage of open architecture standards as Structured Query Language (SQL), which manages data, dat formats and software design independently. These standards m possible for easy integration and extension of the latest industr applications that run on popular PC platforms, such as Windows and Windows NT.

Many software development companies have created application this open architecture technology plus incorporated industry-statools such as Crystal Reports and FRx Report Writer. This allows businesses to easily customize, extend and integrate the "best obreed" applications throughout their organization.

Additionally, some companies have developed comprehensive w management systems for Windows that seamlessly integrate accounting, billing, customer service, routing, GIS, vehicle maintenance, asset tracking and management reporting.

In this scenario, all work in the system is transferred and tracke electronically from one department to another, thus creating a paperless environment. As work is performed, it is checked off i system as "completed," and electronic records are created for a and management purposes.

One caveat when creating your integrated automated system is aware of the fast approaching Year 2000 (Y2K) bug, as it could devastating effects on your operation. The thought of suddenly all your business records disappear or become corrupt should be reason enough for you to properly investigate the likelihood of a hardware or software problem. [For more information on Y2K,  $\epsilon$  "Ghost in the Machine," World Wastes June 1998, page 38.]

It's unlikely that all of your systems are safe, especially if you a using a DOS-based application or applications that have been

converted from DOS that use a Windows front end. A prudent s would be to analyze your system requirements and chart an int systems course that will take you safely into the next century.

© 2003, PRIMEDIA Business Magazines & Media Inc. All rights reserved. This is protected by United States copyright and other intellectual property laws a not be reproduced, rewritten, distributed, redisseminated, transmitted, displ published or broadcast, directly or indirectly, in any medium without the pric permission of PRIMEDIA Business Magazines & Media Inc.



Want to use this article? Click here for options!

© 2003, PRIMEDIA Business Magazines & Media Inc.



E-mail this information

Contact Us

For Advertisers

Privacy Policy

©2003, PRIMEDIA Business Magazines & Media Inc. All rights reserve

# Waste Adecon

### Satrind S.r.l.

Industrial Shredders for the handle and waste recycling

#### **GE Water Systems**

Pure Water Just Performs Better - Learn About GE Water Technologies

Ads by Google

**Buyers' Guide** 

Research & Tools

Subscribe to Magazine

Search

**Waste Age** 

Tips

### Be the First to Know.

Table of Contents

Magazine Home Page

March 2001

### **Cover Story**

#### Welcome to WasteExpo

Rita Ugianskis-Fishman Show Director, WasteExpo Intertec Exhibitions Stamford, Conn.

### From the Can

Odd Couple, The By Bill Wolpin

### **Features**

2001 Listing of Rated Stationary <u>Compactors</u>

**Back in the Game** By Kim A. O'Connell

Blowers and Spreaders Rod Tyler

**Brakes of the Future** Bob Deierlein

**Brightfields: An Advancing Reuse for Brownfields** Jerry Ackerman

**Changing Filters** Bob Deierlein

**Clinton Administration Supported** Redevelopment

Office of the former Vice President Al Gore

Article

### **Nothing But 'Net**

Michael Fickes

Waste Age, Mar 1, 2001

Brought to you by:



Print-friendly format - E-mail this information

Waste industry information managers are overseeing a wholesa transition to advanced communication networks that tie far-flun branches, sales representatives and headquarters into integrate powerhouses.

Internet technology forms the basis of most of these efforts, wh number of variations on Internet themes provide companies wit opportunities to tailor their networks to individual needs. The ne variations go by several names, including Virtual Private Netwo (VPNs), Intranet Networks and Internet-based Application Servi Providers (ASPs).

Despite the concept variations, the goals remain similar. Compa want to boost the quality of customer service and operating effi by increasing the speed of data processing and information flow among company personnel wherever they may be, whatever th do. In addition, companies want to control the cost of technolog solutions.

Advanced networking technologies provide these benefits.

Waste Industries Inc., Norcal Waste Systems Inc. and Stericycle each have implemented different networking strategies aimed t garner these benefits. Here's a look at what they are doing and

### Waste Industries' VPN

As the nation's seventh largest public waste management comp Waste Industries, Raleigh, N.C., maintains 43 locations includin home office, nine landfills, and commercial and residential collefacilities spread across eight southeastern states. The company stands at 800 trucks. Company employees number 2,000.

Managing such widespread operations requires a sophisticated

### <u>Clutch Glossary of Terms</u>

Bob Deierlein

### **Common Filter Questions**

Bob Deierlein

#### **Compost Application Rules**

Rod Tyler

### Computers are Multiplying, The

K. Courtney DeWinter

#### **Dangers of Computer Equipment, The**

K. Courtney DeWinter

#### **Defining Greenfields**

Jerry Ackerman

#### <u>Demolition Material Management</u> <u>Options</u>

Jerry Ackerman

#### **Equipment Efficiency**

By Cheryl Dunson

#### **Experience May Lead to**

Overconfidence Bob Deierlein

### Filtering Out The Problems

Bob Deierlein

### Finding Your Brownfield Of Dreams

By Jerry Ackerman

### From Here to Eternity: Recycling Hi-

**Tech Junk** 

By K. Courtney DeWinter

#### **Getting the Scoop**

By Randy Southerland

#### **Higher Tech Safety**

Bob Deierlein

### **How ECBS is an Improvement**

Bob Deierlein

#### Is Zero Waste Possible?

By Kivi Leroux

### Key Questions To Ask a Computer

Recycler

K. Courtney DeWinter

#### Long Island Lemonade

By Judy Fischer

### My Kind of Town

By Stacy Lynch

#### Nothing But 'Net

Michael Fickes

#### Recycling in Chicago: A Mixed Bag

By Kathleen M. White

approach to advanced network technology.

Throughout the 1990s, Waste Industries' branches connected d to an AS-400 IBM mid-range computer located in the corporate office through telephone lines and satellite uplinks. This system allowed the branches to engage in real time processing in financouting, dispatching and maintenance applications hosted by the 400. However, the system did not provide Internet access to br locations. As a result, only the home office had e-mail capabiliti

The system worked well, company officials say. But the lack of Internet access and company-wide e-mail presented increasingly unacceptable limitations.

In the middle of 1999, Brandon Peacock, the company's web ar communications manager, met with company officials including Charles Lee Hicks, the systems manager, Stephen Shaw, the CI Phyllis Mews, the billing supervisor, to discuss building a more comprehensive network.

Waste Industries' system integrator, System Operation Solutior (SOS) based in Raleigh, also participated in these discussions, v produced several specific customer service goals. In particular, company officials wanted to improve the quality of billing by adonline bill paying, reducing errors and making more billing infor available to customer service personnel so they could discuss in with customers.

SOS recommended a Virtual Private Network, or VPN. "A VPN is secure pipeline that uses the Internet as a pathway," Peacock s allows a branch office to connect to our home office over the Inbut with encrypted data passing through the system behind a sifirewall. A VPN provides the same kind of security and reliability dedicated Intranet, but it does not use dedicated data lines, wh pricey."

SOS designed and implemented the VPN for Waste Industries, t most of the company's branches online during 2000. All of Wast Industries' branches now communicate through the new VPN.

Branches connect to the system with the best quality connection available, using always-on telephone line connections such as It and DSL as well as dial-up connections provided by an Internet service-provider (ISP) in areas not offering the more advanced

The new system allows company-wide access to both the Interr generally and the VPN. Desktop computer users in the branches can communicate with headquarters and each other using stance Internet browsers and e-mail.

Meantime, branches will continue to use the software applicatio hosted by the corporate-based AS-400 computer. These progra include World financial software supplied by JDEdwards of Denv billing, routing and accounts receivable software from SoftPak,: Diego, Calif.

But the VPN provides a host additional benefits. "We've revoluti our billing system," Peacock says. "Before installing the VPN, we SoftPak to create our billing files, which go to ExpressBill, Toled

Recycling Success from the Start, A Kathleen M. White

Redeveloped Brownfields' Real Estate **Potential** 

Jerry Ackerman

Safety Tips and Future Safety Items Bob Deierlein

**Seek Opinions for Specs** Bob Deierlein

**Spec'ing Trucks for Safety** By Bob Deierlein

**Spreading the Compost Word** By Rod Tyler

Walgreen Seizes Recycling Photo Op Randy Southerland

Waste Flix By John T. Aquino

When You Need It In the Clutch By Bob Deierlein

Why Can't They See? Bob Deierlein

### Tip Off

**Environmental Lawsuit Threatens Biomass Fuel Supplies Brook Raflo Assistant Editor** 

Good Risk, A By Melanie A. Lasoff

Landfill Fuel Cell Project Begins Amid **Energy Concerns** Brook Raflo Assistant Editor

**Long-Anticipated MACT Standards** Finally on the Table Brook Raflo Assistant Editor

**Massachusetts Lifts Landfill** 

**Moratorium** Melanie A. Lasoff Free-lance Writer Atlanta

North Central Texas Study to Profile Region's Illegal Dumpers Danielle Onorato Assistant Editor

**Quick Quiz: Test Your Knowledge of** Yard Waste

Recalled Tires Recycled, **Bridgestone/Firestone Reports** Melanie A. Lasoff

**Recycling Symbol Negotiations Spark** Debate in Canada

Ohio, a company that prints, stuffs and mails the bills. To check ExpressBill would pull 30 or so samples from each branch office fax them to our home office for spot checking. SoftPak data file not show the final results in the same form seen by customers. result, spot checking could miss things, and errors occasionally occurred."

The VPN has enabled Waste Industries to address this problem. branch can now proof its own bills. Prior to printing, ExpressBill images of the bills on a website located on a Waste Industries s This site was developed with a software product called NetView, created by PFC Technologies, Woodland Hills, Calif.

To proof the bills, a billing manager in a branch office simply op Microsoft Internet Explorer and logs into the company website t houses these images, proofs the bills, and requests changes an corrections from ExpressBill via e-mail.

After printing and mailing the approved bills, ExpressBill sends i final bills to another Waste Industries website using NetView. Ir of individual bills remain at this site for 6 months. When a custo calls a branch to question a bill, a customer service representat call up an image of the bill in question, along with the SoftPak c showing current balance and payment activity.

Without the image of the bill in question, the customer service representative had no way to backtrack with the customer to fir source of the problem, Peacock says. "As a customer support is this was unacceptable. We want to look at the same bill they ar looking at when there is a question."

Images of bills older than 6 months are preserved in CD archive

To complement the new system, Waste Industries is adding and billing system feature: online billing. This system will use PaySe product made by TriSense Software Ltd., Burnsville, Wis., and currently is being tested in one branch office.

"We are sending fliers stuffed in bills informing those customers they can go to a Waste Industries' website and sign up for onlin payment," Peacock says. "The customer will then create an acco that site. The site will notify us, and we then code that custome billing file for electronic billing only.

"When a bill is prepared, the system pulls the file from the pape billing system and sends it to a TriSense website," he continues "TriSense creates an image of the bill that resembles the paper e-mail message notifies the customer that the bill is available as offers a hyperlink that takes the customer to a screen allowing payment. Upon logging into that site, the customer sees the duwith credit card and bank-draft payment options."

Currently, 10,000 Waste Industries customers pay their bills the an auto-draft system under which their accounts are drafted automatically each month. This system forces a customer to par certain date and also requires Waste Industries to key payment into the company's internal accounts receivable program by har

The new system will address both of these problems. The custo

Michele Raymond Publisher State Recycling Laws and Recycling Laws International College Park, Md.

#### <u>U.S. Feels the Effects of European</u> <u>Recycling Debate</u>

Michele Raymond Publisher State Recycling Laws and Recycling Laws International College Park, Md.

# Waste-to-Energy Plant Considers Selling on the Open Market Melanie A. Lasoff Free-lance Writer Atlanta

Where Have All the Tires Gone?
Melanie A. Lasoff Free-lance Writer Atlanta

# Trends

## BUSINESS MANAGEMENT: How Much is that Puppy in the Window

Christina DiMartino

### Canadian Waste Industry Compares to U.S.

Kim A. O'Connell Contributing Editor Arlington, Va.

# Go Online for Insurance Help Joseph Catanese ECS Underwriting Exton, Pa. www.ecsinc.com

### How To Communicate and Prepare for a Crisis

Vanessa Rugo Clarke & Co. Boston

# How to Sustain Your Landfill Mark Hudgins Environmental Control Systems Inc. Aiken, S.C.

Nova Scotia Leads Waste Diversion Michele R. Webb Webb Editorial Services Kansas City, Mo.

### Organizations Find Cure for Medical Waste

Betsy Harter Free-lance Writer Athens, Ga.

#### Paving the Way for New Liner Technology

John J. Bowders and J. Erik Loehr University of Missouri-Columbia Columbia, Mo.

#### <u>Seattle's Soul Searches for Waste</u> Reduction

Matt Fikejs Business and Industry Resource Venture Seattle

#### <u>Tired of Mulching?</u> Misty Milioto

#### Trade Secrets: Keeping Your Lips Sealed

Barry Shanoff Legal Editor Washington, D.C.

controls the payment date by communicating with the TriSense website. In addition, when bills are paid, TriSense creates data payment files that move automatically out of the accounts recei files and into paid files.

According to Peacock, CTP Solutions, Agoura Hills, Calif., integrithe ExpressBill, PFC and TriSense applications to provide these services.

What makes all of these different data manipulations possible, however, is the communications network — the VPN in Waste Industries' case.

#### The Thin Network at Norcal

With 22 collection, transfer, landfill and recycling locations, Norwaste Systems Inc., San Francisco, has grown large enough to efficient network communications. The company currently is mifrom a network based on leased telephone lines to a private Intusing Internet communication methods.

An Intranet uses dedicated data lines to create a network. Conr to the Internet are limited and carefully controlled. This differs the VPN used by Waste Industries, which uses software to secunetwork that operates over public Internet lines.

"This system will enable us to distribute all of the applications reby our accountants, operations supervisors, clerks, customer se reps and managers across the network from a central location," George McGrath, senior vice president and chief information off Norcal. "Information technology costs are not measured by a cc benefit analysis. Instead, costs are measure by the total cost of ownership: what it costs to own computers and software. The ic behind our server-based distribution system is to reduce the tot of ownership."

According to McGrath, a "thin client" will produce these savings.

Who or what is this skinny client?

A web browser running on a desktop computer is a client. Wher surfing the Internet, this client-browser accesses web pages the reside on other computer servers located across town or on the side of the world. The client-browser asks the server for information up on the desktop screen

Until a couple of years ago, client-browsers or other client softw brought information back from servers and processed it on a pc desktop.

While this is still done - and done often - it's no longer necess

"Think of a computer the size of five pancakes stacked on a plat McGrath says. "This equipment has no hard drive or CD-ROM. V applications from servers in our corporate offices to these 'thin' in our subsidiary operations. These devices allow you to do ever you can do on a PC, but the processing and storage is done at a headquarters."

#### Used Oil FIlter Recycling Gushes In Delaware

Ellen Shockley Delaware Solid Waste Authority Dover, Del.

#### <u>Vermont Studies Mobile Home</u> <u>Recycling</u>

Gail D. Johnson Free-lance Writer Tucson, Ariz.

### What's All This Talk About Trash, Anyway?

Sarah Nichols Free-lance Writer Kansas City, Mo.

#### <u>Wrapping Up New York's Waste</u> John Okun Industrial Waste Recycling and Prevention Program Long Island City, N.Y.

### Legal Lode

### **Zoning Power Eclipsed**By Barry Shanoff

### **Circular File**

Panel and I, The By Chaz Miller

### MSW Manager

Personal Touch, A
By Bill Knapp

### Profiles in Garbage

<u>Profiles in Garbage: Corrugated Boxes</u>
By Chaz Miller

### EIA

EIA Ergonomics Training at WasteExpo By Jenny Heumann

### **Haul Talk**

Smart Cans Brook Raflo

### **Updates**

Tax-Free Bond Under Fire
By William P. Moore

In other words, a thin client doesn't have any application softwa

"[It's] nothing but a web browser," McGrath says. "These device less than \$500 each, so they are inexpensive to purchase. In ac we don't have to install software in each machine. If we want to upgrade a Windows application to the next version, we simply c here in the corporate office. Everyone in our subsidiaries has in access to the new version."

Of course, Norcal must pay for all of the software it uses. But it have to pay a lot of people to keep a far-flung system up and rule it have to add staff to maintain our back office, operation customer service work," McGrath says. "If we buy another oper we don't have to hire a technical person to integrate that compare operations with ours, we simply implement thin clients in the of and everyone uses the system here.

The Norcal thin network not only reduces the total cost of owne mentioned by McGrath, it also offers the same kinds of benefits available through a Waste Industries' VPN.

For example, McGrath is experimenting with an online bill payin option and developing customer service enhancements, such as scheduling pick-ups and calling for maintenance online. He also investigating incorporating routing and a global positioning syst (GPS) into the network.

### Stericycle's Alternative Thin Client System

In the past year, Stericycle Inc., Lake Forest, Ill., virtually doub size by acquiring Browning-Ferris Industries' medical waste ope Now, Stericycle operates 80-plus locations in the United States Canada. A large network of sales representatives also raises the number of locations requiring computer access to Stericycle headquarters into the hundreds.

Two years ago, planning for growth, Stericycle's corporate headquarters and 20 or so facilities implemented a Transcomp 2001 System, which administers contracts, pricing and exceptic plus dispatching, routing, order entry, billing, and accounts pay and receivable.

To make it easier to bring new operations online, the company attached the Transcomp system to a thin client Intranet, which different look than the Norcal thin client system.

"The Tower 2001 allowed us to do our own Intranet developmer which integrates [it] with other specialized medical waste syster important to our business," says Patrick Cott, Stericycle's vice president of information. "For example, we use a bar-code syste coordinate our transportation and billing operations. One of the important parts of the system is the SQL Server, which snapped easily into our overall system."

The Stericycle network enables all of its locations to communicathe main data center located in Lake Forest via a browser such Internet Explorer. Most of the computer processing work in the occurs at headquarters, with the browsers requesting operation the Intranet. This is a thin client software system.

### Roll Call

Wastequip Names Rasmussen
President Satterfield Named EVP of
WASTEC

### Mark It

**Events** 

### **Guides**

References

### **Products**

Covering Up The Mess By Danielle Onorato

**Products** 

"When we say thin, we're talking about the software element," says. "We haven't made a distinction about the hardware. Our motivation is to make the system accessible and to make network utilization efficient.

"From a pure processing perspective, we want to make all interwith our core system thin," he continues. "But we also want perbe able to process information offline. This is done by taking da through the browser and populating a program on a desktop. For example, many of our people want reports done in different was system distributes or pushes reports to people in the branches if files. By bringing up the data in Excel on their own desktops, the slice and dice the data any way they want and create their own reports without the involvement of our IS department."

This system allows everyone access to the information he or showants, but all that travels through the network is data, not prepackaged reports that might require larger, more expensive dat

In addition, Stericycle has not had to replace desktop computer focused on a thin hardware concept. "Most desktop computers t are so much faster than you probably will ever need," Cott says "When these computers communicate over the network, they us browsers. When they process data, they use application softwar installed in the desktop."

### The Large and Small Networked Future

While larger companies have so far seemed to be the ones implementing networks to integrate offices, small companies wi two or several locations also can benefit from this concept.

"Generally, the direction of software is to be Internet-enabled a over a network through a browser," says Pat Sweeney, presider Transcomp/wasteclick.com, Orange, Calif. "Later this year, we plaunch an ASP component of our wasteclick.com portal. This AS do the same thing for many companies over the Internet: It enyou to keep your books and run your trash business with a browtalking to our product. Whether you use this web-based concept Intranet like Stericycle or through an ASP depends on your pref and your size."

In other words, some large companies may want to outsource t data processing through an ASP simply because they prefer invition other areas of their business.

On the other hand, smaller companies may not have the capital invest in powerful, full-featured systems.

But both kinds of companies can subscribe to an ASP and tap in features of high-end systems.

Connecting to an ASP is like connecting to America Online, Dulle The difference is that America Online offers entertainment, new games, and various consumer features. But an ASP offers highapplication systems tailored to the needs of different businesses

"You pay for these systems through a fixed monthly subscriptio

based on the number of users in your company," Sweeney says "There is no start-up cost and no need to invest in technical stainternal systems."

Eventually, these systems will offer all of the services of the decoupling views and Intranets used by companies such as Waste Industrie Norcal and Stericycle, including online accounting, dispatching, and other back office systems. Online bill-paying and other cust service systems also will be available.

What will you need to use these systems?

Nothing but the 'Net.

Michael Fickes is Waste Age's business editor.

### **Unscrambling the Acronyms**

Want to upgrade your system but don't understand the lingo? If the acronyms unscrambled.

ASP: Application Service-Providers

CD: Compact Disc

CD-ROM: Compact Disc Read-Only Memory device

DSL: Digital Subscriber Line

GPS: Global Positioning System

IS: Information Systems

ISDN: Integrated Services Digital Network

ISP: Internet Service-Provider


SQL: Structured Query Language

VPN: Virtual Private Network

© 2003, PRIMEDIA Business Magazines & Media Inc. All rights reserved. This protected by United States copyright and other intellectual property laws and the reproduced, rewritten, distributed, redisseminated, transmitted, displepublished or broadcast, directly or indirectly, in any medium without the price permission of PRIMEDIA Business Magazines & Media Inc.



Want to use this article? Click here for options!
© 2003, PRIMEDIA Business Magazines & Media Inc.



©2003, PRIMEDIA Business Magazines & Media Inc. All rights reserv $\epsilon$ 



The Journal for Municipal Solid Waste Professionals

SEARCH

SUBSCRIBE I ABOUT ! NEWS ! ADVERTISE ! REGISTER ! SERVICES

CALENDAR **GLOSSARY** CONTACT US **CURRENT ISSUE** EDITORIAL TRASHTALK BACK ISSUES

lFeatinne

green and the contract and the contract of the Chboard

Distributed Energy

Grading & Excavation Contractor

**Erosion Control** 

Stormwater

Start your cost-containment efforts with the efficiency of your collection and transfer operations.

By Thomas M. Roth

SAVE THIS

Many local governments are being hit hard by budget shortfalls. Residents are demanding better services for their tax dollars. The cost of environmental compliance is rising while the volume of solid waste generated per capita is increasing annually. The United States Environmental Protection Agency reports a 70% per-capita increase in the generation of solid waste in the US over the last 40 years.

Local initiatives, such as waste reduction, recycling education, Pay-As-You-Throw programs, and mandatory container deposits might provide some benefits through cost reduction in a solid waste disposal program. These activities are all laudable: however, such behavior modification programs are only part of the answer to cost control.

Significant cost reductions and efficiency improvements in the municipal solid waste field have been brought about recently through technological advances affecting waste collection and hauling. The use of onboard data systems on waste collection vehicles has proven beneficial to many waste handlers, be it a

public utility or a private enterprise.

Subscribe

Create A Link To This Article On Your Website

Onboard data systems can provide many benefits to waste operators. Geographical positioning system (GPS) receivers can improve routing efficiencies by tracking vehicle locations. Automated data collection systems can reduce route times and

### Comment On This

increase the accuracy of billing information. Wireless transmission of data between vehicles and central stations can reduce data-handling costs and expedite the billing process.

### Vehicle Tracking





PHOTO: VULCAN

Transfer vehicle scale with V300 electronics



Front fork scale with V600 electronics

The makings of a revolution in fleet management began in the mid-1990s when the US Department of Defense completed its network of 24 GPS satellites, which now orbit 11,000 mi. above Earth. These NAVSTAR satellites were designed for military applications. but civilian use of the GPS satellite signals became widespread after technological innovations resulted in dramatic reductions in the size and cost of GPS receivers.

Small, inexpensive GPS receivers found an obvious application in vehicle tracking, providing fleet managers with real-time monitoring of vehicle locations. The use of GPS for such applications as this is a relatively recent innovation in the MSW

field but one that is quickly growing as more organizations discover the benefits it has to offer.

### Subscribe

Doug Damon with fleet tracking applications provider InSight USA estimates a market penetration of less than 15% of the solid waste field. Damon claims that "everybody's talking about it," but usage is still much less than in the service industry, which has been quicker to adopt the technology.

One recent adopter of GPS technology is K&F Industries Inc., which began tracking its Indianapolis, IN, fleet of recycling vehicles a little more than a year ago. Chief Financial Officer



Create A Link To This Article On Your Website

Matt Cole quickly became an advocate of GPS-based vehicle tracking. The system was originally installed to establish accountability of the drivers who, as Cole says, are "off-site and out of mind" while driving their rounds. Although K&F has weeded out some bad drivers, that is not the primary use or benefit of the system. Cole sees route optimization as a better use of GPS monitoring systems and doesn't feel that the company uses vehicle-tracking data to look over the shoulder of each driver during every working hour.

### Comment On This

Most drivers at K&F are assigned routes designed to visit customers on a regular schedule, with additional pickups on an as-requested basis following completion of the regular routes. The problem for dispatchers, according to Cole, was that they "didn't have any way of knowing how long runs should take or what was done for the day."

K&F selected InSight USA's StreetEagle Waste Management solution, which includes software with built-in routing capabilities. The software determines the theoretical time to complete a route based on average highway speeds and anticipated loading time per customer. Although K&F doesn't employ real-time monitoring of their drivers, they can compare actual route times to the predicted route times and identify where inefficiencies might exist and where scheduling improvements can be made.

Don Weigel, director of products and services for Trimble, a leading provider of GPS technology, identifies this "calibration" procedure—along with "correction" and "compliance"—as one of the "three Cs of GPS" in the waste management industry. Trimble has customers who are not ready to invest in a full-fleet tracking system but who do use tracking devices on a limited number of vehicles to develop data for time and motion studies. Assumptions don't take into account actual conditions, such as narrow alleys with limited loading areas or multiple containers that must be moved to gain full access for loading. The actual load and drive times are recorded and can be used to optimize route planning, which was Cole's goal in implementing GPS tracking at K&F.

Vehicle tracking data are generally provided as either real-time tracking or in-batch reports. Real-time tracking is most useful for larger haulers with dedicated dispatchers who frequently must reroute their trucks as calls for pickups or container drops are phoned in during the day. In these cases, dispatchers typically spend a good part of their day in front of computer monitors, where they can see the current location of every vehicle and dispatch the nearest truck to a customer's location. Batch reports, though, are useful for any size fleet. Damon finds that these management reports provide business intelligence

that is extremely valuable—but only if it is used properly. "If you do nothing with it," he says, "it's worth nothing."

At K&F, the data are used by the traffic department, which reviews the management reports on a weekly basis. If a driver's performance is seen to decrease, the traffic department looks into possible causes. Cole has found that performance problems often are caused by customer procedures. For example, increases in traffic at a customer's facility might cause long loading delays, which can be solved by changing the service time for that location. Likewise, Weigel points out that tracking data might show long waits at a company's own scale, which would justify the expense of adding another scale.

Mike and Cindy Leichner, owners of Pride Disposal in Sherwood, OR, use Routeware's DMS3000 system to optimize their collection operations. "Its in-truck system gives us a complete time stamp on our collection, travel, cleanup, and dump activities," Mike explains. "It's hard data, so it takes the guesswork out of what's actually happening out on the routes."

Pride Disposal offers a full line of services, including rolloffs, commercial and residential collection, and recycling services at the company's transfer and recovery facility. The Routeware system installed in the company's trucks has two buttons, green and red, to assist in the ease of recording the pickups or misses, or the driver can go to the screen to record special situations.

"Routeware allows us to prepare detailed reports to justify our charges to the different customers and jurisdictions we serve," Mike explains. "Because of the system's GPS location-validating capability, we have been able to satisfy our customers' questions quickly and accurately."

Another example of the "correction" aspect of Weigel's three Cs of GPS includes that of employee misbehavior. Weigel says drivers going off-route are rampant in the waste business, and GPS tracking will quickly identify those drivers who make side trips, either for personal reasons or to perform unauthorized collections that aren't reported. Likewise, GPS addresses compliance, which is Weigel's third C. The best route optimizations won't work if drivers decide they know a better route, and vehicle tracking can identify those drivers who don't follow the assigned routes.

Tracking can also work in a driver's favor. Cole relates the story of an overdue K&F driver whose cell phone malfunctioned during a route. The GPS tracking data were used to find the vehicle and to verify that the driver was still in transit, eliminating the need to have a supervisor drive the route to see if the driver was in trouble. The tracking data have also been used to support

drivers when customers complained that a driver missed their location. Dispatchers are able to confirm that a vehicle has visited a customer facility on schedule, even though the customer might be unaware that the pickup has already been made.

Tracking device installation is relatively simple, often simpler than installing a car stereo. The devices are usually placed in an out-of-the-way location, such as beneath the seat or behind the dashboard. Hardwiring the units into the electrical system is recommended to reduce tampering with the units. Drivers have been known to disconnect GPS units, so K&F installs tamper-resistant plates around its GPS units, and InSight uses tamper-evident tape on all wiring installations.

### **Automated Data Collection**

Many GPS-equipped onboard data systems are capable of more than just identifying a vehicle's location. Anything operating on the vehicle's 12-V power system or using the vehicle's PTO can be monitored, with the time-of-device activation or deactivation recorded and reported.

The vehicle ignition switch is a common device to tie into the onboard data system. Recording when the ignition is turned on for the first time each day and when it is turned off for the last time each day can be a reliable timekeeping method and is especially useful when vehicles are parked in remote lots with no supervisory personnel. If ignition events are monitored for this purpose, it should be in conjunction with a review of GPS location data, as drivers have been known to idle trucks for long periods before leaving the lot and to drive around aimlessly before returning to the lot to avoid making additional service calls at the end of the day.

Monitoring ignition events and location data is also useful for evaluating vehicle idle times. Reducing idle times also reduces fuel and vehicle maintenance costs. If extensive idle times are recognized, corrective steps can be taken, which might include changing loading procedures or working with customers to reduce long waits at their facilities. Because GPS receivers record both time and location, tracking software easily can identify periods of time when the vehicle is not moving and, when combined with monitoring of ignition events, can generate reports showing idling durations and locations.

Lift events can also be monitored, with the time and the location recorded each time the lift is activated. Waste haulers can determine the coordinates of their customers' locations based on street addresses and enter these data into their GPS tracking database. The GPS receiver records the vehicle's coordinates

every time its lift is activated. Tracking software then compares these coordinates to those previously loaded into the database and matches the location with the customer. Bookkeeping is reduced, and the driver spends time traveling to the next location instead of recording service calls. An added benefit is that unauthorized pickups are reduced because dispatchers easily can identify lift activations occurring at locations that don't match known customer locations.

Whether a vehicle is equipped with a GPS tracking unit or not, onboard scales represent another leap in waste management technology. Onboard scales have been developed for many different types of waste-hauling vehicle configurations. Stress-Tek Inc. of Kent, WA, manufactures several different systems for its Vulcan On-Board Scales product line. Vulcan scales are available for tipping and fixed refuse bodies, rolloff haulers, hooklifts, transfer vehicles, and front fork loaders.

Body scales from most manufacturers provide information on total load weight and are most useful for checking gross weights to avoid fines for overweight vehicles. These devices don't always provide accuracies that make them suitable for billing purposes, but Weigel has seen onboard scales used for auditing purposes and for route planning. Gross weights can be plotted, and standard deviations can be calculated for all customers. An evaluation of the standard deviation for each customer can be used to optimize routes. In operations that bill by volume or by number of service calls instead of by weight, tracking of changes in gross weight over time could increase fees only for customers whose weight is significantly above that of the average customer.

For curbside waste haulers who bill based on weight, lift-based scales might be worth serious consideration. With these systems, the standard original equipment manufacturer lifts are replaced with lifts having integrated scales. On a typical front fork system, the existing forks are replaced with fork scales that tie into a meter in the cab. The driver can record the weight from the meter readout. More advanced systems can record the date, time, and customer information in addition to the pickup weight.

Weigh-in-motion or dynamic systems offer an advantage over static weighing systems in that driver productivity is not reduced. Weights are measured during the lift cycle, and the lift does not need to be stopped while a reading is obtained. With the LoadMan onboard fork weighing systems from Creative Microsystems Inc. of Renton, WA, onboard microcomputers take into consideration the fork angle, arm angle, velocity, and acceleration throughout the entire lifting cycle. Creative Microsystems claims a weight accuracy of 99% in the net weight,

obtained by weighing the container while it is being lifted and reweighing it after it has been emptied.

Likewise, SI Technologies Inc. of Tustin, CA, claims a typical accuracy of 1% of the load for its Route Man weigh-in-motion fork-based onboard scales. The Route Man system directly replaces the standard forks on commercial frontloaders. One-button operation allows the driver to collect the bin weight and additional customer information for up to 1,000 pickups.

Onboard scales are also an option for residential curbside pickups. LTS Scale Corporation of Twinsburg, OH, developed the EnviroScale line for the waste industry. In addition to scale forks for commercial front-end loaders, LTS provides two types of systems for residential collection.

The fully automated sideloader truck with weight hopper uses a grabber arm to pick up the curbside refuse container. A transponder on the grabber arm communicates with the onboard computer system via a truck-mounted antenna. The computer opens the customer account record while it reads the weight of the hopper. The grabber arm dumps the container contents into the weight hopper, then the scale system records the hopper weight and calculates the net weight of the refuse while the arm retracts.

LTS also manufactures semiautomatic scales for side and rear tippers. This scale is mounted to the truck body with the tipper on either the side or rear of the vehicle. The tipper lift raises the container to its weighing position, and the weight is recorded and transmitted to the receiving system in the cab. After the load is emptied, the container is returned to the weighing position, and the empty container weight is read. The net weight is computed and recorded while the tipper lift returns the container to its curbside location. This system is an example of the static weighing process, which requires six to nine seconds, according to LTS.

### **Wireless Data Transmission**

The data collected from the onboard systems, whether GPS tracking data, pickup weights, or readings from other monitors, must find their way back to the office if they are to be used. In the past, the data were commonly stored in the onboard system and downloaded in a batch at the end of the day. Many of today's systems, however, use wireless technology to transmit the data to receiving systems at regular intervals.

Batch processing obviously limits the use of the data and eliminates the ability to conduct real-time vehicle monitoring. There are also unseen costs to batch processing, however, that

waste operators might not take into consideration.

"A lot of people assume a wireless product is more expensive than a 'dumb' data logger," says Weigel. "Look at the total cost, including someone to download the data and truck wait times."

Weigel has seen trucks idling in line at the end of the day while someone connects a cable to individual vehicles to download the data. The actual cost of wireless might be less than expected.

Wireless transmission commonly makes use of cellular telephone technology, but the transmission method for nonvoice data varies from that for voice transmission. In voice communication, a voice channel is kept open during an entire communication session, similar to the way in which landlines operate. Nonvoice data, such as those from onboard tracking, monitoring, and weighing systems, are transmitted using a system known as "packet switching." The data are compressed and sent in short bursts between voice communications or during gaps in conversations on voice channels. This is how newer cell phones send and receive text messages, e-mail, and Internet data.

This is a greatly simplified explanation of wireless technology, and new users are likely to encounter myriad confusing acronyms such as GPRS (general packet radio service), GSM (global system for mobile communications), 3G (third generation GSM), TDMA (time division multiple access), CDMA (codedivision multiple access), and 1xRTT (single-carrier radio transmission technology). Don't get hung up on the pros and cons of these technologies; they are simply different specifications or methods for transmitting data through the services of commercial cellular carriers.

Rather than worry about the transmission technology, potential users should be asking questions about coverage, reliability, and the cost to upgrade. Many cellular companies are in the process of changing their network from one type of system to another, and these systems are not all compatible. If the carrier changes its network system after you purchase your equipment, you might need to upgrade the transmission system on every vehicle. Some companies offer modular systems that make this upgrade simple and relatively inexpensive, but other systems might become obsolete. A reliable vendor of onboard data systems will be knowledgeable in wireless technology and should be in touch with trends and what the local carriers are planning.

### **Putting It All Together**

Onboard data systems can obviously generate large volumes of data, which must be reviewed and analyzed if they are to provide meaningful results. Fortunately new users aren't left alone to figure out what to do with all of this information.

Many vendors of onboard data systems also provide full software systems that will collect the data, store them in a database, and generate standard or customized reports. In many cases, users won't even need to install any software, as the data and reports are made available over the Internet using a standard Web browser.

Wireless systems will usually transmit your data back to the supplier, where they are stored in a database accessible over the Web. This eliminates the need for data specialists, software installations, and data backups, as all data-handling occurs at the supplier end.

As an example of what a Web-based system can provide, the Telvisant system from Trimble provides a suite of hosted applications, which include messaging, reporting, and work-order management. The mapping application displays vehicle locations in near real time using in-vehicle GPS receivers. Text messages can be sent to drivers using a Web-based, e-mail-like user interface; the messages are displayed on an in-vehicle monitor. The reporting application has a configurable, Web-based database reporting system that generates vehicle event reports, which can include location-related event data, driver-initiated messages, and changes in sensor inputs.

Onboard data systems provide the opportunity for waste operators to become more efficient, provide better customer service, and lower their operating costs. As noted earlier, the penetration of these new technologies is still relatively small in the waste management field. As the systems become less expensive and even more advanced, however, many more waste operators will discover the benefits of onboard data systems and adopt these systems within their own organizations.

Guest author Thomas M. Roth, P.E., is a geological engineer with Parson's Engineering Science in Atlanta, GA.

MSW - January/February 2004

Return to Table of Contents

Search | Subscribe | About | News | Advertise | Register | Services | Calendar Glossary | Contact Us | Current Issues | Back Issues | Other Forester Publications | Forester*Press* 

Copyright 1999-2004 FORESTER COMMUNICATIONS, INC P.O. Box 3100 + Santa Barbara, CA 93130 + 805-682-1300



The Journal for Municipal Solid Waste Professionals

SEARCH

SUBSCRIBE I ABOUT I NEWS I ADVERTISE I REGISTER I SERVICES

CALENDAR
GLOSSARY
CONTACT US
CURRENT ISSUE
EDITORIAL
TRASHTALK
BACK ISSUES





Grading & Excavation Contractor Erosion Control Stormwater

**€**⇔ SAVE THIS

Although only a small fraction of MSW collection trucks have a computer onboard, more and more MSW fleet managers are becoming intrigued by the possibilities that onboard computers and wireless communications offer for efficient route management.

By Charles D. Bader

### Subscribe

slncongruous as it might seem, given the complexity and cost of packers and transfer trucks, only about 5% of currently operating refuse trucks are even equipped with onboard scales, let alone onboard tracking, location, and automated communication systems.

Create A Link To This Article On Your Website

That situation might be changing, though, as a determined group of suppliers that has been supplying the transportation industry turns its attention to the MSW hauling market. Armed with experience and a steadily improving technology, these suppliers are adapting their onboard scales and/or global positioning system (GPS) location hardware and proven software to the unique requirements of MSW haulers, promising an array of benefits if haulers integrate their onboard sensor data with their dispatch and accounting systems.

### Comment On This

### **Onboard Scale Systems**

To date, the principal use of onboard scales in MSW applications has been to optimize load weights of transfer vehicles

transporting MSW from transfer stations to landfills. "Electronic onboard scales are not new," points out Rick Talbot, marketing and sales manager for Vulcan On-Board Scales in Kent, WA. "They were introduced over 30 years ago into trucking applications where monitoring gross vehicle or payload weights was necessary but platform scales were not readily available."

Of course this is precisely the same situation that has developed in the MSW industry as near-in landfills have been replaced by larger regional landfills often hundreds of miles away. Talbot concurs, adding, "Transfer station operators are now under increasing pressure to reduce transportation costs by maximizing the weight of each payload, but at the same time not overloading the vehicle.

"Most transfer stations have certified in-ground scales on-site but often not at the loading area. Many operators who have tried scales in the loading pit have concluded that they are very difficult and expensive to keep clean and maintain. As a result, every transfer vehicle must line up to be weighed at the certified scale after loading. Typically, underweight vehicles are waved on unless they are grossly underweight. Overweight vehicles are either sent back to offload or, depending on the weight and risks, sent on. Most studies show that transfer vehicles are underloaded, on average, by 4% to 10%!"



Subscribe

Attracted by the potential of the "new" market, companies such as Vulcan, SI Allegheny, and Creative Microsystems are now aggressively marketing products to MSW hauling companies and municipalities. As shown in Table 1, there are a variety of different types of onboard scales from which to choose.

Table 1. Onboard Scale Options

Create A Link To This Article On Your Website

Types of Onboard Scales		
Onboard Scale Type	Strengths	Weaknesses
Front Fork Scale	Ideal for bin weights	Only frontloaders
	Accurate	GVW* needs all bin weights
Transducer on Front Arms	Inexpensive	Requires frequent calibration
	Relatively easy to install	Accuracy is marginal
Body-Mounted Load Scales	Very reliable	Installation takes 25-40 hr.
	Ideal for payload	

Comment On This

	weights	
Air Scales	Inexpensive	Only air suspensions
	Easy to install	GVW only
Suspension Transducers	Inexpensive	Requires frequent calibration
	Relatively easy to install	GVW only
		* GVW = gross vehicle weight
Application Guide		
Vehicle Type	Applications	Options
Frontloader	Bin weights	Front fork scale
	i	Body-mounted load cells
		Transducer on front arms
Frontloader	GVW/payload weights	Body-mounted load cells
		Suspension transducers
Rearloader	Bin weights	Body-mounted load cells
Rearloader	GVW/payload weights	Body-mounted load cells
		Suspension transducers
Rolloff	GVW/payload weights	Shear pins/hydraulic
		Suspension transducers
		Body-mounted load cells
Container Carrier	GVW/payload weights	Body-mounted load cells
		Suspension transducers
Transfer Truck/Carrier	GVW/payload weights	Load cells
		Air scales
		Suspension transducers
	S	ource: Vulcan On-Board Systems

Apparently, avoiding overweight fines is not the number-one payback; rather, it's optimizing the payload. Matt Chapman, equipment maintenance supervisor for the Palm Beach (FL) Solid Waste Authority, agrees, citing operational experience to that effect. "The scale at our transfer station is quite a distance from the loading holes. Therefore, our transfer trucks would have to drive to the scale, and if the weight wasn't right, they'd have to make a U-turn and go back to dump some off or add some on. depending on the weight discrepancy. Now, with onboard scales, we avoid having to make that U-turn and that would save that driver eight to 10 minutes. Since we send out about 200 truckloads a day, that would save us 1,800 minutes, or 30 hours a day. That's not the real savings, though. Rather than make that U-turn, drivers whose trucks were underweight as much as 5,000 pounds would just keep going. With the onboard scales, every truck goes out fully loaded, yet without the risk that we'd be fined for being overweight."

Based on data like these, Talbot has calculated that onboard scales on a transfer truck with an 80,000-lb. payload limit would pay for itself in just six months if only the cost of this underweight is taken into consideration (see Table 2). If other precluded costs (such as the cost of overweight penalties, the cost of weighing, the cost to readjust weights, and the cost of out-of-route miles) are included, payback could be achieved in as little as four months.

Table 2. Cost Considerations of Onboard Scales on Transfer Vehicles

Cost of Underweight		
1.	Legal gross weight in pounds	80,000
2.	Current average GVW in pounds (without onboard scales)  Use at least 30 scale	76,000
	tickets	
3.	Average tare weight in pounds  Use at least 30 scale tickets	33,000
4.	Maximum payload in pounds (line 1 minus line 3)	47,000
5.	Average payload in pounds (line 2 minus line 3)	43,000
6.	Average payload shortage in pounds (line 4 minus line 5)	4,000
7.	Average loads per day for truck	3

8.	Average payload shortage per day in pounds (line 6 multiplied by line 7)	12,000
9.	Days worked in year	250
10.	Average payload shortage per year in pounds (line 8 multiplied by line 9)	3,000,000
11.	Extra loads per year in pounds (line 10 divided by line 5)	70
12.	Number of roundtrip miles to the landfill	100
13.	Number of extra load miles per year (line 11 multiplied by line 12)	7,000
14.	Cost to operate transfer vehicle per mile	\$2.00
	(includes allocated overhead)	
15.	Cost per year per vehicle of extra trips to the landfill	\$14,000.00
Cost-E	Benefit Summary per Vehicle	
Cost of underweight per year		\$14,000.00
Cost of overweight per year		\$1,500.00
Cost of weighing per year		\$960.00
Cost to readjust load weights per year		\$1,320.00
Cost of out-of-route miles per year		\$3,000.00
Total annual costs of operating without onboard scales		\$20,780.00
Installed cost of onboard scale (range: \$2,000\$9,000)		\$6,500.00
Cost per month of operating without onboard scales		\$1,731.67
Months for onboard scales to pay for themselves		4
Months for onboard scales to pay for themselves		6
(only considering the cost of underweight)		

Thus, the use of onboard scales on transfer trucks can yield a very attractive return on investment (ROI). The argument for using onboard scales on collection trucks is less persuasive, however - unless weight-based billing is permitted. Hence it is a political issue, not a technological issue. Richard Boyovich of Creative Microsystems in Renton, WA, makes that point when he describes the performance of his company's LoadMan.

"For frontloaders, LoadMan's proprietary microcomputer 'learns' the load-cell waveform as a function of the angle and position of the lift arm and the front forks relative to a tenth of a degree throughout the entire lifting cycle. The system weighs the

container in motion going up and then reweighs it in motion coming down, thus providing the net content of the container without stopping the front forks for the weight reading. The system completely ignores vibration and shock from running motors and measures the material regardless of where the weight is located in the container. Moreover, the system automatically compensates for out-of-level weighing conditions. As a result of these features, the system's weighing accuracy is typically within 1%."

Still, when pressed to detail benefits of onboard scales for refuse collection where weight-based billing is not used, Boyovich becomes much less quantitative. "The system provides easy access to critical information, allowing identification of unprofitable accounts and accurate measurement of set-out rates for new customers and in general shows which routes are or are not operating efficiently. In addition, the system provides the drivers with gross load information so that they know when to go to the tipping station without risking overweight fines. What's more, trucks operating at their legal axle weights reduce maintenance costs and increase their overall life."

That's all well and good, but it is weight-based billing that makes onboard scales really pay off for collection trucks. Today's systems overcome most of the traditional objections to weight-based billing. Not only are they virtually error-free, but their software can integrate with even a municipality's billing system. Therefore, without redundant keying, the municipality's utility can print the weight and the cost as just another line item on the resident's utility bill. For commercial accounts, the system (if supplied with an onboard printer) can deliver an immediate hard-copy invoice to each customer.

Even so, the widespread political resistance to weight-based billing continues to be a potent force to overcome. Jim Pickett of Toter, for one, doesn't see the situation changing soon. "We have a straightforward system for handling weight-based measurement and billing," he states. "We place a tag with a unique radio frequency identification [RFID] on each cart. When that cart is lifted, our onboard scale system weighs it, records that customer's RFID, weighs the cart again after it has been dumped, and subtracts that weight from the initial cart weight to produce a net refuse weight that the customer will be billed for.

"The weight will be very accurate too. Today any scale used for weight-based billing must meet standards set by both the National Institute of Science and Technology and the [National] Conference of Weights and Measures. To meet those standards, a scale weighing a container with up to 500 pounds must be accurate to a half pound at any weight, and the measurement

cannot be affected by the truck's being out of level, whether caused by a slope or a pothole.

"We have had a system we refer to as 'Garbage by the Pound' on the market since 1995. The scale system is relatively inexpensive, it is certified as 'legal for trade' by the federal government, and it is very simple to implement. However, we have found that the political barriers to weight-based billing are formidable. There is a popular opinion that low-income residents generate more garbage per capita so that switching from the traditional flat-rate billing would penalize them. As a result, Garbage by the Pound has not nearly realized its potential."


There are signs that Europe might be moving toward weight-based billing more rapidly than the United States. Mark Bottomley of PM On Board Ltd. in Bradford, UK, reports on this phenomenon: "Green/environmental issues are very big right across Europe. National governments are providing funding and hard targets for reducing waste to landfill and incineration. At the Kyoto summit, the 'polluter pays' principle was agreed as being the best way of reducing wastestreams. The problem is how to implement it. Now, weighing waste at the point of collection and billing the producer is being introduced in trial towns and cities. Just recently there has been huge trade and municipal interest. We have received dozens of inquiries that we have turned into orders."

While the US is not a party to the Kyoto Accord, Boyovich believes that a major switch to weight-based billing is inevitable in this country too because it would have such a strong positive impact on recycling and composting. If residents had to pay for what they put in their refuse cart, he argues, they would be much more likely to source-separate recyclables and compostables and thereby minimize their waste collection bills.

"And this impacts on the quantities of MSW going into landfills," he adds. "As the congressional hearings this summer amply demonstrated, states are concerned and want some control over the amount of waste material being imported from other states and, in a few cases, from out of the country. They see their landfills filling up at faster rates and are at last worried. However, if states ever hope to reduce the amount of waste material going into their landfills, they'll have to come up with a way to get people more motivated to recycle in greater amounts. I believe that the most practical way to achieve this today is through weight-based billing."

**Location Systems** 

Location systems and



Click here for larger view

software based on the GPS are attracting keen interest in the waste community. A number of different companies now are offering systems to waste companies and municipalities to increase the productivity of their fleets. A typical system is the ORBTRAC.COM system


(see Figure 1) just now being marketed to the waste industry by Orbital Transportation Management of Columbia, MD. Orbital's Chris Body explains the system: "Users simply log on to the Internet from home, office, or vehicle and are connected to their fleet in real time. Using GPS satellite technology, the system will track the location and status of vehicles, helping to dispatch assets where they are most needed during daily operations. It also captures and stores data for postservice analyses to assist in reducing the overall cost of future operations."

Typically such an onboard data system consists of a processor, a differential GPS receiver, memory, a wireless communications modem, and sensor interfaces. Some systems add a display, a control unit, and even a mobile data terminal. The communication link can be a commercial two-way radio, a cellular telephone, a cellular digital packet data (CDPD), or even a low-earth-orbit communication system. To complete the overall system and link the onboard computer seamlessly with the home office dispatch and accounting systems, software packages have been developed and are being marketed by such firms as FleetBoss, @Road, and Rastrac.

Rastrac describes its system structure as follows: "A server provides a secure gateway through which clients can view their vehicle tracks. The server allows client users to see what the vehicles are doing now; and see what they have been doing just by choosing a date/time range. I/O processors [IOPs] collect incoming vehicle data from the wireless communication media [for example, radio, cellular, CDPD, or satellite] and present it onto the server network in a standard format, independent of the wireless medium over which it was originally transmitted. The IOPs act as information sources to the network.

"The server accepts all incoming vehicle reports [see Figure 2] and stores them on its local disk, keeping each vehicle's reports organized in a date-structured hierarchy of disk folders. Thus, it has the power to go "back in time" and instantaneously access vehicle data from days, months, and even years past at the

simple request of a client viewer. Moreover, since TCP/IP [transmission control protocol/Internet protocol] is also the protocol the Internet uses, clients [users] can view their vehicles via the Internet from anywhere in the world."



Thus, fleets ranging from a single vehicle to a large multilocation fleet can use a GPS vehicle location system. The question arises, though: Are such systems worth the money? Clearly there are significant benefits to be gained with such a precise vehicle location capability. Joel Smith of Clear Computing in Red Bank, NJ, describes some of the principal ones: "First of all, a fleet manager can optimize his routes. The fleet manager can pinpoint all customer locations as determined by the GPS data and then populate the waypoints on an electronic map display in his office. Then he can revise the routes of his trucks to make the overall collection more efficient. Thereafter, he can see if each driver is staying on his route and see exactly where each truck is located. If a truck breaks down, he knows exactly where it occurred, how many stops and lifts that truck had made, and where nearby trucks are located. Then he can make an informed decision as to the best way to service the customers on the balance of that route.

"Also, the dispatcher can deal effectively with customer telephone calls complaining that their refuse hadn't been picked up that day. The dispatcher can pull up that driver's route progress that day and inform the caller, 'Your truck picked up at your address at 8:14 this morning. Perhaps you hadn't put your cart out by that time. Would you like to authorize a special pickup?' Customer relations tend to improve when a hauler has hard facts at his fingertips."

Boyovich adds an ominous "benefit" to knowing exactly where every truck is at all times: "Since the system gives them a measure of driver productivity by knowing things like how long it took a truck to get to a tipping station, how long the truck was there, and how long it took to return to the garage, a dispatcher can quickly determine if a truck is 'lost' and how long it has been lost. That's important these days. Remember, the cavity of a packer is huge and could be filled with a large amount of explosives. What's more, if a terrorist group highjacks it, fills it with explosives, and drives it to a target site in the middle of town, they'd almost surely get away with it. People are so used to seeing collection trucks, no one would be likely to notice that it was in the wrong place until too late. But a dispatcher will know that a truck has gone missing and, unless the highlacker has disabled the GPS system, will know where that truck is and where it is heading."

Joe Anderson of Disposal Management in Des Plaines, IL, cites yet another advantage: "Our company is strictly a rolloff operation. Every order is, in effect, a custom order, so our trucks leave with only one or two orders in the morning. Therefore they have to call in for additional orders throughout the day. The problem used to be that when a truck driver called in, it took the dispatcher awhile to give him the orders that were closest to his current position, and he had to take the time to carefully spell out the address information so there wouldn't be an error. Therefore the dispatcher might well be tied up on one call while other drivers were waiting to get their orders. I know this doesn't sound like much, but now our GPS-based system enables our frequent dispatchings to be faster as well as more accurate."

Clearly a location system provides significant benefits, but what about the cost factor of the cost/benefit equation? Barry Grahec of Desert Micro in Jacksonville, FL, provides some insight into that elusive number: "We sell a turnkey system consisting of a GPS receiver, an onboard computer, a display, and our TruckManager software for \$4,300. And one of our customers who leased 10 of these systems ran an ROI analysis after 60 days. [Table 3 shows the ROI he calculated with the benefits based solely on labor savings.] Nothing for route optimization, nothing for customer relations - just labor savings and added revenues from the operation of five frontloaders and five rearloaders. The total cost savings plus added revenues was \$8,087 or \$404 per month per truck. Their one-time out-front cost was \$4,600 for the installation on the 10 trucks, and their recurring monthly system cost per truck was \$189 for the system lease and the wireless system - \$215 less than their \$404 monthly labor savings. Therefore they concluded that their outfront cost would be paid back in less than two years."

A more sophisticated ROI analysis is now being conducted by Western Disposal in Boulder, CO. Ten McNeilus trucks equipped with Cat/Trimble's CrossCheck CDPD mobile unit that gives GPS-generated position and records sensor inputs are being evaluated. This is one of the pilot programs McNeilus has in place throughout the country. According to Randy Bice, chief engineer for McNeilus Refuse Products, one of the major goals of these pilot programs is to verify that integrating Trimble's hardware with body and chassis networked data will minimize the need for and cost of redundant sensor information.

"In the Western test, there are six rear-load refuse haulers, two McNeilus frontloaders, and two McNeilus rolloff trucks outfitted with Trimble hardware," Bice reports. "There is one sensor on each of the McNeilus trucks, an ifm efector inc. proximity sensor that gives an indication when the forks are at about shoulder height. The rear-load trucks do not have added sensors, but the CrossCheck is connected to the indicator lights for PTO [power take-off] and for the rear can lift.

"The basic information being collected includes a 'popcorn trail' of truck locations collected once per minute and transmitted every 10 minutes to a Telvisant platform, and real-time events are transmitted immediately whenever the front fork passes the shoulder height position (on the rear-load trucks whenever the PTO is engaged, when it is disengaged, and when the rear lift operates). Finally, ignition on and off times are also reported in real time, as are stops and starts of the trucks and speeding events.

"Western intended the system to provide better information for route planning. Their going-in proposition was that they needed to save five minutes per day per truck based on optimizing their routes. What they immediately found was that the system saved them much more in driver compliance. Within the first week, they discovered almost an hour a day was being wasted by the drivers. As far as route planning goes, their evaluation is still evolving."

John Sowl of Western confirms that this Beta test evaluation is still proceeding and that final results are not yet in. However, he adds, "I think we'll be able to justify the system."

Table 3. Labor Savings and Calculated ROI With Location System

Activity	Impact
28 stops at \$35 each in generated revenue from proof we were at the site for the pickup and the	\$980

customer was charged to return to dump an extra.	
Savings from stops no longer missed due to driver mistakes (119 stops at \$18).	\$2,142
Generated revenue from 339 stops at \$6 each in extra residential stops picked up with same amount of labor and equipment.	\$2,034
48 stops at \$35 each in increased extras that are accurately billed as compared to 60 days previously when drivers were responsible for writing down extra charges.	\$1,680
39 hours at \$21/hr. in eliminated time drivers had spent on paper route sheets before and after each route.	\$819
16 hours at \$27/hr. in eliminated dispatch time to manually find closest truck and to radio the new stop and directions to driver.	\$432
Total Impact Over 60 Days (\$404.35 per truck per month)	\$8,087
One-time installation cost for 10 trucks	\$4,600
Recurring monthly service costs	\$189/mo.
Monthly operating savings (\$404.35-189.00 = \$215.35	\$215.35/mo.
\$4,600/215.35	21-month ROI

## **Combined Systems**

Judging from the interest being expressed by large fleet owners, it seems likely that some onboard data systems in the future will at least offer both scales and GPS tracking and a tie-in with other onboard sensors. Indeed, several vendors are offering such a combination right now. Of course, cost will always be a consideration in determining how much capability an MSW hauler can afford. That's the reason that Creative Microsystems's announcement that its price, installed, for a combined onboard scale and a GPS location system will total just \$8,000 for rearloaders and \$10,000 for frontloaders.

Boyovich breaks down that latter price as follows: "It will be \$7,800 for the onboard computer and software, about \$200 average for shipping, \$1,000 for the GPS receiver, and about \$1,000 for installation and training by our dealers. What's more, the basic system software will provide a seamless interface with any Windows-based office accounting system. And for customers who want to upgrade that basic system, we offer such optional capabilities as wireless communications at \$900, an onboard printer at \$500, and a barcode reader for \$500."

Is \$10,000 too pricey for this application? Will prices drop further as integrated, as opposed to modular, systems come on the market? Is price even the major barrier to widespread acceptance given the contention of Dan Lee of FleetBoss that the savings of fleet management using onboard computers goes right to the bottom line?

It is possible, even likely, that the McNeilus/Trimble pilot programs might answer these questions positively and chart the future of comprehensive onboard data system capability. If the large companies now Beta testing the system are satisfied and McNeilus goes ahead with its current plan to offer fleet management systems on all new products as an option, its competitors are likely to follow suit. And then these systems no longer will be exclusively aftermarket products. With that might come sufficient added credibility and downward cost and pricing pressures to make onboard systems a logical choice for far more MSW fleet managers than are buying them today.

Charles D. Bader is with Dateline II Communications in Los Angeles, CA.

MSW - January/February 2003

Return to Table of Contents Search | Subscribe | About | News | Advertise | Register | Services | Calendar Glossary | Contact Us | Current Issues | Back Issues | Other Forester Publications | Forester*Press* 

Copyright 1999-2003 FORESTER COMMUNICATIONS, INC P.O. Box 3100 + Santa Barbara, CA 93130 + 805-682-1300

## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:	
☐ BLACK BORDERS	
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING	
□ SKEWED/SLANTED IMAGES	
Color or black and white photographs	
☐ GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
$\square$ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY	
OTHER:	

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.